

LAXATIVE- sennosides tablet, film coated
Meijer Distribution, Inc.

Meijer 44-773

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product,

do not use for a period longer than 1 week.

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and over	2 tablets once or twice daily
children 6 to under 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

Other information

- **each tablet contains:** calcium 35 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, medium chain triglycerides, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

meijer®

NDC 79481-7730-8

**COMPARE TO EX•LAX®
MAXIMUM STRENGTH
ACTIVE INGREDIENT***

Laxative

**SENNOSIDES USP, 25 mg
STIMULANT LAXATIVE**

**Gentle, Dependable
Constipation Relief
Maximum Strength**

Tablets

Actual Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DIST. BY MEIJER
DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

50844 ORG082177308

Drug Facts (continued)
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts
 Active ingredient (in each tablet) Purpose
 Sennosides USP, 25 mg, Stimulant laxative

Uses
 ■ relieves occasional constipation (irregularly)
 ■ generally produces bowel movement in 6 to 12 hours

Warnings
 Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.
 Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.
 Ask a doctor or pharmacist before use if you are taking any other drug. Laxatives may affect how other drugs work.
 Take this product 2 or more hours before or after other drugs.
 When using this product, do not use for a period longer than 1 week.
 Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

Other information
 ■ each tablet contains: calcium 35 mg
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGING IS OPENED OR BLISTER IS TORN OR BROKEN
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)
 ■ see end flap for expiration date and lot number

Directions
 ■ do not take more than directed
 ■ swallow tablet(s) with a glass of water
 ■ swallow tablet(s) whole; do not crush, break, or chew
 adults and children 12 years and over 2 tablets once or twice daily
 children 6 to under 12 years 1 tablet once or twice daily
 children under 6 years ask a doctor

Drug Facts (continued)
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

meijer
Laxative
 Gentle, Dependable Constipation Relief

meijer
Laxative
 SENNOSIDES USP, 25 mg
 STIMULANT LAXATIVE
 Gentle, Dependable Constipation Relief
 Maximum Strength

24
 Tablets

Actual Size

NDC 79481-7730-8

COMPARE TO EX•LAX®
 MAXIMUM STRENGTH
 ACTIVE INGREDIENT*

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

no print / no varnish area
 lot no. & exp. date

Drug Facts (continued)
Inactive ingredients
 corn starch, dibasic calcium phosphate dihydrate, F&Dc blue #1 aluminum lake, hypromellose, magnesium stearate, medium chain triglycerides, microcrystalline cellulose.

Drug Facts (continued)
 polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions or comments? 1-800-426-9391

This product is not manufactured or distributed by Haleon CH S.A.R.L., owner of the registered trademark ex•lax® Maximum Strength.

B-1214-773-08
 ORG082177308

PID 364373
 13733 29397 6
 DIST. BY MEIJER
 DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544
 www.meijer.com
 50844 ORG082177308

Meijer 44-773

LAXATIVE

sennosides tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-7730
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	blue	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	L7
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-7730-8	2 in 1 CARTON	08/30/2024	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:79481-7730-2	4 in 1 CARTON	08/30/2024	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	08/30/2024	

Labeler - Meijer Distribution, Inc. (006959555)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(79481-7730)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(79481-7730) , pack(79481-7730)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(79481-7730)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(79481-7730)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(79481-7730)

Revised: 9/2025

Meijer Distribution, Inc.