

**GOODNOW COLD FLU DAY RELIEF COLD FLU NIGHT RELIEF- acetaminophen, dextromethorphan hbr, doxylamine succinate, phenylephrine hcl**  
**Gobrand, Inc**

-----  
**Gobrand, Inc. Cold + Flu Day Relief Cold + Flu Night Relief Drug Facts**

**Active ingredients (in each softgel) - Nighttime Cold & Flu**

Acetaminophen 325 mg

Dextromethorphan HBr 15 mg

Doxylamine succinate 6.25 mg

**Active ingredients (in each softgel) - Daytime Cold & Flu**

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

**Purpose - Nighttime Cold & Flu**

Pain reliever/fever reducer

Cough suppressant

Antihistamine

**Purpose - Daytime Cold & Flu**

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

**Uses - Nighttime Cold & Flu**

temporarily relieves common cold/flu symptoms:

- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever
- runny nose and sneezing

**Uses - Daytime Cold & Flu**

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

## Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

## Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

## Ask a doctor before use if you have - Nighttime Cold & Flu

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough as occurs with smoking, asthma, or emphysema
- trouble urinating due to an enlarged prostate gland

### **Ask a doctor before use if you have - Daytime Cold & Flu**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

### **Ask a doctor or pharmacist before use if you are - Nighttime Cold & Flu**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

### **Ask a doctor or pharmacist before use if you are - Daytime Cold & Flu**

taking the blood thinning drug warfarin

### **When using this product - Nighttime Cold & Flu**

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

### **When using the product - Daytime Cold & Flu**

**do not use more than directed**

### **Stop use and ask a doctor if - Nighttime Cold & Flu**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

### **Stop use and ask a doctor if - Daytime Cold & Flu**

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions - Nighttime Cold & Flu**

- take only as directed – see overdose warning
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 softgels with water every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

**Directions - Daytime Cold & Flu**

- take only as directed – see overdose warning
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 softgels with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredients - Nighttime Cold & Flu**

D&C yellow no. 10, edible ink\*, FD&C blue no. 1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution \*may contain this ingredient

**Inactive ingredients - Daytime Cold & Flu**

edible ink\*, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution \*may contain this ingredient

**Questions or comments?**

**1-800-719-9260**

**Package/Label Principal Display Panel**

good now™

Compare to Vicks® DayQuil® & NyQuil® Cold & Flu LiquiCaps® active ingredients

actual size

NON-DROWSY

Cold + Flu Day Relief

Acetaminophen

Dextromethorphan HBr

Phenylephrine HCl

32 SOFTGELS

Pain Reliever

Fever Reducer

Cough Suppressant

Nasal Decongestant

Multi-Symptom Relief

Aches & Fever

Sore Throat

Nasal Congestion

Cough

actual size

Cold + Flu Night Relief

Acetaminophen

Dextromethorphan HBr

Doxylamine Succinate

16 SOFTGELS

Pain Reliever

Fever Reducer

Cough Suppressant

Antihistamine

Multi-Symptom Relief

Headache & Fever

Sore Throat

Minor Aches & Pains

Sneezing


Runny Nose

Cough

48 TOTAL LIQUID FILLED SOFTGELS

58072 36 C1

CODE AREA



OPEN OTHER END

**Drug Facts (continued)**  
Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is needed for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
Take only as directed - see overdose warning.  
Do not exceed 4 doses per 24 hrs.  
Adults & children 12 yrs & over: 2 softgels with water every 4 hrs.  
Children 4 to under 12 yrs: ask a doctor.  
Children under 4 yrs: do not use.

**Other Information** ■ See at 20-25°C (68-77°F)  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).

**Questions or comments?** 1-800-719-9260

**Drug Facts (continued)**  
Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is needed for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
Take only as directed - see overdose warning.  
Do not exceed 4 doses per 24 hrs.  
Adults & children 12 yrs & over: 2 softgels with water every 4 hrs.  
Children 4 to under 12 yrs: ask a doctor.  
Children under 4 yrs: do not use.

**Other Information** ■ See at 20-25°C (68-77°F)  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).

**Questions or comments?** 1-800-719-9260

**Drug Facts (continued)**  
Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is needed for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
Take only as directed - see overdose warning.  
Do not exceed 4 doses per 24 hrs.  
Adults & children 12 yrs & over: 2 softgels with water every 4 hrs.  
Children 4 to under 12 yrs: ask a doctor.  
Children under 4 yrs: do not use.

**Other Information** ■ See at 20-25°C (68-77°F)  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).

**Questions or comments?** 1-800-719-9260

**Drug Facts (continued)**  
Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is needed for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
Take only as directed - see overdose warning.  
Do not exceed 4 doses per 24 hrs.  
Adults & children 12 yrs & over: 2 softgels with water every 4 hrs.  
Children 4 to under 12 yrs: ask a doctor.  
Children under 4 yrs: do not use.

**Other Information** ■ See at 20-25°C (68-77°F)  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).  
Keep this product at room temperature (20° to 25°C or 68° to 77°F).

**Questions or comments?** 1-800-719-9260

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND INFORMATION**  
DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN  
These products are not manufactured or distributed by Procter & Gamble, distributor of Vicks® DayQuil® & NyQuil® Cold & Flu LiquiCaps®.  
DISTRIBUTED BY: GOBRANDS, INC.  
537 N 37<sup>th</sup> ST PHILADELPHIA, PA 19123  
©2025 GOBRANDS, INC.  
MADE IN CANADA

**PARENTS:**  
Learn about the medicine you're giving your child.  
www.StopDrugsBefore.org

**Drug Facts**  
Nighttime Cold & Flu  
Compare to Vicks® DayQuil® & NyQuil® Cold & Flu LiquiCaps® active ingredients!  
**Active Ingredients (in each softgel)**  
Acetaminophen 325 mg  
Dextromethorphan HBr 15 mg  
Doxylamine Succinate 16 mg  
Phenylephrine HCl 10 mg  
Pain reliever/fever reducer  
Cough suppressant  
Decongestant  
Antihistamine  
**Warnings**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours.  
With other drugs containing acetaminophen: 3 or more other drugs containing acetaminophen every day while using this product.  
If a rash reaction occurs, stop use and seek medical help right away.  
If a rash reaction occurs, stop use and seek medical help right away.  
If a rash reaction occurs, stop use and seek medical help right away.

**Drug Facts**  
Daytime Cold & Flu  
Compare to Vicks® DayQuil® & NyQuil® Cold & Flu LiquiCaps® active ingredients!  
**Active Ingredients (in each softgel)**  
Acetaminophen 325 mg  
Dextromethorphan HBr 15 mg  
Phenylephrine HCl 10 mg  
Pain reliever/fever reducer  
Cough suppressant  
Decongestant  
Antihistamine  
**Warnings**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours.  
With other drugs containing acetaminophen: 3 or more other drugs containing acetaminophen every day while using this product.  
If a rash reaction occurs, stop use and seek medical help right away.  
If a rash reaction occurs, stop use and seek medical help right away.  
If a rash reaction occurs, stop use and seek medical help right away.

good now

**NON-DROWSY**  
**Cold + Flu Day Relief**  
Acetaminophen  
Dextromethorphan HBr  
Phenylephrine HCl  
**32 SOFTGELS**  
Pain Reliever  
Fever Reducer  
Cough Suppressant  
Nasal Decongestant  
Multi-Symptom Relief  
Aches & Fever  
Sore Throat  
Nasal Congestion  
Cough  
48 TOTAL LIQUID FILLED SOFTGELS

**Cold + Flu Night Relief**  
Acetaminophen  
Dextromethorphan HBr  
Doxylamine Succinate  
**16 SOFTGELS**  
Pain Reliever  
Fever Reducer  
Cough Suppressant  
Antihistamine  
Multi-Symptom Relief  
Headache & Fever  
Sore Throat  
Minor Aches & Pains  
Sneezing  
Runny Nose  
Cough

# GOODNOW COLD FLU DAY RELIEF COLD FLU NIGHT RELIEF

acetaminophen, dextromethorphan hbr, doxylamine succinate, phenylephrine hcl kit

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82501-1211
--------------	----------------	--------------------	----------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82501-1211-1	1 in 1 CARTON; Type 0: Not a Combination Product	10/23/2025	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	8 BLISTER PACK	16
Part 2	16 BLISTER PACK	32

## Part 1 of 2

### GOODNOW COLD FLU NIGHT RELIEF

acetaminophen, dextromethorphan hbr, doxylamine succinate capsule, liquid filled

## Product Information

Item Code (Source)	NDC:82501-0056
--------------------	----------------

Route of Administration	ORAL
-------------------------	------

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg

## Inactive Ingredients

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	



<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	

Product Characteristics			
Color	GREEN (clear)	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	056
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82501-0056-0	8 in 1 CARTON		
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		

Part 2 of 2
<b>GOODNOW COLD FLU DAY RELIEF</b> acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

Product Information	
Item Code (Source)	NDC:82501-0994
Route of Administration	ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	

## Product Characteristics

<b>Color</b>	ORANGE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	L994
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82501-0994-0	16 in 1 CARTON		
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/23/2025	

**Labeler** - Gobrand, Inc (057499049)