

ANTIPERSPIRANT CUCUMBER FRESH- aluminum chlorohydrate aerosol, spray
Universal Distribution Center LLC

DRY SPRAY ANTIPERSPIRANT CUCUMBER FRESH

DRUG FACTS

ACTIVE INGREDIENT

Aluminum Chlorohydrate (23.3%)

PURPOSE

Antiperspirant

USES:

Reduces underarm wetness.

WARNINGS

- **FLAMMABLE.** DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- **Keep away from face and mouth** to avoid breathing in.
- **Avoid spraying in eyes.** Contents under pressure. Do not puncture or incinerate.
- **Do not use** on broken skin. Stop use if rash or irritation occurs.
- **Ask a doctor** before use if you have kidney disease.
- **KEEP OUT OF REACH OF CHILDREN.**
- **USE ONLY AS DIRECTED.** INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.

DIRECTIONS:

Apply to underarms only.

INACTIVE INGREDIENTS

Cyclopentasiloxane, Butane, Propane, Isobutane, Hydrofluorocarbon 152A, PPG-14 Butyl Ether, C12-15 Alkyl Benzoate, Dimethiconol, Disteardimonium Hectorite, Helianthus Annuus (Sunflower) Seed Oil, Octyldodecanol, Fragrance (Parfum), BHT, Propylene Carbonate, Tocopheryl Acetate.

**Compare to Dove®
Go Fresh Cool Essentials**

48 HOURS

Quick-Dry
No Residue

SWEAT PROTECTION

- *Shake well before each use*
- *Hold can 6 inches from underarm and spray evenly*
- *Allow to dry before dressing for soft, smooth-feeling skin*

Made in China

Mfd for and Distributed By:
Universal Distribution Center LLC
330 Applegarth Road,
Monroe Township, NJ 08831
www.universaldc.com

*This product is not manufactured, distributed, or endorsed by Unilever, the owner of the registered trademark Dove® Go Fresh Cool Essentials.

Packaging



- Shake well before each use
- Hold can 6 inches from underarm and spray evenly



- Allow to dry before dressing for soft, smooth-feeling skin

DRUG FACTS

| ACTIVE INGREDIENT | PURPOSE |
|-------------------------------------|----------------|
| Aluminum Chlorohydrate (23.3%)..... | Antiperspirant |

USES: Reduces underarm wetness.

WARNINGS

- **FLAMMABLE.** DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- **Keep away from face and mouth** to avoid breathing in.
- **Avoid spraying in eyes.** Contents under pressure. Do not puncture or incinerate.
- **Do not use** on broken skin. Stop use if rash or irritation occurs.
- **Ask a doctor** before use if you have kidney disease.
- **KEEP OUT OF REACH OF CHILDREN.**
- **USE ONLY AS DIRECTED.** INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.

DIRECTIONS: Apply to underarms only.



INACTIVE INGREDIENTS
Cyclopentasiloxane, Butane, Propane, Isobutane, Hydrofluorocarbon 152A, PPG-14 Butyl Ether, C12-15 Alkyl Benzoate, Dimethiconol, Distearidimonium Hectorite, Helianthus Annuus (Sunflower) Seed Oil, Octyldodecanol, Fragrance (Parfum), BHT, Propylene Carbonate, Tocopheryl Acetate.

Mfd for and Distributed By:
Universal Distribution Center LLC
330 Applegarth Road,
Monroe Township, NJ 08831
www.universaldc.com

*This product is not manufactured, distributed, or endorsed by Unilever, the owner of the registered trademark Dove® Go Fresh Cool Essentials.



DRY SPRAY

Compare to Dove®
Go Fresh Cool Essentials



CUCUMBER FRESH

48 | Quick-Dry
HOURS | No Residue

SWEAT PROTECTION
ANTIPERSPIRANT

NET WT. 3.5 OZ (99 g)

ANTIPERSPIRANT CUCUMBER FRESH

aluminum chlorohydrate aerosol, spray

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:52000-445 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|------------------------|-----------------|
| ALUMINUM CHLOROHYDRATE (UNII: HPN8MZ W13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZ W13M) | ALUMINUM CHLOROHYDRATE | 23.3 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| BUTANE (UNII: 6LV4FOR43R) | |
| PROPANE (UNII: T75W9911L6) | |
| ISOBUTANE (UNII: BXR49TP611) | |
| 1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0) | |
| PPG-14 BUTYL ETHER (UNII: R199TJT95T) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| DIMETHICONOL (40 CST) (UNII: 343C7U75XW) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| SUNFLOWER OIL (UNII: 3W1JG795YI) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:52000-445-35 | 99 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product | 05/04/2026 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M019 | 05/04/2026 | |

Labeler - Universal Distribution Center LLC (019180459)

Revised: 2/2026

Universal Distribution Center LLC