

INFANTS PAIN AND FEVER- acetaminophen suspension

KinderFarms, LLC

Drug Facts

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily reduces fever
- temporarily relieves minor aches and pains due to
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product.

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product,

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use.**
 - **do not take more than directed (see overdose warning)**
 - **shake well before using**
 - mL= milliliter
 - only use the enclosed syringe. **Do not use any other syringe, dropper, spoon or dosing device when giving this medicine to your child**
 - remove cap, insert syringe into hole at top of bottle until it snaps into place and turn upside down
 - pull back syringe until filled to be prescribed level. If you pass the prescribed level, invert assembly to right side up on flat surface and simply push syringe back until you have reached the desired level. Slowly dispense the liquid into your child's mouth (towards inner cheek)
 - If needed, repeat dose every 4 hours while symptoms last
 - do not give more than 5 times in 24 hours
 - do not give more than 5 days unless directed by a doctor
 - replace cap tightly to maintain child resistance
 - find the right dose on chart below. If possible, use weight to dose; otherwise, use age
-

Weight (lb)	Age (year)	Dose (mL)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL

*or as directed by a doctor

Other information

- store between 20-25°C (68°-77°F)
- do not refrigerate.
- see bottom panel for lot number and expiration date

Inactive ingredient

Organic agave syrup, non-GMO citric acid, organic natural flavors, purified water

Questions?

Call 424-235-0355

Principal Display Panel

INFANTS' PAIN & FEVER

For Children Ages 2-3 yrs

Acetaminophen

160 mg per 5 mL

Pain Reliever | Fever Reducer

Oral Suspension

Organic Cherry Flavor

SYRINGE INCLUDED

FL OZ (mL)

Keep outer carton for complete warnings and product information.

TAMPER EVIDENT: BOTTLE IS SAFETY SEALED WITH A PERFORATED BAND AROUND BOTTLE. DO NOT USE IF BOTTLE SEAL IS DISTURBED OR MISSING.

DISTRIBUTED BY: KinderFarms®

Redondo Beach, CA 90277 USA

kinderfarms.com

Package Label

Keep outer carton for complete warnings and product information.

Drug Facts

Active ingredient (in each 5 mL) Acetaminophen 160 mg **Purpose** Pain reliever/fever reducer

Uses ■ temporarily reduces fever
 ■ temporarily relieves minor aches and pains due to ■ the common cold ■ flu ■ headache ■ sore throat ■ toothache

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:
 ■ more than 5 doses in 24 hours, which is the maximum daily amount
 ■ with other drugs containing acetaminophen
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash.
 If a skin reaction occurs, stop use and seek medical help right away.
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use
 ■ with any other drug containing acetaminophen (prescription or non-prescription).
 ■ if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has liver disease.
Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product, do not exceed recommended dose (see Overdose warning).

Stop use and ask a doctor if ■ new symptoms occur
 ■ redness or swelling is present
 ■ pain gets worse or lasts more than 5 days
 ■ fever gets worse or lasts more than 3 days
 These could be signs of a serious condition.

Keep out of reach of children.
Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical even if you do not notice any signs or symptoms.

Directions ■ this product does not contain directions or complete warnings for adult use ■ do not take more than directed (see Overdose warning) ■ shake well before using

Drug Facts (continued)

■ mL = milliliter
 ■ only use the enclosed syringe.
 Do not use any other syringe, dropper, spoon or dosing device when giving this medicine to your child.
 ■ remove cap, insert syringe into hole at top of bottle until it snaps into place and turn upside down
 ■ pull back syringe until filled to the prescribed level. If you pass the prescribed level, invert assembly to right side up on flat surface and simply push syringe back until you have reached the desired level. Slowly dispense the liquid into your child's mouth (towards inner cheek).
 ■ if needed, repeat dose every 4 hours while symptoms last
 ■ do not give more than 5 times in 24 hours
 ■ do not give more than 5 days unless directed by a doctor
 ■ replace cap tightly to maintain child resistance
 ■ find the right dose on chart below. If possible, use weight to dose; otherwise, use age.

Weight (lb)	Age (year)	Dose (mL)*
under 24	under 2	ask a doctor
24-35	2-3	5 mL

*or as directed by a doctor

Other information
 ■ store between 20-25°C (68-77°F)
 ■ do not refrigerate
 ■ see bottom panel for lot number and expiration date

Inactive ingredients Organic agave syrup, non-GMO citric acid, organic natural flavors, purified water

DISTRIBUTED BY: KinderFarms®
 Redondo Beach, CA 90277 USA
 kinderfarms.com
QUESTIONS?
 hello@kinderfarms.com
 or call 424-235-0355

KinderMed

INFANTS' PAIN & FEVER
 For Children Ages 2-3 yrs.
Acetaminophen 160 mg per 5 mL
Pain Reliever | Fever Reducer
Oral Suspension

Organic Cherry Flavor

5 Ingredients, that's it!
REAL MEDICINE
 Acetaminophen
CLEAN INACTIVES
 Organic Agave Syrup
 Organic Cherry Flavor
 Non-GMO Citric Acid
 Purified Water

NON-GMO VERIFIED
 www.non GMOproject.org

U **V** **GF** **FOR THE PLANET**
 KOSHER VEGAN GLUTEN FREE

**NO COMMON ALLERGENS:
 NO DYES OR PARABENS.
 NO ARTIFICIAL FLAVORS.
 NO ARTIFICIAL SWEETENERS.**

TAMPER EVIDENT: BOTTLE IS SAFETY SEALED WITH A PERFORATED BAND AROUND BOTTLE. DO NOT USE IF BOTTLE SEAL IS DISTURBED OR MISSING.

*NONE OF THE 9 MAJOR FOOD ALLERGENS

SYRINGE INCLUDED ⇨ **2 FL OZ (59 mL)**

8 50001 80569 8

NDC 82673-096-02
PLD-B759A FC008619

Made in the USA
 with globally sourced ingredients.

Lot No:
 Exp. Date:

KINDERMED Infants' Pain & Fever Cherry Flavor

INFANTS PAIN AND FEVER			
acetaminophen suspension			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82673-096
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL
Inactive Ingredients			
	Ingredient Name		Strength
	AGAVE TEQUILANA JUICE (UNII: GVG8G0207O)		
	WATER (UNII: 059QF0KO0R)		

CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82673-096-02	1 in 1 BOX	04/29/2022	
1		59 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/29/2022	

Labeler - KinderFarms, LLC (075458767)

Revised: 11/2023

KinderFarms, LLC