

**VAMOUSSE LICE TREATMENT- pediculicide aerosol, foam**  
**Alliance Pharma Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Vamousse Lice Treatment**

Active Ingredient

Natrum muriaticum 2X (HPUS)

Purpose

Pediculicide

Uses

Treats head lice infestation

For external use only

**Flammable.** Do not smoke or use near open flame or heated surface.

Do Not Use near eyes, inside nose, mouth, or vagina, on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

When using this product Keep eyes tightly closed and protect eyes with a washcloth or towel.

If product gets in eyes, flush with water right away.

Scalp itching or redness may occur.

Do not puncture or incinerate, contents under pressure.

Do not smoke or use near open flame or heated surface.

Consider using gloves to apply the product if you have sensitive skin as prolonged contact may dry your skin.

Stop use and ask a doctor if eye irritation occurs, skin or scalp irritation continues or infection occurs.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Directions Important: Read ALL instructions on pamphlet inside box. Do not use on pets or to treat pubic or body lice. Adults and children 2 years and older: Treat to kill lice and eggs (nits): Start off with DRY hair. Separate hair into 3-4 sections with clips. Shake can well. Part a section of hair into a 1-inch section, focus the nozzle tip on the scalp and apply a generous amount of mousse along the length of the hair. Pay special attention

to nape of neck and behind ears. Saturate all hair and scalp, massaging the mousse to break down the foam, thoroughly soaking the hair. To be effective all lice and nits must be contacted. Depending on length of hair, the full can may be needed. Repeat process until all sections of hair are saturated and wait 15 minutes. Remove lice and eggs (nits): Although dead, nits remain attached to the hair. After 15-minute treatment, use enclosed comb, to remove dead lice and nits from wet hair. Working with a 1-inch section of hair, insert the comb against the scalp, and pull through to the end, wiping on a disposable paper towel after each stroke. If hair dries during combing, apply more product to ease combing. Repeat combing if necessary. Shampoo and towel dry hair. Vamousse may be repeated as needed. Children under 2 years: ask a doctor.

### **Other Information**

Other Information Do not store at temperature above 120°F (49°C). See package insert for additional information.

Inactive Ingredients Ammonium benzoate, Benzyl alcohol, Butyl lactate, Cocamidopropyl betaine, Fragrance, Isopropyl alcohol, Isopropyl myristate, Propellant A-46, Sodium lauryl sulfate, Triethyl citrate, Water

Questions? 1.855.373.7210 or [www.VamousseLice.com](http://www.VamousseLice.com). Call to report serious side effects.

# VAMOUSSE

## LICE TREATMENT MOUSSE



NDC 72238-001-01  
HOMEOPATHIC

# VAMOUSSE

### TREAT

- Vamousse Lice Treatment Mousse** kills super lice AND eggs by dehydration **BEFORE** you comb.
- Ends the life cycle with one treatment
  - Kills pesticide resistant super lice
  - Smells great
  - Easy mousse application
  - Safe for children age 2+

### FAMILY AT RISK?

If one family member is infested, others were likely exposed. Use **Vamousse Lice Defense Daily Shampoo** for the whole family following lice exposure as well as to kill stray lice missed during treatment.



Manufactured For:  
Alliance Pharma, Inc., Cary, NC 27518  
Made in the U.S.A. Vamousse,  
Alliance and associated devices  
are trademarks of Alliance  
Pharmaceuticals Limited.

PLEASE RECYCLE THIS CARTON



# VAMOUSSE

## LICE TREATMENT MOUSSE

### Kills Super Lice & Eggs **BEFORE** You Comb



CLINICALLY PROVEN  
PESTICIDE FREE

**TREAT**  
Easy to Apply  
Mousse & Steel  
Comb Inside

MOUSSE TREATMENT 6 FL. OZ (177 ML) - 1 STEEL COMB

19010CTNE

# VAMOUSSE

### TREAT

- One can is designed to saturate hair and effectively treat one individual.
- Depending on length and thickness of hair, you may need more than one can to ensure complete saturation.

### HOW TO USE:

- 1: Separate hair into sections.
- 2: Apply and massage mousse into **DRY** hair, to thoroughly saturate all **HAIR** and **SCALP**. To be effective, all **LICE** and **EGGS** must be contacted with **Vamousse Lice Treatment**.



3: Wait 15 minutes.

- 4: Remove dead lice and eggs using the enclosed comb.



Now that you've dealt with lice, you can shampoo, condition, and style your hair as you like.

SEE INSERT FOR FULL DETAILS • VAMOUSSE.COM

# VAMOUSSE

## SHAKE WELL BEFORE USE • LICE TREATMENT

### Drug Facts

|                              |                |
|------------------------------|----------------|
| <b>Active Ingredients</b>    | <b>Purpose</b> |
| Natrum muriaticum 2X (NPLUS) | Pediculicide   |

**Uses** Treats head lice infestation

**Warnings**  
For external use only.

**Flammable.** Do not smoke or use near open flame or heated surface.

**Do not use** • inside nose, mouth or vagina • on lice in eyebrows or eyelashes.  
See a doctor if lice are present in these areas.

### When using this product:

- Keep eyes tightly closed and protect eyes with a washcloth or towel.
- If product gets in eyes, flush with water right away.
- Scalp itching or redness may occur.
- Do not puncture or incinerate; contents under pressure.
- Do not smoke or use near open flame or heated surface.
- Consider using gloves to apply the product if you have sensitive skin as prolonged contact may dry your skin.

**Stop use and ask a doctor** if eye irritation occurs, skin or scalp irritation continues or infection occurs.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions:

**Important: Read ALL instructions on pamphlet inside box.**

**Do not use on pets or to treat public or body lice.**

**Adults and children 2 years and older:**

**Treat to kill lice and eggs (nits):**

- Start with **DRY** hair
  - Separate hair into 3-4 sections with clips
  - Shake can well
  - Part a section of hair into a 1-inch section, focus the nozzle tip at the scalp and apply a generous amount of mousse along the length of the hair
  - Pay special attention to nape of neck and behind ears
  - **Saturate all hair and scalp, massaging the mousse to break down the foam, thoroughly soaking the hair. To be effective all lice and nits must be contacted. Depending on length of hair, the full can may be needed.**
  - Repeat process until all sections of hair are saturated and wait 15 minutes
- Remove lice and eggs (nits):**
- Although dead, nits remain attached to the hair
  - After 15-minute treatment, use enclosed comb, to remove dead lice and nits from the wet hair
  - Working with a 1-inch section of hair, insert the comb against the scalp, and pull through to the end, wiping on a disposable paper towel after each stroke
  - If hair dries, apply more product to ease combing
  - Repeat combing if necessary
  - Shampoo and towel dry hair
- Vamousse may be repeated as needed. Children under 2 years: ask a doctor.**

**Other Information** Do not store at temperature above 120° (49° C). See package insert for additional information.

**Inactive Ingredients** Ammonium benzoate, Benzyl alcohol, Butyl lactate, Cocamidopropyl betaine, Fragrance, Isopropyl alcohol, Isopropyl myristate, Propellant A-46, Sodium lauryl sulfate, Triethyl citrate, Water

**Questions?** 1.855.373.7210 or www.Vamousse.com.  
Call to report serious side effects

## VAMOUSSE LICE TREATMENT

pediculicide aerosol, foam

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:72238-001 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37) | SODIUM CHLORIDE   | 2 [hp_X] in 1 mL |

## Inactive Ingredients

| Ingredient Name                                   | Strength |
|---|----------|
| <b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)     |          |
| <b>LIQUEFIED PETROLEUM GAS</b> (UNII: 5K616HU99V) |          |
| <b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)          |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                   |          |
| <b>COCAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)  |          |
| <b>BUTYL LACTATE</b> (UNII: 0UI63W814U)           |          |
| <b>GERANIOL</b> (UNII: L837108USY)                |          |
| <b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)       |          |
| <b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)   |          |
| <b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)        |          |
| <b>AMMONIUM BENZOATE</b> (UNII: AC80WD7GPF)       |          |
| <b>VANILLIN</b> (UNII: CHI530446X)                |          |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:72238-001-01 | 1 in 1 BOX   | 10/01/2018           |                    |
| 1 |                  | 177 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 10/01/2018           |                    |

**Labeler** - Alliance Pharma Inc. (081138954)

## Establishment

| Name                      | Address | ID/FEI    | Business Operations                      |
|---------------------------|---------|-----------|--|
| Formulated Solutions, LLC |         | 143266687 | manufacture(72238-001) , pack(72238-001) |