

**NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN
BROAD SPECTRUM SPF70- avobenzone, homosalate, octisalate, octocrylene,
and oxybenzone aerosol, spray
Johnson & Johnson Consumer Inc.**

**Neutrogena[®] Beach Defense[®] water + sun protection sunscreen spray
BROAD SPECTRUM SPF 70**

Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 4%, Oxybenzone 6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product**
 - keep out of eyes. Rinse with water to remove.
 - keep away from face to avoid breathing it
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.
- **Danger: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.

- do not apply in windy conditions
- use in a well-ventilated area.
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Alcohol Denat., Isobutane, Octyldodecyl Neopentanoate, Acrylates/Octylacrylamide Copolymer, Fragrance, Tocopheryl Acetate, Diethylhexyl 2,6 Naphthalate

Questions?

Call toll-free **800-299-4786** or **215-273-8755** (collect). www.neutrogena.com

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 184 g Can Label

Neutrogena®

#1 DERMATOLOGIST RECOMMENDED BRAND

Beach

Defense®

water + sun
protection

sunscreen spray

BROAD SPECTRUM SPF 70

70

helioplex®

broad spectrum uva-uvb

water resistant (80 minutes)

NET WT. 6.5 OZ. (184 g)

Neutrogena®

Beach-strength
uva/uvb
sun protection



Lightweight,
fast drying

#1 DERMATOLOGIST RECOMMENDED BRAND

Beach
Defense®
water + sun
protection

sunscreen spray

BROAD SPECTRUM SPF 70

70

helioplex®
broad spectrum uva-uvb

water resistant (80 minutes)

NET WT 6.5 OZ (184 g)

Drug Facts

Active ingredients

Avobenzone (3%), Homosalate (15%),
Octisalate (5%), Octocrylene (4%), Oxybenzone (6%)

Purpose

Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

■ For external use only ■ Do not use on damaged or broken skin ■ When using this product ■ keep out of eyes. Rinse with water to remove. ■ keep away from face to avoid breathing it ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away ■ **Danger: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4-6 inches from the skin to apply. Rub in. ■ do not spray directly into face. Spray on hands and then apply to face. Rub in. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ children under 6 months of age. Ask a doctor

Other information

■ protect this product from excessive heat and direct sun ■ may stain some fabrics

Inactive ingredients

Alcohol Denat., Isobutane, Octyldecyl Neopentanoate, Acrylates/Octylacrylamide Copolymer, Fragrance, Tocopheryl Acetate, Diethylhexyl 2,6-Naphthalate

Questions?

Call toll-free 800-299-4786 or 215-273-8755 (collect), www.neutrogena.com



30044181



Distributed by: JOHNSON & JOHNSON CONSUMER INC. Skillman, NJ 08558
© J&JCI 2019 DOT 2Q MS706

NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN BROAD SPECTRUM SPF70

avobenzone, homosalate, octisalate, octocrylene, and oxybenzone aerosol, spray

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:69968-0169

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 30 mg in 1 g |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 150 mg in 1 g |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 50 mg in 1 g |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 40 mg in 1 g |
| OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y) | OXYBENZONE | 60 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| ALCOHOL (UNII: 3K9958V90M) | |
| ISOBUTANE (UNII: BXR49TP611) | |
| OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T) | |
| ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK) | |
| DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:69968-0169-6 | 184 g in 1 CAN; Type 0: Not a Combination Product | 06/05/2012 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug | M020 | 06/05/2012 | |

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 10/2023

Johnson & Johnson Consumer Inc.