

**MOTION SICKNESS RELIEF- meclizine hcl tablet, chewable**  
**Walgreen Company**

-----  
**Walgreens 44-404A**

***Active ingredient (in each chewable tablet)***

Meclizine HCl 25 mg

***Purpose***

Antiemetic

***Uses***

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

***Warnings***

**Do not use**

for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- **do not take more than directed**
- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

**Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

**Inactive ingredients**

colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, propylene glycol, saccharin sodium, silicon dioxide

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

*Walgreens*

*Compare to the active ingredient  
in Bonine® Chewable Tablets<sup>††</sup>*

• WALGREENS •  
PHARMACIST RECOMMENDED

NDC 0363-4040-21

**Motion Sickness Relief**

MECLIZINE HCl 25 mg CHEWABLE TABLETS / ANTIEMETIC

- Prevents motion sickness
  - Chewable, once-a-day protection
- Ages 12 Years and Over

16

CHEWABLE TABLETS

CHEW OR CRUSH TABLETS COMPLETELY BEFORE  
SWALLOWING. DO NOT SWALLOW TABLETS WHOLE.

ACTUAL SIZE

Raspberry

flavor

DISTRIBUTED BY: WALGREEN CO.  
DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com  
©2024 Walgreen Co.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

†Our pharmacists recommend the Walgreens brand.  
We invite you to compare to national brands.

††This product is not manufactured or distributed by  
WellSpring Pharmaceutical Corporation, owner of  
the registered trademark Bonine® Chewable Tablets.

50844 ORG082340421

W30RG1021-F3  
REV-0524

**Chewable, once-a-day protection  
that prevents motion sickness.**

**Walgreens**

Compare to the active ingredient  
in Bonine® Chewable Tablets\*



NDC 0363-4040-21

# Motion Sickness Relief

MECLIZINE HCl 25 mg CHEWABLE TABLETS / ANTIEMETIC

- Prevents motion sickness
- Chewable, once-a-day protection

Ages 12 Years and Over

**16**

**CHEWABLE TABLETS**

**CHEW OR CRUSH TABLETS COMPLETELY BEFORE  
SWALLOWING. DO NOT SWALLOW TABLETS WHOLE.**



ACTUAL SIZE



Raspberry  
flavor

DISTRIBUTED BY: WALGREEN CO.  
DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com  
©2024 Walgreen Co.

ITEM 890057 W00000-0000-0



3 11917 05321 9



how2recycle.info

B-201-404A-21-HR  
ORG082340421

Our pharmacists recommend the Walgreens brand.  
We invite you to compare to national brands.  
\*This product is not manufactured or distributed by  
WellSpring Pharmaceutical Corporation, owner of  
the registered trademark Bonine® Chewable Tablets.

50844 ORG082340421

## Drug Facts (continued)

Keep out of reach of children. In case of overdose,  
get medical help or contact a Poison Control Center  
right away.

**Directions** ■ do not take more than directed  
■ dosage should be taken one hour before travel starts  
■ chew or crush tablets completely before swallowing;  
do not swallow tablets whole  
■ adults and children 12 years and over: take 1 to 2  
chewable tablets once daily or as directed by a doctor

**Other information**  
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE  
IS OPENED OR BLISTER IS TORN OR BROKEN  
■ store at 25°C (77°F); excursions permitted between  
15°-30°C (59°-86°F)  
■ protect from heat and humidity  
■ see end flap for expiration date and lot number

**Inactive ingredients** colloidal silicon dioxide,  
dextrose, FD&C red #40 aluminum lake, flavor, lactose,  
monohydrate, magnesium stearate, pregelatinized starch,  
polyethylene glycol, saccharin sodium, silicon dioxide

(Questions or comments? 1-800-426-9391)

## Drug Facts

**Active ingredient**

(in each chewable tablet)  
Meclizine HCl 25 mg.....Antiemetic

## Purpose

**Uses** for prevention and treatment of nausea,  
vomiting, or dizziness associated with motion sickness.

**Warnings**  
Do not use for children under 12 years of age unless  
directed by a doctor.

Ask a doctor before use if you have  
■ difficulty in urination due to enlargement of the  
prostate gland ■ glaucoma  
■ a breathing problem such as emphysema or chronic  
bronchitis

Ask a doctor or pharmacist before use if you are  
taking sedatives or tranquilizers.  
**When using this product** ■ drowsiness may occur  
■ alcohol, sedatives, and tranquilizers may increase  
drowsiness ■ avoid alcoholic beverages

■ use caution when driving a motor vehicle or operating  
machinery  
If pregnant or breast-feeding, ask a health professional  
before use.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print/No Varnish Lot & EXP

## Walgreens 44-404A

## MOTION SICKNESS RELIEF

meclizine hcl tablet, chewable

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4040
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg

## Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

## Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	9mm
Flavor	RASPBERRY	Imprint Code	44;404
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4040-21	2 in 1 CARTON	05/31/2024	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	05/31/2024	

**Labeler** - Walgreen Company (008965063)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-4040) , pack(0363-4040)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-4040)

Revised: 5/2025

Walgreen Company