

**EUCERIN DAILY PROTECTION FACE- ensulizole, octinoxate, octisalate, titanium dioxide, zinc oxide lotion**  
**Beiersdorf Inc**

-----  
**Eucerin Daily Protection Face**

**Active ingredients**

Ensulizole 2%  
Octinoxate 7.5%  
Octisalate 4.5%  
Titanium Dioxide 2.4%  
Zinc Oxide 4.8%

**Purpose**

Sunscreens

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.  
Rinse with water to remove

Stop use and ask a doctor if irritation occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use: • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating  
• reapply at least every 2 hours  
• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
• limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.  
• Children under 6 months of age: Ask a doctor

**Inactive Ingredients**

Water, Glycerin, C12-15 Alkyl Benzoate,

Dimethicone, Cyclomethicone, Methylpropanediol,  
Cetearyl Alcohol, Cetyl Alcohol, Cetareth-20,  
Phenoxyethanol, Glyceryl Stearate SE, Sodium  
Lactate, Lactic Acid, 1,2-Hexanediol,  
Hydrogenated Coco-Glycerides,  
VP/Hexadecene Copolymer, Xanthan Gum,  
PEG-40 Castor Oil, Sodium Hydroxide,  
Trisodium EDTA, Alumina, Sodium Cetearyl  
Sulfate, Triethoxycaprylylsilane, Simethicone

**Questions or comments**

**1-800-227-4703**

Eucerin

Face

Gentle Protection Daily Lotion

Broad Spectrum SPF 30 Sunscreen

Provides 24 hour Moisture and helps  
defend against sun damage

UV filter Blend

Dermatologist Recommended Brand

**Eucerin<sup>®</sup>**

**FACE**



GENTLE  
PROTECTION

**Daily Lotion**

Broad Spectrum SPF 30  
Sunscreen

Provides 24 hr moisture and helps  
defend against sun damage

+ UV FILTER BLEND

DERMATOLOGIST  
RECOMMENDED BRAND

4 FL OZ (118 mL)

**EUCERIN® FACE  
GENTLE PROTECTION DAILY LOTION  
Broad Spectrum SPF 30**

This lightweight moisturizer with UVA and UVB filters including zinc oxide and titanium dioxide, helps to defend against long-term sun damage with regular use and provides 24 hour moisture.

- Gentle on sensitive skin,
- Fragrance-free,
- non-comedogenic,
- Fast-absorbing,
- non-greasy formula,
- Dermatologist recommended brand

QUESTIONS? COMMENTS? 1-800-227-4703



**Beiersdorf**  
Made in Mexico  
Distributed By:  
Beiersdorf Inc.  
Stamford, CT 06901  
© = reg. TM of  
Beiersdorf AG,  
Germany  
NART # 63429

For Drug Facts  
Information

FEEL HERE  
▲

**Drug Facts**

Active ingredients.....	Purpose
Ensulizole 2.0%	Sunscreen
Octinoxate 7.5%	Sunscreen
Octisalate 4.5%	Sunscreen
Titanium Dioxide 2.4%	Sunscreen
Zinc Oxide 4.8%	Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use on damaged or broken skin**

**When using this product keep out of eyes. Rinse with water to remove.**

**Stop use and ask a doctor if irritation occurs**

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

For sunscreen use: • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours ▼

**Drug Facts (continued)**

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.
  - Children under 2 years of age: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun

**Inactive ingredients**

Water, Glycerin, C12-15Alkyl Benzoate, Dimethicone, Cyclomethicone, Methylpropanediol, Cetearyl Alcohol, Cetyl Alcohol, Ceteareth-20, Phenoxyethanol, Glyceryl Stearate SE, Sodium Lactate, Lactic Acid, 1,2-Hexanediol, Hydrogenated Coco-Glycerides, VP/Hexadecene Copolymer, Xanthan Gum, PEG-40 Castor Oil, Sodium Hydroxide, Trisodium EDTA, Alumina, Sodium Cetearyl Sulfate, Triethoxycaprylsilane, Simethicone.

**Questions or comments?**

1-800-227-4703  
or visit [www.EucerinUS.com](http://www.EucerinUS.com)

**EUCERIN DAILY PROTECTION FACE**

ensulizole, octinoxate, octisalate, titanium dioxide, zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10356-323
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ENSULIZOLE</b> (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	2 g in 100 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.4 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4.8 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>POLYOXYL 20 CETOSTEARYL ETHER</b> (UNII: YRC528SWUY)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>SODIUM LACTATE</b> (UNII: TU7HW0W0QT)	
<b>LACTIC ACID</b> (UNII: 33X04XA5AT)	
<b>COCO-GLYCERIDES</b> (UNII: ISE9I7DNUG)	
<b>POLYOXYL 40 CASTOR OIL</b> (UNII: 4ERD2076EF)	
<b>SODIUM CETOSTEARYL SULFATE</b> (UNII: 7ZBS06BH4B)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)	
<b>TRIMETHOXYCAPRYLYLSILANE</b> (UNII: FZ07E4LW2M)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:10356-323-04	30 mL in 1 TUBE; Type 0: Not a Combination Product	08/12/2015	
2	NDC:10356-323-25	5 mL in 1 TUBE; Type 0: Not a Combination Product	08/12/2015	

<b>3</b>	NDC:10356-323-27	4 mL in 1 PACKET; Type 0: Not a Combination Product	08/12/2019	
<b>4</b>	NDC:10356-323-11	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/12/2015	
<b>Marketing Information</b>				
	<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
	OTC Monograph Drug	M020	08/12/2015	

**Labeler** - Beiersdorf Inc (001177906)

Revised: 12/2025

Beiersdorf Inc