

BANANA BOAT- avobenzene, homosalate, octisalate, octocrylene spray
Edgewell Personal Care Brands, LLC

Active Ingredients

Avobenzene 3%, Homosalate 10%, Octisalate 5%, Octocrylene 6%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Direction**), decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

May stain some fabrics.

Do not use

on damaged or broken skin.

When using this product

• Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• **Shake well.** • hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • do not spray directly into face. Spray on hands then apply to face • do not apply in windy conditions • use in well-

ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months: Ask a doctor.

Inactive Ingredient

Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylene, Sodium Chloride, PEG-8, Phenoxyethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroabietate, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica.

Other information

- protect this product from excessive heat and direct sun.

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

BANANA

BOAT®

TEAR +

STING FREE

PEDIATRICIAN

TESTED

LIGHTWEIGHT

QUICK

ABSORBING

HIGH

ENDURANCE

VS. SWEAT &

WATER

LASTS AS

LONG AS THE

FUN DOES

FREE FROM

Oxybenzone

Octinoxate

2 - 9.5 OZ. Kids Sport SPF 50+ Sunscreen Lotion Spray Total Net WT 19 OZ. (538 g)

55% MORE
FAMILY SIZE!
9.5OZ VS 6OZ

55% MORE
FAMILY SIZE!
9.5OZ VS 6OZ



KIDS
SPORT

SUNSCREEN LOTION SPRAY
UVA/UVB BROAD SPECTRUM SPF 50+

50+

with
POWERSTAY
TECHNOLOGY™
tear+sting free

High Endurance vs. Sweat & Water

Water Resistant
(80 Minutes)

SHAKE WELL BEFORE USE

2 - 9.5oz (269g) CANS TOTAL NET WT. 19 OZ. (538 g)

SUNSAFETY DIRECTIONS

Apply Liberally Wait 15 min. Shake Well Before Use Reapply Every 2 HR. Cover Up! About 4 applications per 170g can

Drug Facts

Active Ingredients
Avobenzone 3.1%, Homosalate 10.0%, Octisalate 6.0%, Octocrylene 6.9% Sunscreen

Purpose
Sunscreen

Uses # helps prevent sunburn # if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Flammable Contents under pressure. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
Do not use on damaged or broken skin.
When using this product • Keep away from face to avoid breathing • • keep out of eyes. Rinse with water to remove.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions
Shake well # Hold container 4 to 6 inches from the skin to apply # spray liberally and spread evenly by hand 15 minutes before sun exposure # do not spray directly into face. Spray on hands then apply to face # do not apply in windy conditions # use in wet-saturated areas # Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours # Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses # children under 6 months: Ask a doctor

Inactive Ingredients: Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-9 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycinnamate, Sodium Chloride, PEG-8, Phenoxethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Glycidylacrylate, Phenylpropyl Dimethicone, Polyhydroxy-S-Sulfonate/Sebacate/Dimethyl Siloxane Copolymer, PEG-9 Dimethicone, Aloe Barbadensis Leaf Juice, Octyldecanol, (S)-1,2-Palmitin, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Hydroxypropyltrimonium Sulfate.

Other Information
protect the product from excessive heat and direct sun

Questions or comments? Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEMOUNT PERSONAL
CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2024 Edgewell

Edgewell



DP33581

BANANA BOAT

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-278
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	

SODIUM PROPOXYHYDROXYPROPYL THIOSULFATE SILICA (UNII: 208G222332)
SODIUM CITRATE (UNII: 1Q73Q2JULR)
METHYLPARABEN (UNII: A2I8C7HI9T)
ETHYLPARABEN (UNII: 14255EXE39)
BUTYLPARABEN (UNII: 3QPI1U3FV8)
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)
PEG-8 DIMETHICONE (UNII: GIA7T764OD)
OCTYLDODECANOL (UNII: 461N1O614Y)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
WATER (UNII: 059QF0K00R)
ISOBUTANE (UNII: BXR49TP611)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
POLYETHYLENE GLYCOL 400 (UNII: B6978945GQ)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIBUTYL ADIPATE (UNII: F4K100DXP3)
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
GLYCERIN (UNII: PDC6A3C0OX)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-278-36	227 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	12/01/2025
2	NDC:63354-278-31	51 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	12/01/2025
3	NDC:63354-278-34	170 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	12/01/2025
4	NDC:63354-278-37	269 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	12/01/2026
5	NDC:63354-278-38	340 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	12/01/2026
6	NDC:63354-278-30	538 g in 1 CAN; Type 0: Not a Combination Product	03/01/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/15/2018	12/01/2026

Labeler - Edgewell Personal Care Brands, LLC (151179769)