

**NEUTRALYZE CLEARING SERUM- salicylic acid gel**  
**Kantian Skincare, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredient**

Salicylic acid 2%

**Purpose**

Acne treatment

**Use**

for the treatment of acne

**Warnings**

***For external use only***

***When using this product:*** skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time unless directed by a doctor. Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. Avoid unnecessary sun exposure and use a sunscreen of SPF15 or higher.

***Do not use if*** you have very sensitive skin or are sensitive to salicylic acid.

***Stop use and ask a doctor*** if irritation becomes severe.

***Keep out of reach of children.*** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:**

Sensitivity test for a new user: apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow these directions: cover the entire affected area with a thin layer one to three times daily. Do not rinse off. Because excessive drying or skin irritation may occur, start with one application daily, then gradually increase to two to three times daily if needed or directed by a doctor. If bothersome dryness, peeling or irritation occurs, reduce application to once a day or every other day.

## Inactive Ingredients:

WATER, ALCOHOL, DIMETHICONE, BETAINE, 1,2-HEXANEDIOL, MANDELIC ACID, POLYACRYLATE CROSSPOLYMER-6, DEHYDROXANTHAN GUM, PHENOXYETHANOL, AMMONIA, T-BUTYL ALCOHOL, DENATONIUM BENZOATE, BLUE 1 (CL 42090)

## Principal Display Panel - Bottle Label.

neutralyze®

**NEUTRALYZE CLEARING SERUM**

**SKIN REPAIRING**

**ACNE TREATMENT GEL**

**STEP 2 - REPAIR**

CLEARs ACNE, FADES DARK SPOTS  
& CORRECTS UNEVEN SKIN TONE

CONTROLS OIL, UNCLOGS &  
REDUCES THE SIZE OF PORES

1.52 FL. OZ./45 mL

<table border="1"><tr><td colspan="2"><b>Drug Facts</b></td></tr><tr><td><b>Active Ingredient</b></td><td><b>Purpose</b></td></tr><tr><td>Salicylic acid 2%</td><td>Acne treatment</td></tr><tr><td colspan="2"><b>Use</b> for the treatment of acne</td></tr><tr><td colspan="2"><b>Warnings</b> For external use only</td></tr><tr><td colspan="2"><b>When using this product:</b> skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time unless directed by a doctor. Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. Avoid unnecessary sun exposure and use a sunscreen of SPF 15 or higher. <b>Do not use if</b> you have very sensitive skin or are sensitive to salicylic acid. <b>Stop use and ask a doctor</b> if irritation becomes severe.</td></tr><tr><td colspan="2"><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2"><b>Directions:</b> Sensitivity test for a new user: apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow these directions: cover the entire affected area with a thin layer one to three times daily. Do not rinse off. Because excessive drying or skin irritation may occur, start with one application daily, then gradually increase to two to three times daily if needed or directed by a doctor. If bothersome dryness, peeling or irritation occurs, reduce application to once a day or every other day.</td></tr><tr><td colspan="2"><b>Inactive Ingredients:</b> WATER, ALCOHOL, DIMETHICONE, BETAINE, 1,2-HEXANEDIOL, MANDELIC ACID, POLYACRYLATE CROSSPOLYMER-6, DEHYDROXANTHAN GUM, PHENOXYETHANOL, AMMONIA, T-BUTYL ALCOHOL, DENATONIUM BENZOATE, BLUE 1 (CL 42090)</td></tr></table>	<b>Drug Facts</b>		<b>Active Ingredient</b>	<b>Purpose</b>	Salicylic acid 2%	Acne treatment	<b>Use</b> for the treatment of acne		<b>Warnings</b> For external use only		<b>When using this product:</b> skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time unless directed by a doctor. Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. Avoid unnecessary sun exposure and use a sunscreen of SPF 15 or higher. <b>Do not use if</b> you have very sensitive skin or are sensitive to salicylic acid. <b>Stop use and ask a doctor</b> if irritation becomes severe.		<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.		<b>Directions:</b> Sensitivity test for a new user: apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow these directions: cover the entire affected area with a thin layer one to three times daily. Do not rinse off. Because excessive drying or skin irritation may occur, start with one application daily, then gradually increase to two to three times daily if needed or directed by a doctor. If bothersome dryness, peeling or irritation occurs, reduce application to once a day or every other day.		<b>Inactive Ingredients:</b> WATER, ALCOHOL, DIMETHICONE, BETAINE, 1,2-HEXANEDIOL, MANDELIC ACID, POLYACRYLATE CROSSPOLYMER-6, DEHYDROXANTHAN GUM, PHENOXYETHANOL, AMMONIA, T-BUTYL ALCOHOL, DENATONIUM BENZOATE, BLUE 1 (CL 42090)		<p>neutralyze®</p> <p><b>NEUTRALYZE CLEARING SERUM</b></p> <p><b>SKIN REPAIRING</b></p> <p><b>ACNE TREATMENT GEL</b></p> <p><b>STEP 2 - REPAIR</b></p> <p>CLEARs ACNE, FADES DARK SPOTS &amp; CORRECTS UNEVEN SKIN TONE</p> <p>CONTROLS OIL, UNCLOGS &amp; REDUCES THE SIZE OF PORES</p> <p>1.52 FL.OZ./45 mL</p>
<b>Drug Facts</b>																			
<b>Active Ingredient</b>	<b>Purpose</b>																		
Salicylic acid 2%	Acne treatment																		
<b>Use</b> for the treatment of acne																			
<b>Warnings</b> For external use only																			
<b>When using this product:</b> skin irritation and dryness are more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time unless directed by a doctor. Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. Avoid unnecessary sun exposure and use a sunscreen of SPF 15 or higher. <b>Do not use if</b> you have very sensitive skin or are sensitive to salicylic acid. <b>Stop use and ask a doctor</b> if irritation becomes severe.																			
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.																			
<b>Directions:</b> Sensitivity test for a new user: apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow these directions: cover the entire affected area with a thin layer one to three times daily. Do not rinse off. Because excessive drying or skin irritation may occur, start with one application daily, then gradually increase to two to three times daily if needed or directed by a doctor. If bothersome dryness, peeling or irritation occurs, reduce application to once a day or every other day.																			
<b>Inactive Ingredients:</b> WATER, ALCOHOL, DIMETHICONE, BETAINE, 1,2-HEXANEDIOL, MANDELIC ACID, POLYACRYLATE CROSSPOLYMER-6, DEHYDROXANTHAN GUM, PHENOXYETHANOL, AMMONIA, T-BUTYL ALCOHOL, DENATONIUM BENZOATE, BLUE 1 (CL 42090)																			

Questions Or Comments? 1-855-460-2263 [www.neutralyze.com](http://www.neutralyze.com)  
DISTRIBUTED BY: KANTIAN SKINCARE, LLC. SMITHTOWN, NY 11787  
MADE IN USA © 2019 US PATENT # 8932650, US PATENT # 9295681, US PATENT # 9662341

## NEUTRALYZE CLEARING SERUM

salicylic acid gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57524-015
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Salicylic Acid</b> (UNII: O414PZ4LPZ) (Salicylic Acid - UNII:O414PZ4LPZ)	Salicylic Acid	20 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0K00R)	
<b>Alcohol</b> (UNII: 3K9958V90M)	
<b>Dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>Betaine</b> (UNII: 3SCV180C9W)	
<b>1,2-hexanediol</b> (UNII: TR046Y3K1G)	
<b>Mandelic Acid</b> (UNII: NH496X0UJX)	
<b>Ammonium Acryloyldimethyltaurate, dimethylacrylamide, lauryl methacrylate and laureth-4 methacrylate copolymer, trimethylolpropane triacrylate crosslinked (45000 mpa.s)</b> (UNII: Q7UI015FF9)	
<b>Dehydroxanthan Gum</b> (UNII: 63ZP7I1BQO)	
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>Ammonia</b> (UNII: 5138Q19F1X)	
<b>Tert-Butyl Alcohol</b> (UNII: MD83SFE959)	
<b>Denatonium Benzoate</b> (UNII: 4YK5Z54AT2)	
<b>FD&amp;C Blue No. 1</b> (UNII: H3R47K3TBD)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57524-015-01	45 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/15/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	01/15/2020	

**Labeler** - Kantian Skincare, LLC (078436984)**Establishment**

Name	Address	ID/FEI	Business Operations
PhytogenX, Inc		624386772	MANUFACTURE(57524-015)

Revised: 1/2023

Kantian Skincare, LLC