

**HYDROGEN PEROXIDE- hydrogen peroxide solution**  
**Discount Drug Mart**

-----  
**Hydrogen Peroxide 3%**

**Drug Facts**

**Active Ingredient**

Hydrogen Peroxide (stabilized) 3%

**Purpose**

First Aid Antiseptic/Oral Debriding Agent

**Uses**

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in removal of phlegm, mucous, or other secretions associated with occasional sore mouth

**Warnings**

**For external use only**

***Do not use***

- in the eyes or apply over large areas of the body
- longer than 1 week

***Ask a doctor before use if you have*** deep puncture wounds, animal bites or serious burns.

***Stop use and ask a doctor if***

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

***Keep out of reach of children.*** If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

---

**First Aid Antiseptic**

**Oral Debriding Agent (oral  
rinse):**

Adults and children 2 years of  
age & over:

- |   |   |
|---|---|
| <ul style="list-style-type: none"><li>• clean the affected area</li><li>• apply a small amount of product on the area 1 to 3 times a day</li><li>• may be covered with a sterile bandage</li><li>• if bandaged, let dry first</li></ul> | <ul style="list-style-type: none"><li>• mix with an equal amount of water</li><li>• swish around in the mouth over the affected area for at least 1 minute and then spit out</li><li>• use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor</li></ul> |
|---|---|

- children under 12 years of age should be supervised in the use of this product
- children under 2 years of age: consult a dentist or doctor

### **Other Information**

- Keep tightly closed in a cool dark place
- Do not shake bottle
- Hold away from face when opening

### **Inactive Ingredient**

Purified Water

### **PRINCIPAL DISPLAY PANEL - 32 oz.**

Discount drug mart

Topical Solution USP

Hydrogen Peroxide 3%

First Aid Antiseptic

Oral Debriding Agent

Square bottle uses less plastic than a similarly sized round bottle

Recyclable (if available in your area)

TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

SATISFACTION GUARANTEED

IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE,

SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO:

Distributed by: Discount Drug Mart

211 Commerce Drive, Medina, OH 44256



**Topical Solution USP  
HYDROGEN  
PEROXIDE 3%**

**First Aid Antiseptic  
Oral Debriding Agent**

 Square bottle uses less plastic than a similarly sized round bottle  
Recyclable (if available in your area)

TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

SATISFACTION GUARANTEED  
IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO:

Distributed by: Discount Drug Mart  
211 Commerce Drive, Medina, OH 44256  
www.discount-drugmart.com

**32 FL OZ (1 QT) 946 mL**

1-07-D0014D16F

**Drug Facts**

Active ingredient	Purpose
Hydrogen Peroxide (stabilized) 3%.....	First aid antiseptic/Oral debriding agent

**Uses** • first aid to help prevent the risk of infection in minor cuts, scrapes and burns • aids in the removal of phlegm, mucous, or other secretions associated with occasional sore mouth

**Warnings For external use only**

**Do not use** • in the eyes or apply over large areas of the body • longer than 1 week

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

**Stop use and ask a doctor if** • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

<b>First aid antiseptic:</b> <ul style="list-style-type: none"> <li>• clean the affected area</li> <li>• apply a small amount of product on the area 1 to 3 times daily</li> <li>• may be covered with a sterile bandage</li> <li>• if bandaged, let dry first</li> </ul>	<b>Oral debriding agent (oral rinse):</b> adults and children 2 years of age and over: <ul style="list-style-type: none"> <li>• mix with an equal amount of water</li> <li>• swish around in the mouth over the affected area for at least 1 minute and then spit out</li> <li>• use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor</li> </ul>
---	---

• children under 12 years of age should be supervised in the use of this product  
• children under 2 years of age: consult a dentist or doctor

**Other information** Keep tightly closed in a cool dark place. Do not shake bottle. Hold away from face when opening.

**Inactive ingredient** purified water



0 93351 02596 9

1-07-D0014D16B

## HYDROGEN PEROXIDE

hydrogen peroxide solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53943-099
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	3 mL in 100 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-099-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/24/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	10/24/2017	

**Labeler** - Discount Drug Mart (047741335)

Revised: 1/2026

Discount Drug Mart