

CALCIUM CARBONATE 1250 MG- calcium carbonate tablet
CitraGen Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Calcium Carbonate Tablets, USP 1250 mg

Drug Facts

Active ingredient (in each tablet)

Calcium carbonate 1250 mg

Purpose

Antacid / Calcium Supplement

Uses

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- take one to two tablets daily, or as directed by a doctor.
- do not take more than 4 tablets in 24 hours.
- do not use the maximum dosage for more than 2 weeks.

Other information

each tablet contains: Calcium 500 mg

store at room temperature 15° - 30° C (59° - 86° F)

Inactive ingredients

Hydrogenated Vegetable Oil, Maltodextrin and Microcrystalline Cellulose

Questions or comments?

Phone: +1-510-249-9066 (9AM-5PM PST, Mon-Fri); e-mail: info@citragenpharma.com

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Manufactured by:

CitraGen Pharmaceuticals, Inc.,
Fremont, CA 94538.

www.citragenpharma.com

CitraGen Pharmaceuticals, Inc.

NDC: 70369-005-02

Rev. 08/18 R-00

Calcium Carbonate Tablets, USP 1250 mg

ANTACID / Calcium Supplement

500 Tablets

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

CitraGen
Pharmaceuticals, Inc. NDC:70369-005-02

Calcium Carbonate

Tablets, USP 1250 mg

ANTACID / CALCIUM SUPPLEMENT

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

500 Tablets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING	Drug Facts	
	Active Ingredient (in each tablet)	Purpose
	Calcium Carbonate 1250 mg.....	Antacid
	Uses: relieves: •acid indigestion •heartburn •sour stomach •upset stomach associated with these symptoms	CALCIUM SUPPLEMENT USES: As a daily source of extra calcium DIRECTIONS: Take 1 tablets twice daily
	Warnings Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs. Stop use and ask a doctor if symptoms last more than 2 weeks. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.	Supplement Facts Serving Size: 1 Tablets Servings Per Container: 500
	Directions •take one to two tablets daily, or as directed by a doctor. •do not take more than 4 tablets in 24 hours •do not use the maximum dosage for more than 2 weeks	Amount Per Serving %Daily Value* Calories 1 Calcium 500 mg 50%
Other information •each tablet contains: Calcium 500 mg •store at room temperature 15° - 30°C (59° - 86°F)	Ingredients: Calcium carbonate, hydrogenated vegetable oil, maltodextrin, and microcrystalline cellulose.	
Inactive ingredients: Hydrogenated Vegetable Oil, Maltodextrin, and Microcrystalline Cellulose.		
Questions or comments? Phone: +1-510-249-9066, 9AM-5PM PST, Mon-Fri; e-mail: info@citragenpharma.com		

Rev. 08/18

Manufactured by:
CitraGen Pharmaceuticals, Inc.,
Fremont, CA 94538.
www.citragenpharma.com

Lot No. :
Exp. Date:

3 70369 00502 3

CitraGen Pharmaceuticals, Inc.

NDC: 70369-005-03

Rev. 08/18 R-00

Calcium Carbonate Tablets, USP 1250 mg

ANTACID / Calcium Supplement

100 Tablets



NDC:70369-005-03

Calcium Carbonate

Tablets, USP 1250 mg
ANTACID / CALCIUM SUPPLEMENT

100 Tablets

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING	Drug Facts	
	Active Ingredient (in each tablet) Calcium Carbonate 1250 mg	Purpose Antacid
	Uses: relieves: •acid indigestion •heartburn •sour stomach •upset stomach associated with these symptoms	CALCIUM SUPPLEMENT USES: As a daily source of extra calcium
	Warnings Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs.	DIRECTIONS: Take 1 tablets twice daily
	Stop use and ask a doctor if symptoms last more than 2 weeks.	Supplement Facts Serving Size: 1 Tablets Servings Per Container: 100
	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.	Amount Per Serving %Daily Value* Calcium 500 mg 50%
	Directions •take one to two tablets daily, or as directed by a doctor. •do not take more than 4 tablets in 24 hours •do not use the maximum dosage for more than 2 weeks	<small>*Percent Daily Values are based on a 2000-calorie diet.</small> Ingredients: Calcium carbonate, hydrogenated vegetable oil, maltodextrin, and microcrystalline cellulose.
	Other information: •each tablet contains: Calcium 500 mg •store at room temperature 15° - 30°C (59° - 86°F)	
	Inactive ingredients: Hydrogenated Vegetable Oil, Maltodextrin, and Microcrystalline Cellulose.	
	Questions or comments? Phone: +1-510-249-9066, 9AM-5PM PST, Mon-Fri; e-mail: info@citragenpharma.com	

R-00
3 70369 00503 1 0
Manufactured by:
CitraGen Pharmaceuticals, Inc.,
Fremont, CA 94538.
www.citragenpharma.com
Lot No. :
Exp. Date:

CALCIUM CARBONATE 1250 MG

calcium carbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70369-005
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	1250 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED COTTONSEED OIL (UNII: Z82Y2C65EA)	
MALTO DEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	18 mm
Flavor		Imprint Code	CG005
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70369-005-02	500 in 1 BOTTLE; Type 0: Not a Combination Product	09/26/2018	
2	NDC:70369-005-03	100 in 1 BOTTLE; Type 0: Not a Combination Product	09/26/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	09/26/2018	

Labeler - CitraGen Pharmaceuticals, Inc. (024949457)

Registrant - CitraGen Pharmaceuticals, Inc. (024949457)

Establishment

Name	Address	ID/FEI	Business Operations
CitraGen Pharmaceuticals, Inc.		024949457	manufacture(70369-005)

Revised: 12/2020

CitraGen Pharmaceuticals, Inc.