

LEVOCETIRIZINE DIHYDROCHLORIDE- levocetirizine dihydrochloride tablet, coated
Walgreens Company

Drug Facts

Active ingredient (in each tablet)

Levocetirizine dihydrochloride USP, 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- if you have kidney disease
- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine

Ask a doctor before use if you have

- ever had trouble urinating or emptying your bladder

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask doctor if

- you have trouble urinating or emptying your bladder
- an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended

- if pregnant: ask a health professional before use

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults 65 years of age and older	<ul style="list-style-type: none"> • ask a doctor
adults and children 12-64 years of age	<ul style="list-style-type: none"> • take 1 tablet (5 mg) once daily in the evening • do not take more than 1 tablet (5 mg) in 24 hours • 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms
children 6-11 years of age	<ul style="list-style-type: none"> • take 1/2 tablet (2.5 mg) once daily in the evening • do not take more than 1/2 tablet (2.5 mg) in 24 hours
children under 6 years of age	<ul style="list-style-type: none"> • do not use
consumers with kidney disease	<ul style="list-style-type: none"> • do not use

Other information

- store between 20° and 25°C (68° and 77°F)
- (bottles only) safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing
- (blister only) safety sealed: do not use if seal is broken or if individual blister unit is open or torn

Inactive ingredients

colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions or comments?

Call **1-888-375-3784**

Carton Label

ORIGINAL PRESCRIPTION STRENGTH

Compare to Xyzal® Allergy 24HR active ingredient^{††}

0363-5529-55

NEW Well at Walgreens
WALGREENS PHARMACIST RECOMMENDED[‡]

ORIGINAL
PRESCRIPTION
STRENGTH

Levocetirizine 24-Hour Allergy

Levocetirizine Dihydrochloride Tablets, 5 mg / Antihistamine

Relief of:

- Sneezing
- Runny nose
- Itchy nose or throat
- Itchy, watery eyes

24 HOUR

55 TABLETS

ORIGINAL PRESCRIPTION STRENGTH NDC 0363-5529-55

Walgreens WALGREENS PHARMACIST RECOMMENDED

Compare to the active ingredient in Xyzal® Allergy 24HR^{††}

Allergy Relief

24 HOUR ALLERGY
LEVOCETIRIZINE DIHYDROCHLORIDE
TABLETS USP, 5 mg / ANTIHISTAMINE

24 Hour

• Relief of sneezing; runny nose; itchy nose or throat & itchy, watery eyes

55 TABLETS

ACTUAL SIZE

Walgreens Allergy Relief 24 HOUR ALLERGY LEVOCETIRIZINE DIHYDROCHLORIDE TABLETS USP, 5 mg / ANTIHISTAMINE 55 TABLETS

ACTUAL SIZE

W30HG082M-2 REV 0425

ITEM 671725 W00000-0000-0

LOT

EXP

24 HOUR ALLERGY
LEVOCETIRIZINE DIHYDROCHLORIDE
TABLETS USP, 5 mg / ANTIHISTAMINE

Walgreens

Allergy Relief

LEVOCETIRIZINE DIHYDROCHLORIDE
TABLETS USP, 5 mg / ANTIHISTAMINE

55 TABLETS

ACTUAL SIZE

Drug Facts

Active ingredient (in each tablet)
Levocetirizine dihydrochloride USP, 5 mg / Antihistamine

Purpose
Temporarily relieves these symptoms due to hay fever or other respiratory allergies:

- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings
Do not use if you have kidney disease, if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine.

Ask a doctor before use if you have
• ever had trouble urinating or emptying your bladder

When using this product
• drowsiness may occur
• avoid alcoholic drinks
• alcohol, sedatives, and tranquilizers may increase drowsiness
• be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if
• you have trouble urinating or emptying your bladder
• an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:
• If breast-feeding, not recommended
• If pregnant, ask a health professional before use
Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions
adults 65 years of age and older

- ask a doctor

adults and children 12-64 years of age

- Take 1 tablet (5 mg) once daily in the evening
- do not take more than 1 tablet (5 mg) in 24 hours
- 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms

children 6-11 years of age

- Take 1/2 tablet (2.5 mg) once daily in the evening
- do not take more than 1/2 tablet (2.5 mg) in 24 hours

children under 6 years of age

- do not use

consumers with kidney disease

- do not use

Other information
• store between 20° and 25°C (68° and 77°F)
• safety seal: do not use if carton was opened or if printed, full inner seal on bottle is torn or missing

Inactive ingredients
colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions or comments?
Call 1-888-375-3784

• Clinically proven relief in 60 minutes
• Clinically proven relief for 24 hours

^{††}Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
[‡]This product is not manufactured or distributed by Chattem, Inc. (part of the Sunovion Group), distributor of Xyzal® Allergy 24HR Tablets. Xyzal® is a registered trademark of UCB Biopharma SRL.

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com
©2024 Walgreen Co. MADE IN INDIA

150101326

3 11917 19667 8

PAPER PLASTIC FOIL BOTTLE

Bottle Label

Well at Walgreens

NDC 0363-5529-55

ORIGINAL
PRESCRIPTION STRENGTH

Levocetirizine
24-Hour Allergy

Levocetirizine Dihydrochloride
Tablets, 5 mg / Antihistamine

55 TABLETS

ORIGINAL
PRESCRIPTION STRENGTH

Walgreens

Allergy Relief
24 HOUR ALLERGY
LEVOCETIRIZINE DIHYDROCHLORIDE
TABLETS USP, 5 mg / ANTIHISTAMINE

55 TABLETS

Active ingredient (in each tablet) Purpose
Levocetirizine dihydrochloride USP, 5 mg.....Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

Warnings **Do not use** ■ if you have kidney disease ■ if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing cetirizine **Ask a doctor before use if you have** ■ ever had trouble urinating or emptying your bladder

When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if ■ you have trouble urinating or emptying your bladder ■ an allergic reaction to this product occurs. Seek medical help right away. **If pregnant or breast-feeding:** ■ if breast-feeding: not recommended ■ if pregnant: ask a health professional before use **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions **adults 65 years of age and older** ■ ask a doctor **adults and children 12-64 years of age** ■ take 1 tablet (5 mg) once daily in the evening ■ do not take more than 1 tablet (5 mg) in 24 hours ■ 1/2 tablet (2.5 mg) once daily in the evening may be appropriate for less severe symptoms **children 6-11 years of age** ■ take 1/2 tablet (2.5 mg) once daily in the evening ■ do not take more than 1/2 tablet (2.5 mg) in 24 hours **children under 6 years of age** ■ do not use **consumers with kidney disease** ■ do not use

Other information ■ store between 20° and 25°C (68° and 77°F) ■ safety sealed: do not use if carton was opened or if printed foil inner seal on bottle is torn or missing

Inactive ingredients colloidal silicon dioxide, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

Questions and comments? call 1-888-375-3784

(Continued On Back Of Label)

Walgreens Pharmacist Recommended. Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2022 Walgreen Co.

MADE IN INDIA

ITEM 871725
W00000-0000-0
W30RG0822-F2

150090473

how2recycle.info

PLASTIC BOTTLE

PEEL HERE
LOT
EXP

LEVOCETIRIZINE DIHYDROCHLORIDE

levocetirizine dihydrochloride tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-5529(NDC:43598-735)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
levocetirizine dihydrochloride (UNII: SOD6A38AGA) (levocetirizine - UNII:6U5EA9RT2O)	levocetirizine dihydrochloride	5 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
Polyethylene Glycol, Unspecified (UNII: 3WJQ0SDW1A)	

Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	9mm
Flavor		Imprint Code	L
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-5529-35	1 in 1 CARTON	03/26/2018	
1		35 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0363-5529-55	1 in 1 CARTON	03/26/2018	
2		55 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:0363-5529-10	2 in 1 CARTON	04/17/2018	
3		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:0363-5529-80	1 in 1 CARTON	03/26/2018	
4		80 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:0363-5529-12	1 in 1 CARTON	01/15/2021	
5		120 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA210375	03/26/2018	

