

BANANA BOAT- avobenzene, homosalate, octisalate, octocrylene spray
Edgewell Personal Care Brands, LLC

Active Ingredient

Avobenzene 2.7%, Homosalate 9%, Octisalate 4.5%, Octocrylene 6%

Purpose

Sunscreen

Uses

• **helps prevent sunburn** • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

May stain some fabrics.

Do not use

on damaged or broken skin.

When using this product

• Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• **Shake well.** • hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • **do not spray directly into**

face. Spray on hands then apply to face • do not apply in windy conditions • use in well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients

Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Fragrance, Tocopheryl Acetate.

Other Information

- protect this product from excessive heat and direct sun.

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

BANANA

BOAT®

SPORT

ultra

CLEAR SUNSCREEN SPRAY

BROAD SPECTRUM SPF 50+

50+

CLINICALLY

PROVEN

UVA/UVB PROTECTION

SUPERIOR ENDURANCE

VS. SWEAT & WATER

FREE FROM

Oxybenzone

Octinoxate

Water Resistant

(80 Minutes)

NET WT 6 OZ. (170 g)



SPORT
ultra

CLEAR SUNSCREEN SPRAY
BROAD SPECTRUM SPF 50+



**CLINICALLY
PROVEN**
UVA/UVB PROTECTION

SUPERIOR ENDURANCE
VS. SWEAT & WATER



Water Resistant
(80 Minutes)

NET WT 6 OZ. (170 g)

SUN SAFETY DIRECTIONS



Apply Liberally



Wait 15 min.



Reapply



Cover Up!

Drug Facts

Active Ingredients

Avobenzone 2.7%, Homosalate 9.0%,
Octisalate 4.5%, Octocrylene 6.0%

Purpose

Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions

■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients: Alcohol Denat., Isobutane, Isododecane, Disopropyl Adipate, VAButyl Methacrylate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Butylcetyl Salicylate, C12-15 Alkyl Benzoate, Fragrance, Tocopheryl Acetate.

Other Information

■ protect this product from excessive heat and direct sun

Questions or comments?

Call 1-900-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL
CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2022 Edgewell.



93038421

DOT 20 M5655



0 79656 03179 9

BONUS
33% MORE
8 OZ
VS
6 OZ
BANANA
BOAT®
SPORT
ultra
CLEAR SUNSCREEN SPRAY
BROAD SPECTRUM SPF 50+
50+

CLINICALLY
 PROVEN
 UVA/UVB PROTECTION
 SUPERIOR ENDURANCE
 VS. SWEAT & WATER
 FREE FROM
 Oxybenzone
 Octinoxate
 Water Resistant
 (80 Minutes)
 NET WT 8 OZ. (227 g)

BONUS
 33% MORE
 8 OZ
 VS
 6 OZ



SPORT
 ultra

CLEAR SUNSCREEN SPRAY
 BROAD SPECTRUM SPF 50+



**CLINICALLY
 PROVEN**
 UVA/UVB PROTECTION

SUPERIOR ENDURANCE
 VS. SWEAT & WATER



Water Resistant
 (80 Minutes)

NET WT 8 OZ. (227 g)

BONUS
 33% MORE
 8 OZ
 VS
 6 OZ

SUN SAFETY DIRECTIONS			
Apply Liberally	Wait 15 min.	2 HR. Reapply	Cover Up!
Drug Facts			
Active Ingredients		Purpose	
Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 6.0%		Sunscreen	
Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.			
Warnings			
For external use only.			
Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition—No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.			
Do not use on damaged or broken skin.			
When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.			
Stop use and ask a doctor if rash occurs.			
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.			
Directions			
■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor			
Inactive ingredients: Alcohol Denat, Isobutane, Isododecane, Diisopropyl Adipate, VA/BUTYL Maleate/Isobutyl Acrylate Copolymer, Caprylyl Glycol, Butylcetyl Salicylate, C12-15 Alkyl Benzoate, Fragrance, Tocopheryl Acetate.			
Other Information			
■ protect this product from excessive heat and direct sun			
Questions or comments? Call 1-800-SafeSun, Mon-Fri			
Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com © 2022 Edgewell.			
93038432			DOT 20 M5655

55%
 MORE

FAMILY SIZE!
9 OZ
VS
6 OZ
BANANA
BOAT®
SPORT
ultra
CLEAR SUNSCREEN SPRAY
BROAD SPECTRUM SPF 50+
50+
CLINICALLY
PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER
FREE FROM
Oxybenzone
Octinoxate
Water Resistant
(80 Minutes)
NET WT 9.5 OZ. (269 g)

**55%
MORE
FAMILY SIZE!**
9.5 OZ VS 6 OZ

**55%
MORE
FAMILY SIZE!**
9.5 OZ VS 6 OZ



SPORT
ultra

CLEAR SUNSCREEN SPRAY
BROAD SPECTRUM SPF 50+



**CLINICALLY
PROVEN**
UVA/UVB PROTECTION

SUPERIOR ENDURANCE
VS. SWEAT & WATER



Water Resistant
(80 Minutes)

NET WT 9.5 OZ. (269 g)

SUN SAFETY DIRECTIONS



Apply Liberally



Wait 15 min.



Reapply



Cover Up!

Drug Facts

Active Ingredients

Avobenzone 2.7%, Homosalate 8.0%,
Octisalate 4.5%, Octocrylene 6.0% Sunscreen

Purpose

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions

■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients: Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Fragrance, Tocopheryl Acetate.

Other Information

■ protect this product from excessive heat and direct sun

Questions or comments?


Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL
CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2022 Edgewell.



93038419

DOT 20 N5655



BUY 2 & SAVE!
BANANA
BOAT®
SPORT
ultra
CLEAR SUNSCREEN SPRAY

BROAD SPECTRUM SPF 50+
 50+
 CLINICALLY PROVEN
 UVA/UVB PROTECTION
 SUPERIOR ENDURANCE
 VS. SWEAT & WATER
 FREE FROM
 Oxybenzone
 Octinoxate
 Water Resistant
 (80 Minutes)
 2 - 6 OZ. (170 g) CANS TOTAL NET WT. 12 OZ. (340 g)

BUY 2 & SAVE!
BUY 2 & SAVE!



BANANA BOAT®
SPORT™
 ultra
 CLEAR SUNSCREEN SPRAY
 BROAD SPECTRUM SPF 50+

50+

CLINICALLY PROVEN
 UVA/UVB PROTECTION
 SUPERIOR ENDURANCE
 VS. SWEAT & WATER

FREE FROM
 Oxybenzone
 Octinoxate

Water Resistant
 (80 Minutes)

2 - 6 OZ. (170 g) CANS TOTAL NET WT. 12 OZ. (340 g)

SUN SAFETY DIRECTIONS

Apply Liberally

Wait 15 min.

2 HR Reapply

Cover Up!

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.7%, Homosalate 8.0%, Octisalate 4.5%, Octocrylene 6.0%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
 For external use only.
 Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
 Do not use on damaged or broken skin.
 When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
 May stain some fabrics.

Directions
 ■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face. ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m.-2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients: Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, Water, Methylmethacrylate Acrylate Copolymer, Caprylyl Glycol, Butylbenzyl Salicylate, C12-15 Alkyl Benzoate, Fragrance, Tocopheryl Acetate.

Other information
 ■ protect this product from excessive heat and direct sun

Questions or comments? call 1-800-SafeSun, Mon-Fri

Distributed by:
 EDGEMILL PERSONAL
 CARE BRANDS, LLC
 Shelton, CT 06484
 www.bananaboat.com
 © 2022 Edgewell





0 179656 101332 0
 93038370

BUY 2 & SAVE!
 BANANA
 BOAT®
 SPORT
 ultra
 CLEAR SUNSCREEN SPRAY
 BROAD SPECTRUM SPF 50+
 50+
 CLINICALLY PROVEN
 UVA/UVB PROTECTION
 SUPERIOR ENDURANCE
 VS. SWEAT & WATER
 FREE FROM
 Oxybenzone
 Octinoxate
 Water Resistant
 (80 Minutes)

2- 8OZ. (226g) CANS TOTAL NET WT. 16OZ. (452 g)

BUY 2 & SAVE!
BUY 2 & SAVE!



BANANA BOAT
SPORT
ultra
CLEAR SUNSCREEN SPRAY
BROAD SPECTRUM SPF 50+

50+

CLINICALLY PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER

FREE FROM
Oxybenzone
Octinoxate

Water Resistant
(80 Minutes)

2- 8OZ. (226g) CANS TOTAL NET WT. 16OZ. (452 g)

SUN SAFETY DIRECTIONS

Apply Liberally

Wait 15 min.

Reapply

Cover Up!

Drug Facts

Active Ingredients
Iodobenzene 2.7%, Homosalate 9.9%, Octisalate 4.5%, Octocrylene 6.0%

Purpose
Sunscreen

Uses ■ Helps prevent sunburn ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Flammable. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or fires at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
Do not use on damaged or broken skin.
When using this product • Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions
■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face in windy conditions ■ use in well-ventilated areas ■ reapply • after 60 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients: Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, VA/Bayl Maltinylacetonyl Acrylate Copolymer, Caprylyl Glycol, Butylcetyl Salicylate, C12-15 Alkyl Benzoate, Fragrance, Tocopherol Acetate.

Other Information
■ protect this product from excessive heat and direct sun

Questions or comments? Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL
CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2022 Edgewell

80039180 DOT 20 M5659

BANANA BOAT

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-078
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	6 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.7 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ISOBUTANE (UNII: BXR49TP611)	
ISODODECANE (UNII: A8289P68Y2)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-078-34	170 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	
2	NDC:63354-078-37	269 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	
3	NDC:63354-078-36	227 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	10/01/2026
4	NDC:63354-078-35	212 g in 1 CAN; Type 0: Not a Combination Product	10/31/2018	12/01/2024
5	NDC:63354-078-38	340 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	
6	NDC:63354-078-39	452 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	10/01/2026

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/15/2018	10/01/2026

Labeler - Edgewell Personal Care Brands, LLC (151179769)

Revised: 11/2025

Edgewell Personal Care Brands, LLC