# NASAL 12 HOUR- oxymetazoline hcl spray Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# Meijer Distribution, Inc. Nasal Spray Drug Facts

# **Active ingredient**

Oxymetazoline hydrochloride 0.05%

# Purpose

Nasal decongestant

#### Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

#### **Warnings**

### Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

# When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

## Stop use and ask a doctor if

symptoms persist

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### **Directions**

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

#### Other information

- store at 20-25°C (68-77°F)
- retain carton for future reference on full labeling

# **Inactive ingredients**

benzalkonium chloride solution, benzyl alcohol, dibasic sodium phosphate, edetate disodium, glycerin, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

#### Questions or comments?

1-800-719-9260

# **Principal Display Panel**

Compare to Afrin® Nasal Spray active ingredient

#1 DOCTOR RECOMMENDED - ADULT NASAL SPRAY ACTIVE INGREDIENT

**MAXIMUM STRENGTH** 

nasal spray

Oxymetazoline HCl

Nasal Decongestant

12 HOUR RELIEF

**EXTRA MOISTURIZING** 

FAST, POWERFUL CONGESTION RELIEF

**COLDS - ALLERGIES** 

HELPS REHYDRATE DRY NASAL PASSAGES

1 FL OZ (30 mL)



# **NASAL 12 HOUR**

oxymetazoline hcl spray

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:41250-065 Route of Administration NASAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

ı	OXYMETAZOLINE HYDRO CHLO RIDE (UNII: K89 MJ0 S5VY) (OXYMETAZOLINE -	OXYMETAZOLINE	0.05 g
ı	UNII:8 VLN5B44ZY)	HYDROCHLORIDE	in 100 mL

Inactive Ingredients		
Ingredient Name	Strength	
BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7)		
BENZYL ALCOHOL (UNII: LKG8494WBH)		
SODIUM PHO SPHATE, DIBASIC (UNII: GR686LBA74)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
GLYCERIN (UNII: PDC6A3C0OX)		
SODIUM PHO SPHATE, MO NO BASIC (UNII: 3980 JIH2SW)		
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)		
PO VIDO NE (UNII: FZ989 GH94E)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		

Packaging				
# Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
1 NDC:41250-065-10	1 in 1 CARTON	05/03/1994		
1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	05/03/1994		

# **Labeler** - Meijer Distribution Inc (006959555)

Revised: 4/2019 Meijer Distribution Inc