

## **NASAL DECONGESTANT PE- phenylephrine hydrochloride tablet, film coated H E B**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **HEB Nasal Decongestant PE Drug Facts**

#### **Active ingredient (in each tablet)**

Phenylephrine HCl 10 mg

#### **Purpose**

Nasal decongestant

#### **Uses**

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

#### **Warnings**

##### **Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

##### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

##### **When using this product**

**do not exceed recommended dosage**

##### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

##### **If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

adults and children 12 years and over	<ul style="list-style-type: none"><li>• take 1 tablet every 4 hours</li><li>• do not take more than 6 tablets in 24 hours</li></ul>
children under 12 years	ask a doctor

**Other information**

- store at 20-25°C (68-77°F)
- do not use if blister unit is broken or torn

**Inactive ingredients**

anhydrous dibasic calcium phosphate, carnauba wax, FD&C red no. 40 aluminum lake, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

Compare to Sudafed PE<sup>®</sup> Congestion active ingredient

Maximum Strength

Nasal Decongestant PE

Phenylephrine HCl Tablets / Nasal Decongestant

Nasal & Sinus Congestion

Non-Drowsy

Relief of:

Nasal & Sinus Congestion

Sinus Pressure

actual size

18 TABLETS , 10 mg EACH

**H-E-B**

Maximum Strength

# Nasal Decongestant PE

Phenylephrine HCl Tablets / Nasal Decongestant

Compare to Sudafed PE® Congestion active ingredient\*

NDC 37808-209-89

**H-E-B**

Maximum Strength

# Nasal Decongestant PE

Phenylephrine HCl Tablets / Nasal Decongestant

## Nasal & Sinus Congestion

Non-Drowsy

Relief of:

- Nasal & Sinus Congestion
- Sinus Pressure



### 18 TABLETS , 10 mg EACH

094891JCB

Important: Read all product information before using. Keep this box for important information.

### Drug Facts

Active Ingredient (In each tablet)	Purpose
Phenylephrine HCl 10 mg.....	Nasal decongestant

### Uses

- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies

### Warnings

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product do not exceed recommended dosage**

### Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Drug Facts (continued)

### Directions

- |                                       |  |
|---------------------------------------|--|
| adults and children 12 years and over | <ul style="list-style-type: none"> <li>take 1 tablet every 4 hours</li> <li>do not take more than 6 tablets in 24 hours</li> </ul> |
| children under 12 years               | ask a doctor   |

### Other information

- store at 20-25° C (68-77° F)
- do not use if blister unit is broken or torn

**Inactive Ingredients** anhydrous dibasic calcium phosphate, calcium stearate, FD&C red no. 40 aluminum lake, lecithin, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, talc, titanium dioxide

### Questions or comments? 1-800-719-9260

\*This product is not manufactured or distributed by McNeil Consumer Health care, distributor of Sudafed PE® Congestion.

**GLUTEN FREE**

CONVENIENT RECLOSING TAB

094891JCB

65D-1801

**H-E-B**



PRIDE & CARE FOR H-E-B®  
SAN ANTONIO, TX 78204

100%  
GUARANTEE  
promise

If you aren't completely pleased  
with this product, we'll be happy to  
replace it or refund your money.  
You have our word on it.



## NASAL DECONGESTANT PE

phenylephrine hydrochloride tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-209
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ANHYDRO US DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

### Product Characteristics

Color	RED	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	L7
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-209-89	3 in 1 CARTON	09/26/2016	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/26/2016	

**Labeler** - HEB (007924756)

Revised: 12/2019

HEB