

**BASIC CARE NIGHTTIME COLD AND FLU- acetaminophen, dextromethorphan hbr, doxylamine succinate solution**  
**Amazon.com Services LLC**

-----  
**Amazon NightTime Cold & Flu Drug Facts**

**Active ingredients (in each 30 mL)**

Acetaminophen 650 mg

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

**Purpose**

Pain reliever/fever reducer

Cough suppressant

Antihistamine

**Uses**

temporarily relieves common cold/flu symptoms:

- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever
- runny nose and sneezing

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough as occurs with smoking, asthma, or emphysema
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

**When using this product**

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

**Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## Directions

- take only as directed – see Overdose warning
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 6 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

## Other information

- **each 30 mL contains:** sodium 39 mg
- store at 20-25°C (68-77°F)

## Inactive ingredients

alcohol, anhydrous citric acid, FD&C blue no. 1, FD&C red no. 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

## Questions?

**1-800-719-9260**

## Package/Label Principal Display Panel

amazon

basic care

Multi-Symptom Relief

Compare to Vicks® NyQuil® Cold & Flu

active ingredients

NightTime Cold & Flu

Acetaminophen, Dextromethorphan HBr, Doxylamine Succinate

Pain Reliever, Fever Reducer, Cough Suppressant, Antihistamine

ALCOHOL 10%

Cherry Flavor

12 FL OZ (355 mL)

amazon

basic<sup>+</sup>care

Multi-symptom  
Relief

Compare to  
Vicks<sup>®</sup> NyQuil<sup>®</sup>  
Cold & Flu  
active ingredients\*

NDC 72288-459-40

# NightTime Cold & Flu

Acetaminophen,  
Dextromethorphan HBr,  
Doxylamine Succinate

Pain Reliever, Fever Reducer,  
Cough Suppressant,  
Antihistamine

ALCOHOL 10%



Cherry  
Flavor

12 FL OZ (355 mL)

: 45940 BN F2

**DO NOT USE  
IF PRINTED NECKBAND  
IS BROKEN OR MISSING**

DISTRIBUTED BY:  
AMAZON.COM SERVICES LLC  
410 TERRY AVENUE N., SEATTLE, WA 98109  
© 2022 AMAZON.COM, INC.  
OR ITS AFFILIATES. ALL RIGHTS RESERVED.

**PARENTS:**

Learn about teen medicine abuse

[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

Gluten Free

## Drug Facts

Active ingredients (in each 30 mL) Purpose

Acetaminophen 650 mg.....Pain reliever/  
fever reducer

Dextromethorphan HBr 30 mg.....Cough suppressant

Doxylamine succinate 12.5 mg.....Antihistamine

**Uses** temporarily relieves common cold/flu symptoms:  
■ cough due to minor throat and bronchial irritation  
■ sore throat ■ headache ■ minor aches and pains  
■ fever ■ runny nose and sneezing

## Warnings

**Liver warning:** This product contains acetaminophen.  
Severe liver damage may occur if you take ■ more than  
4,000 mg of acetaminophen in 24 hours ■ with other  
drugs containing acetaminophen ■ 3 or more alcoholic  
drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin  
reactions. Symptoms may include: ■ skin reddening

■ blisters ■ rash

If a skin reaction occurs,  
stop use and seek  
medical help right away.

**PEEL BACK AT  
CORNER FOR MORE  
INFORMATION**

: 45940 BN B1

## Drug Facts (continued)

**Sore throat warning:** If sore throat  
is severe, persists for more than 2 days,  
is accompanied or followed by fever,  
headache, rash, nausea, or vomiting,  
consult a doctor promptly.

**Do not use** ■ with any other drug  
containing acetaminophen (prescription  
or nonprescription). If you are not sure  
whether a drug contains acetaminophen,  
ask a doctor or pharmacist.

■ if you are now taking a prescription  
monoamine oxidase inhibitor (MAOI)  
(certain drugs for depression,  
psychiatric, or emotional conditions, or  
Parkinson's disease), or for 2 weeks  
after stopping the MAOI drug. If you do  
not know if your prescription drug  
contains an MAOI, ask a doctor or  
pharmacist before taking this product.

■ if you have ever had an allergic  
reaction to this product or any of its  
ingredients

## Drug Facts (continued)

When using this product ■ excitability  
may occur, especially in children ■ marked  
drowsiness may occur ■ avoid alcoholic drinks  
■ be careful when driving a motor vehicle or operating  
machinery ■ alcohol, sedatives, and tranquilizers  
may increase drowsiness

**Stop use and ask a doctor if** ■ pain or cough gets  
worse or lasts more than 7 days ■ fever gets worse  
or lasts more than 3 days ■ redness or swelling is  
present ■ new symptoms occur ■ cough comes  
back or occurs with rash or headache that lasts.  
These could be signs of a serious condition.


If pregnant or breast-feeding, ask a health  
professional before use.

**Keep out of reach of children. Overdose warning:**  
In case of overdose, get medical help or contact a  
Poison Control Center right away (1-800-222-1222).  
Quick medical attention is critical for adults as well  
as for children even if you do not notice any signs  
or symptoms.

**Directions** ■ take only as directed - see  
Overdose warning ■ only use the dose cup

ADHESIVE AREA  
NO VARNISH • NO TYPE

ADHESIVE AREA  
NO VARNISH • NO TYPE



## BASIC CARE NIGHTTIME COLD AND FLU

acetaminophen, dextromethorphan hbr, doxylamine succinate solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72288-459
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 30 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	

## Product Characteristics

Color	RED (Clear/Dark Red)	Score	
Shape		Size	
Flavor	CHERRY (Menthol Aroma)	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-459-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/14/2021	
2	NDC:72288-459-34	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/12/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/14/2021	

**Labeler** - Amazon.com Services LLC (128990418)

Revised: 10/2024

Amazon.com Services LLC