# COLD AND HEAT LIDOCAINE PATCH PLUS MENTHOL- lidocaine, menthol patch Cardinal Health, 110 dba LEADER

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Leader Cold and Heat Lidocaine Patch Plus Menthol

## **Drug Facts**

Lidocaine 4% Topical Anesthetic Menthol 1% Topical Anesthetic Topical Anesthetic

### **USES**

Temporary relief of minor pain

#### WARNINGS

- For External use only. Use only as directed.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened.

## If pregnant or breast feeding

• Contact a physician prior to use.

#### WHEN USING:

- Use only as directed
- Read and follow all directions and warnings on this carton
- Do not allow contact with the eyes
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use

- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain

the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

## Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

## DIRECTIONS Adults and children 12 years of age and over:

Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side

of patch to affected area. Use one patch for up to 12 hours. Discard after single use. Children under 12 years of age: consult a physician.

#### **INACTIVE INGREDIENTS**

aluminum glycinate, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol,

propylparaben, PVP, sodium polyacrylate, tartaric acid, titanium dioxide, water

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

#### Lidocaine + Menthol Patch

DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017





## COLD AND HEAT LIDOCAINE PATCH PLUS MENTHOL

lidocaine, menthol patch

| Product Information     |                |                    |                |  |
|-------------------------|----------------|--------------------|----------------|--|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:70000-0558 |  |
| Route of Administration | TOPICAL        |                    |                |  |

| Active Ingredient/Active Moiety  |                           |                 |  |
|--|---------------------------|-----------------|--|
| Ingredient Name  | Basis of Strength         | Strength        |  |
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)               | LIDOCAINE                 | 4 g<br>in 100 g |  |
| MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL, UNSPECIFIED FORM | 1 g<br>in 100 g |  |

| Inactive Ingredients  |          |
|---|----------|
| Ingredient Name   | Strength |
| DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K) |          |
| GLYCERIN (UNII: PDC6A3C0OX)                                 |          |
| KAOLIN (UNII: 24H4NWX5CO)                                   |          |
| METHYLPARABEN (UNII: A2I8C7HI9T)                            |          |
| POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)             |          |

| POLYSORBATE 80 (UNII: 60ZP39ZG8H)                        |  |
|--|--|
| PROPYLENE GLYCOL 1-(2-METHYLBUTYRATE) (UNII: 9Q5W5G6461) |  |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                         |  |
| POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)                |  |
| SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)      |  |
| TARTARIC ACID (UNII: W48881119H)                         |  |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)                      |  |
| WATER (UNII: 059QF0KO0R)                                 |  |

| P | Packaging            |  |                         |                       |  |
|---|----------------------|--|-------------------------|-----------------------|--|
| # | Item<br>Code         | Package Description  | Marketing<br>Start Date | Marketing End<br>Date |  |
| 1 | NDC:70000-<br>0558-1 | 5 in 1 POUCH   | 07/01/2018              |                       |  |
| 1 |                      | 9 g in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.) |                         |                       |  |

| Marketing Information   |   |                         |                       |
|-------------------------|---|-------------------------|-----------------------|
| Marketing<br>Category   | Application Number or Monograph<br>Citation | Marketing Start<br>Date | Marketing End<br>Date |
| OTC monograph not final | part348                                     | 07/01/2018              |                       |
|                         |   |                         |                       |

## Labeler - Cardinal Health, 110 dba LEADER (063997360)

| Establishment                    |         |           |                            |  |  |
|----------------------------------|---------|-----------|----------------------------|--|--|
| Name                             | Address | ID/FEI    | <b>Business Operations</b> |  |  |
| Foshan Aqua Gel Biotech Co.,Ltd. |         | 529128763 | manufacture(70000-0558)    |  |  |

Revised: 1/2023 Cardinal Health, 110 dba LEADER