

PANAKARE PLUS- pancreatic enzyme powder
Neogen Corporation-Mercer

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

PANAKARE PLUS POWDER

FOR ANIMAL USE ONLY

Each 2.8 grams (1 teaspoon) contains a minimum of:

Lipase.....71,400 USP units

Protease.....388,000 USP units

Amylase.....460,000 USP units

Description

PanaKare Plus is a pancreatic enzyme concentrate of porcine origin.

Precautions:

Discontinue use in animals with symptoms of sensitivity. May cause oral mucosal irritation.

Made in the USA

Lot No.:

Exp. Date:

Manufactured by: Neogen Corporation

Lexington, KY 40511 859-254-1221

animalsafety.neogen.com

KEEP OUT OF REACH OF CHILDREN

Indications:

As a digestive aid in replacement therapy where digestion of protein, carbohydrate and fat is inadequate due to exocrine pancreatic insufficiency.

Directions for use:

Dose is administered before each meal. Estimate dose according to the severity of the condition and weight of the animal. PanaKare Plus is added to moistened food (canned or dry). Thorough mixing is necessary to bring the enzymes into close contact with the food particles. After mixing, let stand at room temperature for 15-20 minutes.

Average dose/meal:

Dogs: 3/4-1 teaspoon (2.8g/teaspoon)

Cats: 1/4-3/4 teaspoon

Store tightly closed container in a dry place at temperatures not exceeding 35°C (95°F).

PRINCIPAL DISPLAY PANEL - 4 oz Bottle

NDC: 59051-9064-1

PanaKare Plus Powder

Pancreatic Enzyme Concentrate

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.


Net Contents: 4 oz Powder (113 g)

L1728-0318

FOR ANIMAL USE ONLY
Each 2.8 g (1 teaspoon) contains a minimum of:
Lipase 71,400 USP units
Protease 388,000 USP units
Amylase 460,000 USP units
Description:
PanaKare Plus is a pancreatic enzyme concentrate of porcine origin.
Indications:
As a digestive aid in replacement therapy where digestion of protein, carbohydrate and fat is inadequate due to exocrine pancreatic insufficiency.
Store tightly closed container in a dry place at temperatures not exceeding 35°C (95°F).



Made in the USA



KEEP OUT OF REACH OF CHILDREN

Directions for use:

Dose is administered before each meal. Estimate dose according to the severity of the condition and weight of the animal. PanaKare Plus is added to moistened food (canned or dry). Thorough mixing is necessary to bring the enzymes into close contact with the food particles. After mixing, let stand at room temperature for 15-20 minutes.

Average dose/meal:

Dogs: 3/4-1 teaspoon (2.8 g/teaspoon)
Cats: 1/4-3/4 teaspoon

Precautions:

Discontinue use in animals with symptoms of sensitivity. May cause oral mucosal irritation.

Lot No.

NO UV

Exp. Date:



Manufactured by: Neogen Corporation, Lexington, KY 40511
859-254-1221 • animalsafety.neogen.com

L1728-1218

PRINCIPAL DISPLAY PANEL - 8 oz Bottle

NDC: 59051-9064-2

PanaKare Plus Powder

Pancreatic Enzyme Concentrate

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Net Contents: 8 oz Powder (227 g)

L1729-0418

FOR ANIMAL USE ONLY

Each 2.8 g (1 teaspoon) contains a minimum of:

Lipase 71,400 USP units
Protease 388,000 USP units
Amylase 460,000 USP units

Description:

PanaKare Plus is a pancreatic enzyme concentrate of porcine origin.

Indications:

As a digestive aid in replacement therapy where digestion of protein, carbohydrate and fat is inadequate due to exocrine pancreatic insufficiency.

Store tightly closed container in a dry place at temperatures not exceeding 35°C (95°F).

Item No. 09065



Made in the USA

7 26087 09065 8

NDC: 59051-9064-2

PanaKare™ Plus Powder

Pancreatic Enzyme Concentrate

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.



Net Contents: 8 oz Powder (227 g)

KEEP OUT OF REACH OF CHILDREN

Directions for use:

Dose is administered before each meal. Estimate dose according to the severity of the condition and weight of the animal. PanaKare Plus is added to moistened food (canned or dry). Thorough mixing is necessary to bring the enzymes into close contact with the food particles. After mixing, let stand at room temperature for 15-20 minutes.

Average dose/meal:

Dogs: 3/4-1 teaspoon (2.8 g/teaspoon)
Cats: 1/4-3/4 teaspoon

Precautions:

Discontinue use in animals with symptoms of sensitivity. May cause oral mucosal irritation.

Lot No.

NO UV

Exp. Date:



Manufactured by: Neogen Corporation, Lexington, KY 40511
859-254-1221 • animalsafety.neogen.com L1729-0119

PRINCIPAL DISPLAY PANEL - 12 oz Bottle

NDC: 59051-9064-3

PanaKare Plus Powder

Pancreatic Enzyme Concentrate

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.

Net Contents: 12 oz Powder (340.2 g)

L1480-0318

FOR ANIMAL USE ONLY

Each 2.8 g (1 teaspoon) contains a minimum of:

Lipase 71,400 USP units
Protease 388,000 USP units
Amylase 460,000 USP units

Description:

PanaKare Plus is a pancreatic enzyme concentrate of porcine origin.

Indications:

As a digestive aid in replacement therapy where digestion of protein, carbohydrate and fat is inadequate due to exocrine pancreatic insufficiency.

Store tightly closed container in a dry place at temperatures not exceeding 35°C (95°F).

Item No. 09066



Made in the USA

7 26087 09066 5

NDC: 59051-9064-3

PanaKare™ Plus Powder

Pancreatic Enzyme Concentrate

CAUTION: Federal law restricts this drug to use by or on the order of a licensed veterinarian.



Net Contents: 12 oz Powder (340 g)

KEEP OUT OF REACH OF CHILDREN

Directions for use:

Dose is administered before each meal. Estimate dose according to the severity of the condition and weight of the animal. PanaKare Plus is added to moistened food (canned or dry). Thorough mixing is necessary to bring the enzymes into close contact with the food particles. After mixing, let stand at room temperature for 15-20 minutes.

Average dose/meal:

Dogs: 3/4-1 teaspoon (2.8 g/teaspoon)
Cats: 1/4-3/4 teaspoon

Precautions:

Discontinue use in animals with symptoms of sensitivity. May cause oral mucosal irritation.

Lot No.

NO UV

Exp. Date:



Manufactured by: Neogen Corporation, Lexington, KY 40511
859-254-1221 • animalsafety.neogen.com L1480-0119

PANAKARE PLUS

pancreatic enzyme powder

Product Information

Product Type

PRESCRIPTION ANIMAL DRUG

Item Code (Source)

NDC:59051-9064

Route of Administration Oral

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PANCRELIPASE LIPASE (UNII: 8MYC33932O) (PANCRELIPASE LIPASE - UNII:8MYC33932O)	PANCRELIPASE LIPASE	71400 [iU] in 2.8 g
PANCRELIPASE AMYLASE (UNII: YOJ58O116E) (PANCRELIPASE AMYLASE - UNII:YOJ58O116E)	PANCRELIPASE AMYLASE	460000 [iU] in 2.8 g
PANCRELIPASE PROTEASE (UNII: 3560D81V50) (PANCRELIPASE PROTEASE - UNII:3560D81V50)	PANCRELIPASE PROTEASE	388000 [iU] in 2.8 g

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59051-9064-1	113 g in 1 BOTTLE, PLASTIC		
2	NDC:59051-9064-2	227 g in 1 BOTTLE, PLASTIC		
3	NDC:59051-9064-3	340.2 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/06/2014	

Labeler - Neogen Corporation-Mercer (042125879)

Establishment

Name	Address	ID/FEI	Business Operations
Neogen Corporation-Mercer		042125879	analysis, manufacture, label

Revised: 5/2020

Neogen Corporation-Mercer