

**NASAL DECONGESTANT- pseudoephedrine hcl tablet**  
**Rugby Laboratories**

-----  
**1004 - Rugby**

***Drug Facts***

***Active ingredient (in each tablet)***

Pseudoephedrine HCl 30 mg

***Purpose***

Nasal decongestant

***Uses***

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily restores freer breathing through the nose

***Warnings***

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains and MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

**When using this product**

- **do not exceed recommended dose**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

- In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

---

|  |  |
|--|--|
| adults and children 12 years and older | take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours |
| children ages 6 to 12 years            | take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours  |
| children under 6 years                 | <b>do not use</b>  |

---

**Other information**

- Store in a dry place at 15° - 30°C (59° - 86°F).

**Inactive ingredients**

calcium sulfate, carnauba wax, corn starch, croscarmellose sodium, FD&C red #40 lake, FD&C yellow #6 lake, gelatin, kaolin, lactose monohydrate, magnesium stearate, microcrystalline cellulose, shellac, silicon dioxide, stearic acid, sucrose, talc, titanium dioxide.

**Questions or comments?****1-800-616-2471**

\*Rugby Laboratories is not affiliated with the owner of the registered trademark Sudafed®

SAFETY SEALED: DO NOT USE IF BLISTER SEAL IS BROKEN

**Distributed by:**

RUGBY® LABORATORIES

Indianapolis, IN 46268

**www.majorpharmaceuticals.com**

Re-order No. 370277

Rev. 08/22 R-29

**Rugby®**

Compare to active ingredient in Sudafed® Sinus Congestion\*

NDC 0536-3607-35

**Nasal Decongestant**

**Pseudoephedrine HCl 30 mg**

Temporarily relieves nasal congestion due to colds & allergies without drowsiness

24 tablets



# NASAL DECONGESTANT



NDC 0536-3607-35

COMPARE TO  
ACTIVE INGREDIENT IN  
SUDAFED® SINUS CONGESTION\*

# NASAL DECONGESTANT

Pseudoephedrine HCl 30 mg

TEMPORARILY RELIEVES NASAL CONGESTION  
DUE TO COLDS & ALLERGIES  
WITHOUT DROWSINESS

24 TABLETS

Rev. 08/22 R-29 Re-order No. 370277



3 05363 60735 5

Distributed by:  
**RUGBY® LABORATORIES**  
Indianapolis, IN 46268  
www.majorpharmaceuticals.com

### Drug Facts

#### Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

#### Purpose

Nasal decongestant

### Drug Facts (continued)

**Uses** ■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies  
■ temporarily restores freer breathing through the nose

### Warnings

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes  
■ trouble urinating due to an enlarged prostate gland

**When using this product** ■ do not exceed recommended dose

**Stop use and ask a doctor if** ■ nervousness, dizziness or sleeplessness occur  
■ symptoms do not improve within 7 days or occur with a fever

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### Directions

|  |                                     |   |
|--|-------------------------------------|---|
| adults and children 12 years of age and over | ■ take 2 tablets every 4 to 6 hours | ■ do not take more than 8 tablets in 24 hours |
| children 6 to 12 years of age                | ■ take 1 tablet every 4 to 6 hours  | ■ do not take more than 4 tablets in 24 hours |
| children under 6 years of age                | ■ do not use                        |   |

**Other information** ■ Store in a dry place at 15° – 30°C (59° – 86°F).

**Inactive ingredients** calcium sulfate, carnauba wax, corn starch, croscarmellose sodium, FD&C red #40 lake, FD&C yellow #6 lake, gelatin, kaolin, lactose monohydrate, magnesium stearate, microcrystalline cellulose, shellac, silicon dioxide, stearic acid, sucrose, talc, titanium dioxide.

**Questions or comments?** 1-800-616-2471

SAFETY SEALED:  
DO NOT USE  
IF BLISTER SEAL IS BROKEN

Lot #  
Exp. Date:

\*Rugby Laboratories is not affiliated with the owner of the registered trademark Sudafed®

# NASAL DECONGESTANT

pseudoephedrine hcl tablet

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:0536-3607 |
| <b>Route of Administration</b> | ORAL           |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength                | Strength |
|--|----------------------------------|----------|
| <b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N)<br>(PSEUDOEPHEDRINE - UNII:7CUC9DDI9F) | PSEUDOEPHEDRINE<br>HYDROCHLORIDE | 30 mg    |

## Inactive Ingredients

| Ingredient Name                                       | Strength |
|---|----------|
| <b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)        |          |
| <b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)       |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)          |          |
| <b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U) |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)            |          |
| <b>CALCIUM SULFATE ANHYDROUS</b> (UNII: E934B3V59H)   |          |
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                |          |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)         |          |
| <b>GELATIN</b> (UNII: 2G86QN327L)                     |          |
| <b>KAOLIN</b> (UNII: 24H4NWX5CO)                      |          |
| <b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)         |          |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                        |          |
| <b>SHELLAC</b> (UNII: 46N107B71O)                     |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)             |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                |          |
| <b>SUCROSE</b> (UNII: C151H8M554)                     |          |
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)                |          |

## Product Characteristics

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | red   | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 8mm      |
| <b>Flavor</b>   |       | <b>Imprint Code</b> | 1004     |
| <b>Contains</b> |       |                     |          |

## Packaging

| # | Item Code        | Package Description                                     | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0536-3607-35 | 1 in 1 CARTON   | 10/29/2012           |                    |
| 1 |                  | 24 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 10/29/2012           |                    |

**Labeler** - Rugby Laboratories (079246066)

Revised: 1/2024

Rugby Laboratories