

**DOVE- powder finish dry spray 48h antiperspirant aerosol, spray
Conopco, Inc. d/b/a Unilever**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dove Powder Finish Dry Spray 48H Antiperspirant

**DOVE POWDER FINISH DRY SPRAY 48H ANTIPERSPIRANT - aluminum
chlorohydrate aerosol, spray**

Dove Powder Finish Dry Spray 48H Antiperspirant

Drug Facts

Active ingredient

Aluminum Chlorohydrate (20.2%)

Purpose

antiperspirant

Uses

reduces underarm wetness

Warnings

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.
Help stop inhalation abuse. For information visit www.inhalant.org

- **KEEP OUT OF REACH OF CHILDREN**

Directions

apply to underarms only

Inactive ingredients

Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Helianthus Annuus (Sunflower) Seed Oil, Disteardimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol, Tocopheryl Acetate.

Questions?

Call toll-free 1-800-761-3683

Packaging

new

Dove



dry spray



powder finish



48h
Antiperspirant
Non-irritant

NET WT. 3.8 OZ/107g
ALUMINUM CHLOROHYDRATE

Feels instantly dry with $\frac{1}{4}$ moisturizers to care for your underarm skin



• Shake well before each use
• Hold can 6 inches from the underarm



• Spray to underarm to feel the difference
• 48h protection & a softer, smoother underarm

Drug Facts

Active Ingredient

Aluminum Chlorohydrate (20.2%)

Purpose

anti-perspirant

Uses

• reduces underarm wetness

Warnings

- **FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.**
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- **KEEP OUT OF REACH OF CHILDREN.**
- **USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For information visit www.inhaleant.org.**

Directions: apply to underarms only



5
79400-44784
0

DOT- 2P M6084

Inactive Ingredients

Butane, Hydrobromocresol 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Fragrance (Parabens, Helianthus Annuus (Sunflower) Seed Oil, Strimidronum Hactria, C12-15 Alkyl Benzene, Propane, BHT, Octyldecylsuccinate, Propylene Carbonate, Dimethicone, Tricetyl Acetate.

Questions?

Call toll-free 1-800-981-0881



U is a Registered Trademark
Dist. by ©Unilever
Trumbull, CT 06611
Made in Mexico
67167787
MX 67161897

DOVE

powder finish dry spray 48h antiperspirant aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64942-1609
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM CHLOROHYDRATE (UNII: HPN8MZ W13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZ W13M)	ALUMINUM CHLOROHYDRATE	20.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PPG-14 BUTYL ETHER (UNII: R199TJT95T)	
BUTANE (UNII: 6LV4FOR43R)	
1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ISOBUTANE (UNII: BXR49TP611)	
SUNFLOWER OIL (UNII: 3W1JG795YI)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
PROPANE (UNII: T75W9911L6)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
DIMETHICONOL (40 CST) (UNII: 343C7U75XW)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64942-1609-1	107 g in 1 CAN; Type 0: Not a Combination Product	12/03/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	12/03/2018	

Labeler - Conopco, Inc. d/b/a Unilever (001375088)

Revised: 12/2022

Conopco, Inc. d/b/a Unilever