ULTRA-POTENT BRIGHTENING SERUM- hydroquinone gel Velocity Production and Packaging

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Admire My Skin Ultra-Potent Brightening Serum

Active Ingredients

ACTIVE INGREDIENT(S):

Hydroquinone...... 2%

Purpose

PURPOSE:

Skin Lightener

Uses

USES:

For the gradual fading of hyperpigmentation spots

Warnings

WARNINGS:

When Using

When uisng this product avoid contact with eyes. Some users of this product may experience a mild skin irritation.

Stop Use

Stop use and ask a doctor if skin irritation becomes severe.

Keep out

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Sun Alert

SUN ALERT:

The Alpha and Beta Hydroxy Acids (AHA/BHA) in this product may increase sun sensitivity.

Wear sunscreen or protective clothing during use to protect against sunburn and for a week afterwards. Continue sun protection after the lightening regimen to avoid UV-induced pigmentations.

Dosage & Administration

Adults: apply a small amount as a thin layer on the affected area once or twice daily, or use as directed by a doctor. Do not use on or around the eye area.

Directions

DIRECTIONS:

- If no improvement is seen after 3 months of treatment, use of this product should be discontinued. Lightning effect of this product may not be noticable when used on very dark skin.
- Children under 12 years of age: do not use unless directed by a doctor.
- Sun exposure should be limited by using a sunscreen agent, or protective clothing to cover bleached skin when using and after using this product in order to prevent darkening from reoccuring.

Inactive ingredients

INACTIVE INGREDIENTS:

Propylene Glycol, Alcohol Denat., Azelaic Acid, Aqua (Water), Hamamelis Virginiana (Witch Hazel) Water, Lactic Acid (L), Kojic Acid, Salicylic Acid, Alcohol, Ascorbic Acid (L), Hydroxypropyl Methylcellulose, Sodium Hydroxide

Questions or comments?

Questions or comments?

Admire My Skin, 340 Royal Poinciana Way #317-356, Palm Beach FL 33480

www.admiremyskin.com

Principal display panel and carton images

Principal display panel

DIRECTIONS: · Adults: apply a small amount as a thin layer on the affected area once or twice daily, or use as directed by a doctor. Do not use on or around the eye area. If no improvement is seen after 3 months of treatment, use of this product should be discontinued. Lightning effect of this product may not be noticeable when used on very Ultra-Potent dark skin. Children under 12 years of age: do not use unless directed by a doctor. Brightening Serum Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing 2% HYDROQUINONE to cover bleached skin when using Kojic Acid • Azelaic Acid • Lactic Acid and after using this product in order to prevent darkening from reoccuring. Salicylic Acid • Vitamin C Manufactured for: Admire My Skin, **Diminish Dark Spots &** VERY IMPORTANT: Please peel back 340 Royal Poinciana Way #317-356 label for more detailed instructions, Palm Beach, FL 33480 **Uneven Skintone** how to achieve best results and what to expect from this product. www.admiremyskin.com 1 fl oz / 30ml (C)

First accordion label, beneath the principal display panel

IMPORTANT! PLEASE READ THOROUGHLY!


- 1. This serum is potent, so please do a small spot test first to make sure you do not have too much irritation. If you have sensitive skin you may start out using this serum every other day and working your way up to daily use.
- 2. Spots may appear darker at first before peeling off and revealing much lighter skin. This is normal and can be part of the process. Please be patient to achieve optimal results.
- 3. This serum can be drying, so please apply a high-quality moisturizer after allowing the serum to fully dry.
- 4. Do **NOT** use any products containing benzoyl peroxide, resorcinol or any other lightening/brightening products while using our serum.

Second accordion label, beneath the principal display panel

- Always wear SPF when in the sun and continue to protect yourself from the sun even after no longer using the serum to prevent darks spots from returning.
- 6. This serum can take up to 4 weeks to start producing results, so please allow it sufficient time to work.
- 7. After using this product continuously for 60-90 days you'll want to give your skin a break and stop using for 30 days. You can begin re-using the serum after a 30 day break. Over-use can cause permanent darkening or resistance.
- 8. If you have any questions or concerns at any time, please contact us directly at support@admiremyskin.com. We are always happy to assist!



Outer carton





Drug Facts

ACTIVE INGREDIENT(S):

Hydroquinone.....2%

PURPOSE:

Skin Lightener

USES:

For the gradual fading of hyperpigmentation spots.

WARNINGS:

When using this product avoid contact with eyes. Some users of this product may experience a mild skin irritation. Stop use and ask a doctor if skin irritiation becomes severe. Do not use on children under 12 years of age unless directed by a doctor.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

SUN ALERT:

The Alpha and Beta Hydroxy Acids (AHA/BHA) in this product may increase sun sensitivity.

ADMIRE MY

Ultra-Potent Brightening Serum

2% HYDROQUINONE

Vitamin C Kojic Acid Lactic Acid Azelaic Acid Salicylic Acid

Diminish Dark Spots & Uneven Skintone

1 fl oz / 30ml (



SUN ALERT (CNT'D):

Wear sunscreen or protective clothing during use to protect against sunburn and for a week afterwards. Continue sun protection after the lightening regimen to avoid UV-induced pigmentations.

DIRECTIONS:

- · Adults: apply a small amount as a thin layer on the affected area once or twice daily, or use as directed by a doctor. Do not use on or around the eye area. If no improvement is seen after 3 months of treatment, use of this product should be discontinued. Lightning effect of this product may not be noticeable when used on very dark skin.
- Children under 12 years of age: do not use unless directed by a doctor.
- · Sun exposure should be limited by using a sunscreen agent, a sun blocking agent, or protective clothing to cover bleached skin when using and after using this product in order to prevent darkening from reoccuring.

INACTIVE INGREDIENT:

Propylene Glycol, Alchol Denat., Azelaic Acid, Aqua (Water), Hamamelis Virginiana (Witch Hazel) Water, Lactic Acid (L), Kojic Acid, Salicylic Acid, Alcohol, Ascorbic Acid (L), Hydroxypropyl Methylcellulose, Sodium Hydroxide









Questions or comments?

Admire My Skin, 340 Royal Poinciana Way #317-356, Palm Beach, FL 33480

www.admiremyskin.com



ULTRA-POTENT BRIGHTENING SERUM

hydroquinone gel

| Product Information | | | | |
|-------------------------|----------------|--------------------|----------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:72591-4832 | |
| Route of Administration | TOPICAL | | | |

| l | Active Ingredient/Active Moiety | | | |
|---|--|-------------------|----------------|--|
| ı | Ingredient Name | Basis of Strength | Strength | |
| ı | HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE) | HYDROQUINONE | 0.2 g in 10 mL | |

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | | |
| SALICYLIC ACID (UNII: O414PZ4LPZ) | | | |
| SO DIUM HYDRO XIDE (UNII: 55X04QC32I) | | | |
| HAMAMELIS VIRGINIANA LEAF WATER (UNII: 8 FP9 3 ED6 H2) | | | |
| LACTIC ACID, L- (UNII: F9S9FFU82N) | | | |
| KOJIC ACID (UNII: 6K23F1TT52) | | | |
| ASCORBIC ACID (UNII: PQ6CK8PD0R) | | | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | | | |
| ALCOHOL (UNII: 3K9958V90M) | | | |
| DISODIUM AZELATE (UNII: 0P4H8NH3UJ) | | | |
| WATER (UNII: 059QF0KO0R) | | | |

| Product Characteristics | | | |
|-------------------------|---------------|--------------|--|
| Color | yellow (Pale) | Score | |
| Shape | | Size | |
| Flavor | | Imprint Code | |
| Contains | | | |

| | Packaging | | | | | |
|---|-----------------|--|-------------------------|-----------------------|--|--|
| : | # Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| | NDC:72591-4832- | 1 in 1 CARTON | 0 2/11/20 19 | | | |
| | 1 | 30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product | | | | |

| Marketing Information | | | | |
|-------------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph not final | part358 A | 10/26/2018 | | |
| | | | | |

Labeler - Velocity Production and Packaging (081076893)

Registrant - CoValence (959735002)

| Establishment | | | | |
|-----------------------------------|---------|-----------|---------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Velocity Production and Packaging | | 081076893 | pack(72591-4832) | |

| Establishment | | | | |
|------------------------|---------|-----------|-------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| CoValence Laboratories | | 959735002 | manufacture(72591-4832) | |

Revised: 2/2019 Velocity Production and Packaging