LORATADINE- loratadine tablet Premier Value

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Loratadine USP, 10 mg

PURPOSE

Antihistamine

USES

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

WARNINGS

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS

	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

OTHER INFORMATION

- store between 20 and 25° C (68 and 77° F)
- protect from excessive moisture
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.

INACTIVE INGREDIENTS

corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch

QUESTIONS?

call 1-800-406-7984

Keep the carton. It contains important information.

See end panel for expiration date.

DISTRIBUTED BY

CHAIN DRUG CONSORTIUM

3301 NW BOCA RATON BLVD

SUITE 101, BOCA RATON, FL 33431

PRINCIPAL DISPLAY PANEL - 10 mg Tablet Blister Pack Carton

Premier

Value[®]

COMPARE TO THE ACTIVE INGREDIENT OF CLARITIN®†

Original Prescription Strength NON-DROWSY*

24 Hour Allergy Relief

Loratadine Tablets, USP 10 mg

Allergy Relief

Indoor & Outdoor Allergies

Antihis tamine

Relief of:

- Sneezing
- ☐ Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

10 Tablets

^{*}When taken as directed. See Drug Facts Panel.

 $\begin{array}{c} \text{INDEPENDENTLY TESTED} \\ \textbf{\textit{PV}} \\ \text{SATISFACTION GUARANTEED} \end{array}$

Keep the carton. It contains important information. See end panel for expiration date.

Questions? cal 1-800-406-7984

stearate, pregelatinized starch corn starch, lactose monohydrate, magnesium inactive ingredients

TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE
 - brotect from excessive moisture
 - store between 20° to 25° C (68° to 77° F)

Other Information

ask a doctor	consumers with liver or kidney disease
ask a doctor	children under 6 years of age
anom fon ;yllisb feldst f than f tablet in 24 hours	Directions adults and children 6 years and over

right away (1-800-222-1222) get medical help or contact a Poison Control Center Keep out of reach of children. In case of overdose, professional before use. If pregnant or breast-feeding, ask a health

Drug Facts (continued)

to this product occurs. Seek medical help right away. Stop use and ask a doctor if an allergic reaction

directed, Taking more than directed may cause Mhen using this product do not take more than

disease, Your doctor should determine if you need a Ask a doctor before use if you have liver or kidney

to this product or any of its ingredients. Do not use if you have ever had an allergic reaction Warnings

- itching of the nose or throat
 - Buizeeus ■
 - іспу, матепу еуев
 - ununy nose
- or other upper respiratory allergies: temporarity relieves these symptoms due to hay fever

Loratadine, USP 10 mg......Antihistamine (in each tablet) Active ingredient Purpose

Drug Facts











Distributed By:
Pharmacy Value Alliance, LLC
407 East Lancaster Avenue,
Wayne, PA 19087

Loratadine Tablets, USP 10 mg


Antihistamine

Premier Value®

Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- ✓ Itchy Throat or Nose

When taken as directed, See Drug Facts Panel.



24 Hour Allergy Relief



All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Claritin[®].

Non Varnish Area





Tablets

Loratadine Tablets, USP 10 mg Allergy Relief **Antihistamine**

Indoor & Outdoor

Allergies



LORATADINE

loratadine tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-526	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety			
l	Ingredient Name	Basis of Strength	Strength	
l	LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg	

Inactive Ingredients		
Ingredient Name	Strength	
STARCH, CORN (UNII: O8232NY3SJ)		
LACTO SE MO NO HYDRATE (UNII: EWQ57Q8I5X)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		

Product Characteristics				
Color	white (white to off-white)	Score	no score	
Shape	ROUND	Size	6 mm	
Flavor		Imprint Code	RX526	
Contains				

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:68016-526- 69	10 in 1 BLISTER PACK; Type 0: Not a Combination Product	08/19/2003		
2	NDC:68016-526-31	30 in 1 BLISTER PACK; Type 0: Not a Combination Product	08/19/2003		
3	NDC:68016-526- 60	60 in 1 BOTTLE; Type 0: Not a Combination Product	08/19/2003		
4	NDC:68016-526- 90	90 in 1 BOTTLE; Type 0: Not a Combination Product	08/19/2003		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076134	08/19/2003	

Labeler - Premier Value (101668460)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ohm Laboratories Inc.		051565745	manufacture(68016-526)	

Revised: 1/2018 Premier Value