

WAL-ZYR D- cetirizine hydrochloride and pseudoephedrine hydrochloride tablet, film coated, extended release
Walgreen Company

Allergy relief-D

Drug Facts

Active ingredients (in each extended-release tablet)	Purpose
Cetirizine HCl, USP 5 mg	Antihistamine
Pseudoephedrine HCl, USP 120 mg	Nasal Decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of nose or throat
 - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at **1-800-222-1222**.

Directions

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened or if the blister unit is broken
- see side panel for batch number and expiration date

Inactive ingredients

hydroxyethyl cellulose, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid, titanium dioxide

Imprinting Ink Contents: ammonium hydroxide, iron oxide black, isopropyl alcohol, N-butyl alcohol, propylene glycol, shellac glaze

Questions?

call toll free **1-800-818-4555** weekdays

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015

PRINCIPAL DISPLAY PANEL - 12 Tablet Blister Pack Carton

ORIGINAL PRESCRIPTION STRENGTH
NDC 0363-0989-12

Walgreens

Compare to the active ingredients in
Zyrtec-D[®] 12 Hour^{††}

• WALGREENS •
PHARMACIST RECOMMENDED[†]

Allergy Relief D12

ALLERGY & CONGESTION

CETIRIZINE HYDROCHLORIDE 5 mg / ANTIHISTAMINE

PSEUDOEPHEDRINE HYDROCHLORIDE 120 mg / NASAL DECONGESTANT

12 Hour

Extended-Release Tablets, USP

Indoor & Outdoor Allergies

- Relief of sneezing, itchy, watery eyes, sinus pressure, runny nose,
itchy throat or nose & nasal congestion

12 EXTENDED-RELEASE TABLETS

ACTUAL SIZE

NO COATING

NO COATING

2x6 Tablets
W30R0G0622-F
REV0124

5247101

Drug Facts (continued)

Warnings

- Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- Ask a doctor before use if you have heart disease, thyroid disease, diabetes, glaucoma, or high blood pressure.
- Double urinating due to an enlarged prostate gland or liver or kidney disease. Your doctor should determine if you need a different dose.
- Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product:

- do not use more than directed
- do not use if alcohol is present
- do not use if you are drinking alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened or if the blister unit is broken
- see side panel for batch number and expiration date

Directions

- do not break or chew tablet; swallow tablet whole
- adults and children: take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours
- adults 65 years and over: ask a doctor
- children under 12 years of age: ask a doctor
- consumers with liver or kidney disease: ask a doctor

Drug Facts (continued)

Stop use and ask a doctor if:

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy or sleepless
- symptoms do not improve within 7 days or are accompanied by fever
- if pregnant or breast-feeding: not recommended
- if breastfeeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Drug Facts

Active ingredients (in each extended-release tablet)

Cetirizine HCl, USP 5 mg, Antihistamine
Pseudoephedrine HCl, USP 120 mg, Nasal Decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, sneezing, itchy, watery eyes, itchy throat or nose, and nasal congestion

Purpose

Antihistamine
Nasal Decongestant

ORIGINAL PRESCRIPTION STRENGTH

NDC 0363-0989-12

Walgreens



Compare to the active ingredients in Zyrtec-D® 12 Hour*

Allergy Relief D12

ALLERGY & CONGESTION

CETIRIZINE HYDROCHLORIDE 5 mg / ANTIHISTAMINE
PSEUDOEPHEDRINE HYDROCHLORIDE 120 mg / NASAL DECONGESTANT

12 Hour Extended-Release Tablets, USP Indoor & Outdoor Allergies

• Relief of sneezing, itchy, watery eyes, sinus pressure, runny nose, itchy throat or nose & nasal congestion

12 EXTENDED-RELEASE TABLETS



ACTUAL SIZE

NON VARNISH
NO INK AREA

*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. All trademarks are property of their respective owners. This product is not affiliated with the makers of Zyrtec-D®.

DO NOT USE IF INDIVIDUAL BLISTER UNIT IS OPEN OR TORN

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015

ITEM 625893 W00000-0000-0
Walgreens.com
©2024 Walgreen Co.
MADE IN INDIA DNH/DRUGS/NH/138 3 1917720198 6

Imprinting Ink Contents: ammonium hydroxide, iron oxide black, isopropyl alcohol, N-butyl alcohol, propylene glycol, shellac glaze

Questions? call toll free 1-800-818-4555 weekdays

1	NDC:0363-0989-12	2 in 1 CARTON	11/01/2018	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-0989-24	4 in 1 CARTON	11/01/2018	
2		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090922	11/01/2018	

Labeler - Walgreen Company (008965063)

Registrant - Sun Pharmaceutical Industries Limited (650172430)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharmaceutical Industries Limited		650445203	ANALYSIS(0363-0989) , MANUFACTURE(0363-0989)

Revised: 1/2024

Walgreen Company