

**CVS HEALTH LIDOCAINE PAIN RELIEF PLUS MENTHOL- lidocaine, menthol,
unspecified form patch
Natural Essentials, Inc.**

Drug Facts

Active ingredients

Lidocaine 4%

Menthol 1%.

Purpose

Topical Anesthetic

Topical Analgesic

Use

For the temporary relief of pain.

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this carton.
- Do not use more than one patch in an 8 hour period. Maximum 3 patches per day.
- Rare cases of serious burns have been reported with products of this type
- Do not apply to wounds or damaged, broken or irritated skin
- Do not allow contact with the eyes and mucous membranes
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not use at the same time as other topical analgesics
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug products that can produce serious adverse effects if a child or pet chews or ingests this patch
- **NOTE:** patches may not adhere as well to all individuals, skin types, or certain parts of the body.

Stop use and ask a doctor if

- condition worsens

- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast feeding ask a physician before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **Adults/children 12 years and older**

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area
- once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin
- do not remove patch and reapply, this will result in the patch not sticking
- avoid strenuous exercise while wearing patch, this will result in patch not sticking
- do not use more than one patch in an 8 hour period.

Children 12 years or younger: ask a doctor.

Other information

Store at room temperature - do not exceed 86° Fahrenheit, 30° Celsius.

Inactive ingredients

Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, Povidone, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.

Principal Display Panel - Box Label

CVS

Health®

Compare to the active ingredients
in IcyHot® Lidocaine Patch
Plus Menthol*

MAXIMUM STRENGTH

Lidocaine concentration without a prescription†

Lidocaine Pain Relief Patch

PLUS MENTHOL

LIDOCAINE 4%

MENTHOL 1%

- **Desensitizes aggravated nerves**
- **Easy to apply**
- **Fast acting**

Topical Anesthetic

Topical Analgesic

Package Contains 5 Individually Wrapped Patches

5 PATCHES

3 15/16 IN X 5 1/2 IN (10 cm X 14 cm)

Pain-relieving ointment on a breathable adhesive pad

EACH PATCH IS SEALED IN A CHILD-RESISTANT POUCH FOR SAFETY

†Among over-the-counter topical analgesics.



Principal Display Panel - Patch Label

CVS
Health®

MAXIMUM STRENGTH

Lidocaine concentration without a prescription¹

**Lidocaine Pain
Relief Patch**

PLUS MENTHOL

LIDOCAINE 4%

MENTHOL 1%

- **Desensitizes
aggravated nerves**
- **Easy to apply**
- **Fast acting**

Topical Anesthetic

Topical Analgesic

1 PATCH

3 15/16 IN X 5 1/2 IN
(10 cm X 14 cm)

†Among over-the-counter
topical analgesics.

CHILD-RESISTANT POUCH SEALED FOR SAFETY
CUT HERE

CVS Health

MAXIMUM STRENGTH
Lidocaine concentration without a prescription†

Lidocaine Pain Relief Patch

PLUS MENTHOL

LIDOCAINE 4%
MENTHOL 1%

- Desensitizes aggravated nerves
- Easy to apply
- Fast acting

Topical Anesthetic
Topical Analgesic

1 PATCH
3 15/16 IN X 5 1/2 IN
(10 cm X 14 cm)

†Among over-the-counter
topical analgesics

CHILD-RESISTANT POUCH SEALED FOR SAFETY
CUT HERE

CVS Health

Drug Facts

Active ingredients	Purpose
Lidocaine 4%	Topical Anesthetic
Menthol 1%	Topical Analgesic

Use For the temporary relief of pain.

Warnings
For external use only

Do not use ■ more than 1 patch on your body at a time or on cut, irritated or swollen skin
 ■ on puncture wounds ■ for more than one week without consulting a doctor

When using this product ■ use only as directed. Read and follow all directions and warnings on this carton.

- Do not use more than one patch in an 8 hour period. Maximum 3 patches per day.
- Rare cases of serious burns have been reported with products of this type
- Do not apply to wounds or damaged, broken or irritated skin
- Do not allow contact with the eyes and mucous membranes
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not use at the same time as other topical analgesics
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug products that can produce serious adverse effects if a child or pet chews or ingests this patch

NOTE: patches may not adhere as well to all individuals, skin types, or certain parts of the body.

Stop use and ask a doctor if ■ condition worsens ■ redness is present ■ irritation develops
 ■ symptoms persist for more than 7 days or clear up and occur again within a few days
 ■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast feeding ask a physician before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ **Adults/children 12 years and older** ■ clean and dry affected area ■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle ■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area ■ once exposed portion of patch is positioned, carefully remove remaining backing completely to apply patch to affected area ■ once applied, press firmly and rub on all sides and center of patch to help adhesive adhere to skin ■ do not remove patch and reapply, this will result in the patch not sticking ■ avoid strenuous exercise while wearing patch, this will result in patch not sticking ■ do not use more than one patch in an 8 hour period.

Children 12 years or younger: ask a doctor.

Other information Store at room temperature – do not exceed 86° Fahrenheit, 30° Celsius.

Inactive ingredients Aluminum Glycinate, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polysorbate 80, Propylene Glycol, Propylparaben, Povidone, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water.

Distributed by: CVS Pharmacy, Inc.
 One CVS Drive, Woonsocket, RI 02895
 © 2024 CVS/pharmacy
 CVS.com® 1-800-SHOP CVS

Made in China
 V-33548 #234274

100% money back guaranteed.
 CVS.com/returnpolicy

Child-resistant packaging. Please read and understand the Drug Facts before using.

CVS HEALTH LIDOCAINE PAIN RELIEF PLUS MENTHOL

lidocaine, menthol, unspecified form patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66902-220
Route of Administration	TRANSDERMAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Lidocaine (UNII: 98PI200987) (Lidocaine - UNII:98PI200987)	Lidocaine	240 mg
Menthol, unspecified form (UNII: L7T10EIP3A) (Menthol, unspecified form - UNII:L7T10EIP3A)	Menthol, unspecified form	60 mg

Inactive Ingredients

Ingredient Name	Strength

DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)
GLYCERIN (UNII: PDC6A3C00X)
KAOLIN (UNII: 24H4NWX5CO)
METHYLPARABEN (UNII: A2I8C7HI9T)
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PROPYLPARABEN (UNII: Z8IX2SC1OH)
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)
TARTARIC ACID (UNII: W4888I119H)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
WATER (UNII: 059QF0K00R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66902-220-05	5 in 1 BOX	12/18/2019	
1		1 in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	12/18/2019	

Labeler - Natural Essentials, Inc. (947484713)

Establishment

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co., Ltd.		529128763	MANUFACTURE(66902-220)

Revised: 1/2024

Natural Essentials, Inc.