

**TATCHA THE SILK SUNSCREEN- zinc oxide lotion**  
**TATCHA INC.**

-----  
**TATCHA® THE SILK SUNSCREEN**

***Drug Facts***

***Active Ingredient***

Zinc Oxide (10%)

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Shake well before use.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m.– 2 p.m.
  - Wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

***Inactive Ingredients***

AQUA/WATER/EAU, C12-15 ALKYL BENZOATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, LAURYL PEG-8 DIMETHICONE, DIMETHICONE, ISODODECANE, TRIDECYL SALICYLATE, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, PROPANEDIOL, CAPRYLYL METHICONE, POLYMETHYLSILSESQUIOXANE, NIACINAMIDE, SACCHAROMYCES/RICE FERMENT FILTRATE, SILICA, SQUALANE, CAMELLIA SINENSIS LEAF EXTRACT, CLADOSIPHON OKAMURANUS EXTRACT, HYDROLYZED SILK, BISABOLOL, ALLANTOIN, TOCOPHEROL, THEOBROMA CACAO (COCOA) SEED EXTRACT, ARCTIUM LAPPA ROOT EXTRACT, KAPPAPHYCUS ALVAREZII EXTRACT, SODIUM HYALURONATE, LECITHIN, CAESALPINIA SPINOSA FRUIT EXTRACT, LACTOBACILLUS, MALTODEXTRIN, CAPRYLYL GLYCOL, DIMETHICONE CROSSPOLYMER, HYDROGENATED LECITHIN, TETRASODIUM GLUTAMATE DIACETATE, PEG-10, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, PROPYLENE GLYCOL, LAURYL PEG-10 TRIS(TRIMETHYLSILOXY)SILYLETHYL DIMETHICONE, POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE, BUTYLENE GLYCOL, PHOSPHORIC ACID, SODIUM HYDROXIDE, SODIUM CHLORIDE, HEXYLENE GLYCOL, ETHYLHEXYLGLYCERIN, PHENOXYETHANOL, IRON OXIDES (CI 77491, 77492, 77499)

### **Questions?**

Call toll-free (877) 322-8633

### ***broad spectrum SPF 50***

**PA +++++**

HYDRATING MINERAL SHIELD

10% zinc oxide protects against UVA/UVB rays. Natural plant extracts and red algae cocoon skin from pollution and blue light. Silk primes skin, hyaluronic acid hydrates, and niacinamide evens tone. Leaves a healthy glow, never a white cast.

### **BEAUTIFUL FACES, BEAUTIFUL FUTURES**

Your purchase supports education equality

**[www.tatcha.com/giving-back](http://www.tatcha.com/giving-back)**

MADE IN USA

DIST. TATCHA LLC  
SAN FRANCISCO, CA 94123 USA  
TM & © 2022 TATCHA LLC


**TATCHA.COM**

### **Packaging**

**15 mL - OUTER PACKAGE LABEL**




**15 mL - INNER PACKAGE LABEL**



**50 mL - OUTER PACKAGE LABEL**





**50 mL - INNER PACKAGE LABEL**



**DRUG FACTS LABEL**

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
Zinc Oxide (10%)	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>Helps prevent sunburn.</li> <li>If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun.</li> </ul>	
<b>Warnings</b>	
For external use only.	
Do not use on damaged or broken skin.	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs.	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>Shake well.</li> <li>Apply liberally 15 minutes before sun exposure.</li> <li>Reapply at least every 2 hours.</li> <li><b>Sun Protection Measures</b> Spending time in the sun increases your risk of skin cancer.</li> </ul>	

<b>Drug Facts (cont'd)</b>
<b>Inactive Ingredients (cont'd)</b>
LEAF EXTRACT, CLADOSIPHON OKAMURANUS EXTRACT, HYDROLYZED SILK, BISABOLOL, ALLANTOIN, TOCOPHEROL, THEOBROMA CACAO (COCOA) SEED EXTRACT, ARCTIUM LAPPA ROOT EXTRACT, KAPPA PHYCUS ALVAREZII EXTRACT, SODIUM HYALLURONATE, LECITHIN, CAESALPINIA SPINOSA FRUIT EXTRACT, LACTOBACILLUS, MALTODEXTRIN, CAPRYLYL GLYCOL, DIMETHICONE COPOLYMER, HYDROGENATED LECITHIN, TETRASODIUM GLUTAMATE DIACETATE, PEG-10, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, PROPYLENE GLYCOL, LAURYL PEG-10 TRIS(trimethylsiloxy)silylethyl dimethicone, POLYGLYCERYL-4 DISOOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE, BUTYLENE GLYCOL, PHOSPHORIC ACID, SODIUM HYDROXIDE, SODIUM CHLORIDE, HEXYLENE GLYCOL, ETHYLHEXYLGLYCERIN, PHENOXETHANOL, IRON OXIDES (CI 77491, 77492, 77499)
<b>Questions?</b>
Call toll-free (877) 322-8633

and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.– 2 p.m.
- Wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

**Inactive Ingredients**

AQUA/WATER/EAU, C12-15 ALKYL BENZOATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, LAURYL PEG-8 DIMETHICONE, DIMETHICONE, ISODODECANE, TRIDECYL SALICYLATE, HDI/TRIMETHYLOL HEXYLACETONE CROSSPOLYMER, PROPANEDIOL, CAPRYLYL METHICONE, POLYMETHYLSILSESQUOXANE, NIACINAMIDE, SACCHAROMYCES/RICE FERMENT FILTRATE, SILICA, SQUALANE, CAMELLIA SINENSIS

**1 mL PACKET LABEL**



Drug Facts	Purpose
<b>Active Ingredient</b> Zinc Oxide (10%)	Sunscreen
<b>Uses</b> ■ Helps prevent sunburn. ■ If used as directed with other sun protection measures (see <b>Directions</b> ), decreases the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings</b> For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> ■ Apply liberally 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m.– 2 p.m. ■ Wear long-sleeve shirts pants, hats, and sunglasses. ■ Children under 6 months: Ask a doctor.	
See <a href="http://Tatcha.com">Tatcha.com</a> for full ingredient listing	

SAMPLE – NOT FOR SALE  
 MADE IN USA OF GLOBAL INGREDIENTS  
 DIST. TATCHA LLC  
 SAN FRANCISCO, CA 94123 USA  
 © 2024 TATCHA LLC  
 TATCHA.COM  
 93888 68424 9  
 7

**5 mL TUBE LABEL**



**ACTIVE INGREDIENT** Zinc Oxide 10%..... Sunscreen  
**DIRECTIONS** Shake well before use. Apply liberally 15 minutes before sun exposure. Reapply every 2 hours.  
**WARNING** For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. For full product information, refer to [TATCHA.COM](http://TATCHA.COM)  
**QUESTIONS OR COMMENTS** Call toll-free (877) 322-8633  
 MADE IN USA OF GLOBAL INGREDIENTS DIST. TATCHA LLC  
 SAN FRANCISCO, CA 94123 USA © 2024 TATCHA LLC

SAMPLE – NOT FOR RESALE



**TATCHA**  
 THE SILK SUNSCREEN  
 broad spectrum SPF 50 PA ++++  
 5 ml | 0.17 fl. oz.

<b>ACTIVE INGREDIENT</b> Zinc Oxide 10%..... Sunscreen	SAMPLE – NOT FOR RESALE
<b>DIRECTIONS</b> Shake well before use. Apply liberally 15 minutes before sun exposure. Reapply every 2 hours.	
<b>WARNING</b> For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. For full product information, refer to <a href="http://TATCHA.COM">TATCHA.COM</a>	
<b>QUESTIONS OR COMMENTS</b> Call toll-free (877) 322-8633	
MADE IN USA OF GLOBAL INGREDIENTS DIST. TATCHA LLC SAN FRANCISCO, CA 94123 USA © 2024 TATCHA LLC <a href="http://TATCHA.COM">TATCHA.COM</a>	



## TATCHA THE SILK SUNSCREEN

zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69417-130
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	100 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>LAURYL PEG-8 DIMETHICONE (300 CPS)</b> (UNII: ELL2U7K8T8)	
<b>DIMETHICONE, UNSPECIFIED</b> (UNII: 92RU3N3Y10)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>TRIDECYL SALICYLATE</b> (UNII: AZQ08K38Z1)	
<b>HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER</b> (UNII: WB5K9Y35Y9)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>CLADOSIPHON OKAMURANUS WHOLE</b> (UNII: 2IJE0CH09J)	
<b>SILK, BASE HYDROLYZED (1000 MW)</b> (UNII: UMQ31C11AY)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>COCOA</b> (UNII: D9108TZ9KG)	
<b>ARCTIUM LAPPA ROOT</b> (UNII: 597E9BI3Z3)	
<b>KAPPAPHYCUS ALVAREZII</b> (UNII: T479H08K2O)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	

<b>SOYBEAN LECITHIN</b> (UNII: 1DI56QDM62)
<b>TARA SPINOSA FRUIT</b> (UNII: 2LBT8R6WE6)
<b>BIFIDOBACTERIUM ANIMALIS LACTIS</b> (UNII: 5307V7XW8I)
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>DIMETHICONE CROSSPOLYMER</b> (UNII: UF7620L1W6)
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)
<b>TETRASODIUM GLUTAMATE DIACETATE</b> (UNII: 5EHL50I4MY)
<b>POLYETHYLENE GLYCOL 500</b> (UNII: 761NX2Q08Y)
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE</b> (UNII: 687U3PEB2Y)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN)
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69417-130-05	1 in 1 BOX	03/08/2022	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69417-130-17	1 in 1 BOX	03/08/2022	
2		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:69417-130-01	1 mL in 1 PACKET; Type 0: Not a Combination Product	03/31/2025	
4	NDC:69417-130-02	5 mL in 1 TUBE; Type 0: Not a Combination Product	03/31/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/08/2022	

**Labeler** - TATCHA INC. (006811461)