

WALGREENS LUBRICANT EYE DROPS- polyethylen glycol and propylene glycol solution/drops

Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

| Active Ingredient | Purpose |
|-----------------------------------|-----------|
| Polyethylene Glycol 400 0.4%----- | Lubricant |
| Propylene Glycol 0.3%----- | Lubricant |

Use

- For the temporary relief of burning and irritation due to dryness of the eye

Warnings:

For external use only.

Do not use

- if this product changes color or becomes cloudy
- if you are sensitive to any ingredient in this product

When using this product

- do not touch tip of container to any surface to avoid contamination
- do not reuse
- once opened, discard

Stop use and ask a doctor if

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye(s) gets worse, persists or lasts more than 72 hours

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Instill 1 or 2 drops in the affected eye(s) as needed.

Other information

- Store at room temperature

Inactive Ingredients

aminomethylpropanol, boric acid, hydrochloric acid, hydroxy ethyl cellulose, potassium chloride, sodium chloride, sodium hydroxide, sorbitol, water for injection

DISTRIBUTED BY:

WALGREEN CO.

200 WILMOT RD.,

DEERFIELD, IL 60015



WALGREENS LUBRICANT EYE DROPS

polyethylen glycol and propylene glycol solution/ drops

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-7220 |
| Route of Administration | OPHTHALMIC | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------|------------------|
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) (POLYETHYLENE GLYCOL 400 - UNII:B697894SGQ) | POLYETHYLENE GLYCOL 400 | 0.4 mg in 100 mg |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3) | PROPYLENE GLYCOL | 0.3 mg in 100 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| AMINOMETHYLPROPANOL (UNII: LU49E6626Q) | |
| BORIC ACID (UNII: R57ZHV85D4) | |
| HYDROCHLORIC ACID (UNII: QTT17582CB) | |
| HYDROXYETHYL CELLULOSE (100 MPAS AT 2%) (UNII: R33S7TK2EP) | |
| POTASSIUM CHLORIDE (UNII: 660YQ98I10) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| SORBITOL (UNII: 506T60A25R) | |
| WATER (UNII: 059QF0K00R) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|-----------------------------|----------------------|--------------------|
| 1 | NDC:0363-7220-25 | 1 in 1 CARTON | | |
| 1 | | 25 mg in 1 VIAL, SINGLE-USE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part349 | 08/06/2014 | |

Labeler - Walgreen Company (008965063)

Revised: 8/2014

Walgreen Company