

**GLYCERIN LAXATIVE - glycerin suppository**  
**Cardinal Health**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

***Active Ingredient (in each suppository)***

Glycerin, USP 2.1 grams

***Purpose***

Laxative

***Uses***

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/4 to 1 hour

***Warnings***

**For rectal use only**

**Do not use**

laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- abdominal pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

**When using this product**

you may have rectal discomfort or a burning sensation

**Stop use and ask a doctor if**

- you have rectal bleeding
- you fail to have a bowel movement after use of a laxative

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 6 years and over	1 suppository per day or as directed by a doctor
children 2 to under 6 years	use pediatric glycerin suppositories
children under 2 years	ask a doctor

- insert 1 suppository well up into rectum and retain for 15 minutes
- it need not melt to produce laxative action

**Other information**

- keep tightly closed
- avoid excessive heat

**Inactive ingredients**

purified water, sodium hydroxide, stearic acid

**PRINCIPAL DISPLAY PANEL**

**NDC 37205-320-63**

**LEADER<sup>®</sup>**

**Glycerin Suppositories**

LAXATIVE

Compare to Fleet<sup>®</sup> active ingredient\*

SATISFACTION GUARANTEED

**Tamper Evident.** Do not use if printed inner seal is broken or missing.

25 Adult Size

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

CIN 1390723

www.myleader.com

1-800-200-6313

All Leader<sup>®</sup> Brand products are 100% satisfaction guaranteed or return to place of purchase for a full refund.

\*Fleet<sup>®</sup> is a registered trademark of C.B. Fleet Co., Inc.

19-10126LR3C

80% UPC TRUNCATED  
do not print keyline  
0-96295-39072-8

**Drug Facts**

**Active ingredient (in each suppository)** Glycerin, USP 2.1 grams **Purpose** Laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ¼ to 1 hour

**Warnings**

**For rectal use only**

Do not use laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- abdominal pain • nausea • vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

When using this product you may have rectal discomfort or a burning sensation

Stop use and ask a doctor if • you have rectal bleeding ▶

**Drug Facts (continued)**

- you fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children 6 years and over	1 suppository per day or as directed by a doctor
children 2 to under 6 years	use pediatric glycerin suppositories
children under 2 years	ask a doctor

• Insert 1 suppository well up into rectum and retain for 15 minutes

• It need not melt to produce laxative action

**Other information** • keep tightly closed • avoid excessive heat

**Inactive ingredients** purified water, sodium hydroxide, stearic acid

NDC 37205-320-63

**LEADER®**

**Glycerin Suppositories**

**LAXATIVE**

*Compare to Fleet® active ingredient\**

**25 Adult Size**

DISTRIBUTED BY CARDINAL HEALTH  
DUBLIN, OHIO 43017 ON 1390723  
www.myleader.com 1-800-200-8819  
All Leader® brand products are 100% satisfaction guaranteed or return to place of purchase for a refund.

## GLYCERIN LAXATIVE

glycerin suppository

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37205-320
<b>Route of Administration</b>	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Glycerin (UNII: PDC6A3C0OX) (Glycerin - UNII:PDC6A3C0OX)	Glycerin	2.1 g

### Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Sodium Hydroxide (UNII: 55X04QC32I)	
Stearic Acid (UNII: 4ELV7Z65AP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37205-320-63	25 in 1 BOX		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC monograph not final	part334	04/03/2002	
-------------------------	---------	------------	--

**Labeler** - Cardinal Health (097537435)

**Registrant** - G & W Laboratories, Inc. (001271188)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
G & W Laboratories, Inc.		001271188	MANUFACTURE(37205-320)

Revised: 1/2011

Cardinal Health