

CALCIUM GLUCONATE- calcium gluconate injection, solution
IBA Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

HI-CAL 23%

Each 100 mL CONTAINS:

Calcium Gluconate
(provides 2.14 grams Calcium) 23 grams
Water For Injection.....q.s.

Contains boric acid as a solubilizing agent.
Electrolytes per 1000 mL: Calcium 1069 mEq;
Hypertonic

Store at controlled room temperature 15 degrees C - 30 degrees C (59 degrees F - 86 degrees F).

KEEP OUT OF REACH OF CHILDREN

IBA STOCK # 494304

09NT6 Rev. 03-14 18-802

RMS 92-555

(calcium gluconate 23% solution)

NET CONTENTS: 500 mL

MANUFACTURED FOR:

IBA INC.

ANIMAL HEALTH DIVISION

27 PROVIDENCE RD.

MILLBURY, MA 01527

LOT NO.: EXP. DATE:☐

INDICATIONS:

To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

FOR ANIMAL USE ONLY

DOSAGE AND ADMINISTRATION:

Cattle: 250 to 500 mL

Administer intravenously or intraperitoneally. Solution should be warmed to body temperature and administered slowly. This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. It should be handled under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.

TAKE TIME OBSERVE LABEL DIRECTIONS

Each 100 mL CONTAINS:

Calcium Gluconate
(provides 2.14 grams Calcium) 23 grams
Water For Injection q.s.
Contains boric acid as a solubilizing agent.
Electrolytes per 1000 mL: Calcium 1069 mEq;
Hypertonic

Store at controlled room temperature
15°C-30°C (59°F-86°F).

**KEEP OUT OF REACH
OF CHILDREN**

IBA STOCK # 494304

09NT6 Rev. 03-14 18-802
RMS 92-555

THE SHIELD OF IBA QUALITY AND VALUE

HI-CAL 23%

(calcium gluconate 23% solution)

INDICATIONS:
To be used as an aid in the treatment of parturient paresis (milk fever) in cattle.

NET CONTENTS: 500 mL

MANUFACTURED FOR:
IBA INC.
ANIMAL HEALTH DIVISION
27 PROVIDENCE RD.
MILLBURY, MA 01527

FOR ANIMAL USE ONLY

DOSAGE AND ADMINISTRATION:

Cattle: 250 to 500 mL
Administer intravenously or intraperitoneally. Solution should be warmed to body temperature and administered slowly. This product is sterile in unopened container. It contains no preservative. Use entire contents when first opened. It should be handled under aseptic conditions. If there is no apparent improvement in the animal's condition within 24 hours, consult a veterinarian.



LOT NO.: EXP. DATE:

CALCIUM GLUCONATE

calcium gluconate injection, solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-2404
Route of Administration	INTRAVENOUS, INTRAPERITONEAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM GLUCONATE (UNII: SQE6VB453K) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM GLUCONATE	23 g in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-2404-1	500 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/14/2014	

Labeler - IBA Inc. (019494160)

Registrant - IBA Inc. (019494160)

Establishment

Name	Address	ID/FEI	Business Operations
Nova-Tech, Inc.		196078976	manufacture, api manufacture

Revised: 6/2014

IBA Inc.