ROBITUSSIN HONEY SEVERE COUGH, FLU PLUS SORE THROATacetaminophen, dextromethorphan hbr solution Haleon US Holdings LLC

Drug Facts

Active ingredients (in each 20 ml)

Acetaminophen, USP 650 mg

Dextromethorphan HBr, USP 20 mg

Purposes

Pain reliever/Fever reducer

Cough suppressant

Uses

- temporarily relieves these symptoms occurring with a cold or flu:
 - cough due to minor throat and bronchial irritation
 - minor aches and pains
 - sore throat pain
 - headache
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen.

Severe liver damage may occur if you take

- more than 6 doses in any 24-hour period, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking any other pain reliever/fever reducer

When using this product do not use more than directed.

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children, even if you do not notice any signs or symptoms.

Directions

- do not take more than 6 doses in any 24-hour period
- do not exceed recommended dosage. Taking more than the recommended dose (overdose) may cause serious liver damage.
- measure only with dosing cup provided
- keep dosing cup with product
- ml = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12	20 ml every 4 hours
years and over	
children under 12	do not use
years	

Other information

- each 20 ml contains: sodium 21 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, carboxymethylcellulose sodium, glycerin, natural & artificial flavors, natural grade A honey, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium gluconate, sucralose, xanthan gum, zinc gluconate

Questions or comments?

call weekdays from 9 AM to 5 PM EST at 1-800-762-4675

Distributed by: Pfizer, Madison, NJ 07940 USA

©2020 Pfizer Inc.

For most recent product information, visit www.robitussin.com

For US Patent or Application status use www.productpats.com

Should be 18 or older to purchase

PARENTS:

Learn about teen medicine abuse www.StopMedicineAbuse.org

PRINCIPAL DISPLAY PANEL

NDC 0031 8771 18

Robitussin ®

Honey

ADULT

NEW!

SEVERE

Cough, Flu +

Sore Throat

ACETAMINOPHEN (Pain Reliever/Fever Reducer)

DEXTROMETHORPHAN HBr (Cough Suppressant)

NON-DROWSY

MAXIMUM STRENGTH

- 1. Controls Cough
- 2. Soothes Sore Throat Pain
- 3. Relieves Fever & Body Aches

Taste the Real Honey with Elderberry

CF MAX For Ages 12+ 8 FL OZ (237 ml)



ROBITUSSIN HONEY SEVERE COUGH, FLU PLUS SORE THROAT acetaminophen, dextromethorphan hbr solution Product Information Product Type HUMAN OTC DRUG Route of Administration ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	650 mg in 20 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)		
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)		
GLYCERIN (UNII: PDC6A3C0OX)		
HONEY (UNII: Y9H1V576FH)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SODIUM GLUCONATE (UNII: R6Q3791S76)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
XANTHAN GUM (UNII: TTV12P4NEE)		
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)		

Product Characteristics			
Color	orange	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0031-8771- 12	1 in 1 CARTON	06/15/2020	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0031-8771- 18	1 in 1 CARTON	06/15/2020	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information				
Marketing	Application Number or Monograph	Marketing Start	Marketing End	
Category	Citation	Date	Date	

Labeler - Haleon US Holdings LLC (079944263)

Revised: 3/2024 Haleon US Holdings LLC