

ANTICAVITY RINSE- sodium fluoride mouthwash
Retail Business Services, LLC

Care One 004.002/004AE
Anticavity Fluoride Rinse, Bubble Gum

Active ingredient

Sodium Fluoride 0.05% (0.02% w/v fluoride ion)

Purpose

Anticavity Rinse

Use

aids in the prevention of dental cavities

Warnings

for this product

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, seek professional assistance or contact a Poison Control Center immediately.

Directions

- adults and children 6 year of age and older: use once a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters (10 mL mark on inside of cap), do not fill above 10 mL mark
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision
- children under 6 year of age: consult a dentist or doctor

Other information

store at room temperature

Inactive ingredients

benzyl alcohol, calcium disodium EDTA, cetylpyridinium chloride, disodium EDTA, disodium phosphate, flavor, poloxomer 407, polysorbate 80, propylene glycol, red 33, sodium benzoate, sodium phosphate, sodium saccharin, sorbitol, water

Disclaimer

*This product is not manufactured or distributed by Chattem, Inc., distributor of Act[®]Kids Anticavity Fluoride Rinse Bubblegum Blowout .

ADVERSE REACTION

Distributed by Foodhold, U.S.A, LLC

Landover, MD 20785 • 1-877-846-9949

©2018 S&S Brands, Inc.

Quality Guaranteed or your money back.

principal display panel

CAREONE[®]

Compare to Act[®]Kids Anticavity Fluoride Rinse*

CHILDREN'S

ANTICAVITY

FLUORIDE RINSE

Strong Cavity

Protection


Alcohol-Free

BUBBLE GUM FLAVOR

Sealed with printed neckband for your protection

IMPORTANT: Read directions for proper use.

18 FL OZ (532 mL)



Drug Facts

Active Ingredient	Purpose
Sodium fluoride 0.05% (0.02% w/v fluoride ion).....	Anticavity rinse

Use aids in the prevention of dental cavities

Warning
Keep out of reach of children. If more than used for rinsing is accidentally swallowed, seek professional assistance or contact a Poison Control Center immediately.

Directions

- adults and children 6 years of age and older: use once a day after brushing your teeth with a toothpaste
- remove cap
- pour 10 milliliters (10 ML mark on inside of cap); do not fill above 10 ML mark
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision
- children under 6 years of age: consult a dentist or doctor.

Other information ■ store at room temperature

Inactive ingredients benzyl alcohol, calcium disodium EDTA, cetylpyridinium chloride, disodium EDTA, disodium phosphate, flavor, poloxamer 407, polysorbate 80, propylene glycol, red 33, sodium benzoate, sodium phosphate, sodium saccharin, sorbitol, water

This product is not manufactured or distributed by Chatterm, Inc., distributor of Act Kids Anticavity Fluoride Rinse Bubblegum Blowout*.

DISTRIBUTED BY FOODHOLD, U.S.A., LLC
 LANDOVER, MD 20785 • 1-877-846-9949
 © 2018 S&S Brands, LLC
 Quality guaranteed or your money back.

S-98 0418

L0010721FB

ANTICAVITY RINSE

sodium fluoride mouthwash

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72476-204
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	0.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EDETATE CALCIUM DISODIUM ANHYDROUS (UNII: 8U5D034955)	
CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

D&C RED NO. 33 (UNII: 9DBA0SBB0L)

SODIUM BENZOATE (UNII: OJ245FE5EU)

SODIUM PHOSPHATE (UNII: SE337SVY37)

SACCHARIN SODIUM (UNII: SB8ZUX40TY)

SORBITOL (UNII: 506T60A25R)

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72476-204-44	532 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/10/2010	
2	NDC:72476-204-77	500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/10/2010	09/18/2023

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	03/10/2010	

Labeler - Retail Business Services, LLC (967989935)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(72476-204)

Revised: 2/2026

Retail Business Services, LLC