TUSNEL EX- guaifenesin liquid Llorens Pharmaceutical International Division, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

In each 5 mL

Guaifenesin - 100 mg

Purpose

Expectorant

Uses

- temporarily relieves cough due to minor thraot and bronchial irritations as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Do not use if you are now taking a prescritpion monamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's diesease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescirption drug contains an MAOI, aska doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeing, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions: Do not exceed more than 6 doses in any 24-hour period.

Age	Dose
Adults and children over 12 years and over	2 teaspoonfuls (10 mL) every 4 hours
Children under 12 years	Ask a doctor

Inactive ingredients anhydrous citric acid, flavor, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate digydrate, and a sucralose.

Questions or comments? 1-8660595-5598

rug Facts	Drug Facts (Continued)			
ctive ingredient (in each 5 mL) Purpose Expectorant	/ /// Tus	®	Directions Do not exceed more than 6 doses in any 24-hour period.	
ses • temporarily relieves cough due to minor throat and bronchial tables itations as may occur with a colid • helps loosen phlegm (mucus)		snei	Age	Dose
d thin bronchial secretions to make coughs more productive		EX	Adults and children 12 years and over	2 teaspoonfuls (10 mL) every 4 hours
arnings o not use if you are now taking a prescription monoamine oxidase			Children under 12 years	Ask a doctor
hibitor (MAOI) (certain drugs for depression, psychiatric, or emotional onditions, or Parkirison's disease), or for 2 weeks after stopping the AOI drug, If you do not know if your prescription drug contains an AOI, ask a doctor or bharmacist before taking this product.		Other information: • store at controlled room temperature 15-30°C (59-86°F) • Do not use if foil over bottle opening is torn, broken, or missing.		
sk a doctor before use if you have *cough that occurs with too uch phlegm (mucus) *cough that lasts or is chronic such as curs with smoking, asthma, chronic bronchitis, or emphysema	EXPECTORANT THINS & LOOSENS MUCUS		Inactive ingredients anhydrous citric acid, flavor, methylparaben propylene glycol, propylparaben, purified water, sodium citrate dihydrate, and sucralose.	
op use and ask a doctor if cough lasts for more than 7 days,			Questions or comments? 1	-866-595-5598
mes back, or is accompanied by fever, rash, or persistent adache. A persistent cough may be a sign of a serious condition.			Code: L-153 Rev. 02/22	
pregnant or breast-feeding, ask a health professional before	는 4. Massile Line Educed 4 and 19 4		Manufactured by:	
e, eep out of reach of children. In case of accidental overdose, get edical help or contact a Poison Control Center -800-222-1222) right away.	✓ Sugar Free ✓ No Alcohol ✓ No Dve	APPLE	Llorens Pharmaceutical International Division, Ina Miami, FL 33147 www.llorenspharm.com	
		BANANA	MADE IN USA	
	🖌 No Saccharine		Lot No.:	

TUSNEL EX

guaifenesin liquid

Pr	Product Information					
Pro	oduct Type		HUMAN OTC DRUG	Item Cod	le (Source)	NDC:54859-507
Ro	ute of Adminis	stration	ORAL			
Ac	tive Ingredie	ent/Active	Moiety			
		Ingred	ient Name		Basis of Streng	gth Strength
GU	AIFENESIN (UNII:	: 495W7451VQ)	(GUAIFENES IN - UNII:495W7	451VQ)	GUAIFENESIN	100 mg in 5 mL
Ina	active Ingree	dients				
			Ingredient Name			Strength
ANH	HYDROUS CITRI	C ACID (UNII: >	(F417D3PSL)			
ME.	THYLPARABEN	UNII: A2I8C7HI	ЭТ)			
PRC	OPYLENE GLYCO	DL (UNII: 6DC90	Q167V3)			
PRC	OPYLPARABEN (UNII: Z8IX2SC1	OH)			
	TER (UNII: 059QI					
			(UNII: B22547B95K)			
SUC	CRALOSE (UNII: 9	96K6UQ3ZD4)				
Ра	ckaging					
#	ltem Code	Pa	ckage Description	r	Aarketing Start Date	Marketing End Date
- N	NDC:54859-507-	118 mL in 1 BC) TTLE; Type 0: Not a Combi	nation	/01/2010	

L 04 Product 05/01/2019						
Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph fina	l part341	05/01/2019				

Labeler - Llorens Pharmaceutical International Division, Inc. (037342305)

Revised: 7/2022

Llorens Pharmaceutical International Division, Inc.