

MENTHOL COUGH DROPS- menthol lozenge

Bestco Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Menthol 5.4 mg

Active ingredient (in each drop)

Menthol 5.4 mg

Purpose

Cough suppressant / Oral anesthetic

Uses temporarily relieves:

- cough as may occur with a cold
- occasional minor irritation and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have

persistent or chronic cough such as occurs with smoking, asthma, or emphysema
cough accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

sore throat is severe, or irritation, pain or redness lasts or worsens

sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children.

Directions

Adults and children 5 years and over: dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.

Children under 5 years: ask a doctor

Other information:

10 calories per drop

Inactive ingredients: Corn starch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glycerin, gum arabic, medium chain triglycerides, natural flavor, potassium sorbate, soybean oil, sucrose and water.

Questions? Or to report an adverse event call 1-800-245-2898. Monday - Friday, 9AM to 4PM EST



Do not use if bag
is torn or open

No lo consuma si la
bolsa está rota o abierta.

100 mg (4 mg)
100 mg (4 mg)

Hermetic Bag / Bolsa con cierre hermético

100 mg (4 mg)
100 mg (4 mg)

Strong, Effective and Affordable for your...
Fuerte, efectiva y económica...

BestHealth®

Menthol • Cough Suppressant/Oral Anesthetic

Mentol • Antitusivo/anestésico bucal

**Compare to active
ingredient in HALLS®***

*Comparación con los
ingredientes activos
de HALLS®**



MENTHOL FLAVOR

SABOR de MENTOL

Soothes Sore Throat Pain

Calma el dolor de garganta

30 DROPS Pastillas

Temporarily Relieves Cough

Alivia la tos tempralmente


Gluten-Free
Libre de gluten

Lot Code
Expiration Date

Excipientes: almidón de maíz, jarabe de maíz, aceite de eucalipto, aditivo de color azul n.º 1, aditivo de color rojo n.º 40 certificado para alimentos, triglicéridos de cadena media, saborizante natural, sorbato de potasio, aceite de soya, sacarosa y agua.

? Tiene preguntas? Si tiene preguntas o desea informar un efecto secundario, llame al 1-800-245-2898. De lunes a viernes, de 9.00 a.m. a 4 p.m., hora del este.

Indicaciones
Adultos y niños a partir de los 5 años : disolver lentamente dos pastillas en la boca, una a la vez. Se puede repetir cada 2 horas según sea necesario o según indicación médica.
Niños menores de 5 años : consulte con el médico

Información adicional :
10 calorías por pastilla

Advertencias
Dolor de garganta: si el dolor de garganta es agudo, persiste por más de 2 días y viene acompañado o seguido de fiebre, dolor de cabeza, sarpullido, inflamación, náuseas o vómitos, consulte a su médico de inmediato. Si los síntomas de la afección bucal no mejoran en 7 días, consulte de inmediato con el médico o el dentista. Estos síntomas pueden ser graves.

Consulte con el médico antes de consumir si tiene:
tos crónica o persistente, como en los casos de tabaquismo, asma o enfisema
tos acompañada de fiebre excesiva (mucosidad)

Suspenda el uso y consulte con el médico en los siguientes casos:
Si la tos persiste durante más de 7 días, tiende a reaparecer o está acompañada de fiebre, sarpullido o dolor de cabeza constante. Estos pueden ser signos de una enfermedad grave. Si el dolor de garganta es intenso o si la irritación, el dolor o el enrojecimiento perduran o empeoran.
Si la afección bucal no mejora en 7 días.

Si está embarazada o amamantando, consulte con un profesional médico antes de consumir.
Mantener fuera del alcance de los niños.

PN-501443
Made in USA of U.S. and Imported ingredients.
Hecho en EE.UU. de Estados Unidos e ingredientes importados.
Manufactured by: I Fabricado por: Bestco Inc, 288 Mazepa Road Mooresville, NC 28115, USA
©2017 Bestco Inc.
Este producto no lo elabora ni lo distribuye el propietario de la marca registrada HALLS®



This product is not manufactured or distributed the owner of the registered trademark HALLS®.

Questions? Or to report an adverse event call: 1-800-245-2898
Monday through Friday, 8AM to 4PM EST

Inactive ingredients: Corn starch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glycerin, gum arabic, medium chain triglycerides, natural flavor, potassium sorbate, soybean oil, sucrose and water.

Other information:
10 calories per drop

Directions
Adults and children 5 years and over: dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.
Children under 5 years: ask a doctor

Stop use and ask doctor if
cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
sore throat is severe, or irritation, pain or redness lasts or worsens
sore mouth does not improve in 7 days

Ask a doctor before use if you have
persistent or chronic cough such as occurs with smoking, asthma, or emphysema
cough accompanied by excessive phlegm (mucus)

If pregnant or breast-feeding, ask a health professional before use. **Keep out of the reach of children.**



MENTHOL COUGH DROPS

menthol lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52642-042
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5.4 mg

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	blue (light blue with blue flakes)	Score	no score
Shape	OVAL	Size	17mm
Flavor	MENTHOL	Imprint Code	B
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52642-042-30	30 in 1 BAG; Type 0: Not a Combination Product	10/10/2018	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/10/2018	

Labeler - Bestco Inc. (002149136)

Registrant - Bestco Inc. (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(52642-042)