

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS UVPRO
SPORT INVISIBLE SUNSCREEN BROAD SPECTRUM SPF 45- avobenzone,
homosalate, octisalate, and octocrylene aerosol, spray
L'Oreal USA, Inc.**

Drug Facts

Active ingredients

Avobenzone 3%

Homosalate 10%

Octisalate 5%

Octocrylene 7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable.

Avoid fire, flame and heat during application and until fully dry.

Do not use

on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it
- use only as directed in a ventilated area. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- spray liberally and spread evenly by hand 15 minutes before sun exposure.
- hold container 4 to 6 inches from the skin to apply
- • do not spray directly into face.
- Spray on hands then apply to face. • do not apply in windy conditions
- • use in a well-ventilated area
- • reapply:
 - • after 80 minutes of swimming or sweating
 - • immediately after towel drying
 - • at least every 2 hours •
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

alcohol denat., isopropyl myristate, dicaprylyl carbonate, diisopropyl sebacate, ethylenediamine/stearyl dimer dilinoleate copolymer, caprylic/capric triglyceride, citric acid, diethylhexyl syringylidenemalonate, glycine soja (soybean) oil, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, pentylene glycol, tocopherol, trisodium ethylenediamine disuccinate, water

Questions or comments?

1-888-LRP-LABO 1-888-577-5226

Monday - Friday (9 a.m. - 5 p.m. EST)

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE



BROAD SPECTRUM
SPF 45

45

ANTHELIOS
UV PRO-SPORT
INVISIBLE SPRAY SUNSCREEN

UVPRO-SPORT

CELL-OX SHIELD®
UVA/UVB Protection + Antioxidants

Water Resistant (80 minutes)

Will not run into eyes –
Won't budge while you exercise
Mess-free application/reapplication
Fragrance-free. Paraben-free



4.3 OZ / 122 g

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 7%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable. Avoid fire, flame and heat during application and until fully dry.

Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it
- use only as directed in a ventilated area. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.
- do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120° F.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from the skin

Drug Facts (continued)

- to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

alcohol denat., isopropyl myristate, dicaprylyl carbonate, diisopropyl sebacate, ethylenediamine/stearyl dimer dilinoleate copolymer, caprylic/capric triglyceride, citric acid, diethylhexyl syringylidenemalonate, glycine soja (soybean) oil, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, pentylene glycol, tocopherol, trisodium ethylenediamine disuccinate, water

Questions or comments?

1-888-LRP-LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m, EST)

2067529 02
Code EIL: V70062674/1
DOT 2Q M5706
0054-SDA-767



Scan me to learn more about Anthelios UV Pro-Sport Spray.

3612625371655
Made in Canada with Canadian and imported parts.

Distribution reserved to La Roche-Posay agreed distributors.

L'Oréal USA S/D, Inc., Dist.,
10 Hudson Yards, New York, NY 10001
www.laroche-posay.us

WATER RESISTANT
(80 MINUTES)
FRAGRANCE-FREE
PARABEN-FREE
NON COMEDOGENIC
ALLERGY TESTED
DERMATOLOGIST TESTED
FOR SAFETY
SUITABLE FOR SENSITIVE SKIN

LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS UVPRO SPORT INVISIBLE SUNSCREEN BROAD SPECTRUM SPF 45

avobenzone, homosalate, octisalate, and octocrylene aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82046-632
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	70 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
SOYBEAN OIL (UNII: 241ATL177A)	
PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE (UNII: 255PIF62MS)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82046-632-01	122 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/06/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/06/2026	

Labeler - L'Oreal USA, Inc. (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
PLZ Corp		203350785	manufacture(82046-632)

Revised: 3/2026

L'Oreal USA, Inc.