

**MOTION-TIME CHEWABLE- meclizine hcl tablet, chewable  
NuCare Pharmaceuticals, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

**Active ingredient (in each tablet) Meclizine HCl 25 mg.**

**Purpose :Antiemetic.**

**Uses prevents and treats nausea, vomiting, or dizziness associated with motion sickness.**

**Warnings do not give to children under 12 years of age unless directed by a doctor.**

**Do not take unless directed by a doctor if you have**

- trouble urinating due to an enlarged prostate gland
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

**Do not take if you are taking sedatives or tranquilizers, without first consulting your doctor.**

**When using this product**

- do not exceed recommended dosage
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.**

**Directions**

- dosage should be taken one hour before travel starts
- adults and children 12 years of age and over: take 1 to 2 tablets once daily or as directed by a doctor

**Other information**

- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F) in a dry place
- use by expiration date on package

**Inactive ingredients :anhydrous lactose, colloidal silicon dioxide, crospovidone, dextrose, FD-C red 40 aluminum lake, magnesium stearate, microcrystalline cellulose, modified corn starch, propylene glycol, raspberry flavor, silicon dioxide, sodium saccharin, stearic acid, talc, vanilla flavor.**

NDC: 68071-4595-2

**Meclizine HCl 25mg  
#20 Chewtabs**

Each chewtab contains Meclizine HCl 25mg.....Antiemetic Warnings: Do not give to children under 12 years of age unless directed by a doctor. Do not take unless directed by a doctor if you have, trouble urinating due to an enlarged prostate gland, glaucoma a breathing problem such as emphysema or chronic bronchitis. Do not take if you are taking sedatives or tranquilizers, without first consulting your doctor When using this product, do not exceed recommended dosage, drowsiness may occur, avoid alcoholic drinks, alcohol, sedatives, and tranquilizers may increase drowsiness, be careful when driving a motor vehicle or operating machinery. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Round Pink Scored Chewtab Debossed "TCL 333" on the un-scored side

**Meclizine HCl 25mg**

Lot: 000000 NDC: 68071-4595-02  
MFR NDC: 49483-333-01 Exp.: 00-00

**Meclizine HCl 25mg**

Lot: 000000 NDC: 68071-4595-02  
MFR NDC: 49483-333-01 Exp.: 00-00



GTIN 00368071459524  
Serial# 00000000001  
Exp. Date 00-00  
LOT#: 000000

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Manufactured by: 3  
Time-Cap Labs, Inc. Farmingdale,  
NY 11735  
Packaged By:  
NuCare Pharmaceuticals, Inc.  
Orange, CA 92867  
Patient Instructions:  
Chew \_\_\_\_\_ every \_\_\_\_\_ hours  
\_\_\_\_\_ times a day.  
Rev 01/01/19



6807145952

Product #: P1763020

WARNING: KEEP OUT OF REACH OF CHILDREN

STORE AT CONTROLLED TEMPERATURE 59-86°F.

**MOTION-TIME CHEWABLE**

meclizine hcl tablet, chewable

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-4595(NDC:49483-333)
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg in 25

**Inactive Ingredients**

Ingredient Name	Strength
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CROSPVIDONE (UNII: 68401960MK)	
DEXTROSE (UNII: IY9XDZ35W2)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MODIFIED CORN STARCH (1-OCTENYL SUCCINIC ANHYDRIDE) (UNII: 461P5CJN6T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
RASPBERRY (UNII: 4N14V5R27W)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
VANILLA (UNII: Q74T35078H)	

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>	RASPBERRY	<b>Imprint Code</b>	TCL333
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071-4595-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	10/11/2018	
2	NDC:68071-4595-2	20 in 1 BOTTLE; Type 0: Not a Combination Product	10/11/2018	
3	NDC:68071-4595-4	40 in 1 BOTTLE; Type 0: Not a Combination Product	10/11/2018	
4	NDC:68071-4595-6	60 in 1 BOTTLE; Type 0: Not a Combination Product	10/11/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	08/09/2010	

**Labeler** - NuCare Pharmaceuticals, Inc. (010632300)

## Establishment

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals, Inc.		010632300	repack(68071-4595)

Revised: 4/2019

NuCare Pharmaceuticals, Inc.