SUGAR FREE HONEY LEMON COUGH DROPS- menthol lozenge Bestco Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Menthol 7.6 mg

Active ingredient (in each drop)

Menthol 7.6 mg

Purpose

Cough suppressant / Oral anesthetic

Uses temporarily relieves:

- cough as may occur with a cold
- occasional minor irritation and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children.

Directions

- Adults and children 5 years and over: dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.
- Children under 5 years: ask a doctor

Other information

- 6 calories per drop
- Excess consumption may cause a laxative effect.

Inactive ingredients: Acesulfame potassium (non-nutritive sweetener), beta carotene (color), corn starch, eucalyptus oil, glycerin, maltitol syrup, isomalt, medium chain triglycerides, natural and artificial flavors, soybean oil, sucralose (non-nutritive sweetener), and water.

Questions? Or to report an adverse event call: 1-800-245-2898 Monday - Friday, 9AM to 4PM EST

Danet us all bag is forn or open

Mailla athebra si in bolsa esta ruta o staeria.

<<Tear Here Abrir Aqui

SUGAR FREE

Tear Here >> Abrir Aqui

Strong, Effective and Affordable for your...

Freste, efective years shallow.

Bestillealth

Menthol • Cough Suppressant/Oral Anesthetic

Mentol. Antitusivo/anestésico bucal

Compare to active ingredient in HALLS Comparisión con los ingredientes activos de HALLS de HALLS

enlarged

SUGAR FREE HONEY LEMON FLAVORSabor a Miel y Limón Sin Azucar

Soothes Sore Throat Pain

Calma el dolor de garganta

25 To DROPS Pastillas

Temporarily Relieves Cough

Alivia la tos tempralmente



Gluten-Free Libre de gluten

PN-500998

Manufactured by: 1 Fabricado por: Mooresville, NC 28115, USA ©2017 BestCo Inc.

Made in USA of U.S. and imported ingredients. Hecho en EE. UU de Estados. Unidos eingredientes importados.



The owner of the registered trademark HALLS!

Questions? Or to report an adverse event call: 1-800-245-2898 Monday through Friday, 8AM to 4PM EST

d water.

Inactive ingredients: Acesultame potassium (non-nutritive sweetener), beta carotene (color), com starch, eucalyptus oil, glycerin, maltitol syrup, isomalt, medium chain triglycerides, natural & artificial flavors, soybeanoil, sucralose (non-nutritive sweetener)

effect.

- Other information 6 calories per drop
 Excess consumption may cause a laxative
- dissolve 2 lozenges slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor. • Children under 5 years: ask a doctor

■ Adults and children 5 years and over:

Directions

If pregnant or breast-feeding, ask a health professional before use. Keep out of the reach of children.

redness lasts or worsens

sore mouth does not improve in 7 days

of a serious condition.

sove throat is severe, or irritation, pain or

 cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs

Stop use and ask doctor if

byjedw (wncna)

- with smoking, asthma, or emphysema
- Ask a doctor before use if you have persistent or chronic cough such as occurs

Sore throat warning: it sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nauses, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptons may be serious.

Warnings

- occăsional minor irritation & sore throat
 - condu se may occur with a cold

Este producto no lo elabora ni lo distribuye el propietano de la marca registrada HALLS.

STiene preguntas? Si tiene preguntas o desea informar un efecto secundario, llame al 1-800-245-2898. De lunes a viernes, de 9.00 a.m. a 4 p. m., hora del este.

en6e

Excipientes: Acesulfamo de potasio (color), deulcorante no nutritivo), betacaroteno (color), almidón de maiz, aceite de eucalipto, glicerina, jarabe de maititol, isomalt, triglicéridos de cadena media, saborizantes naturales y artificiales, aceite de soya, sucralosa (edulcorante no nutritivo)

puede tener un efecto laxante

■ 6 calorias por pastilla ■ El consumo excesivo

: lenoisibe nòisemoînl

- Adultos y niños a partir de los 5 años : disolver lentamente dos pastillas en la boca, una a la vez. Se puede repetir cada 2 horas según sea necesano o según indicación médica.
 Niños menores de 5 años : consulte con el medico
 - Indicaciones

Si está embarazada o amamantando, consulte con un profesional médico antes de consumir. Mantener fuera del alcance de los niños.

o empeoran. ■ Si la afección bucal no melora en 7 días.

- a resparecer o esta acompanada de fiebre, sarpullido o dolor de cabeza constante. Estos pueden ser signos de una enfermedad grave.
 Si el dolor de garganta es intenso o si la irritación, el dolor o el enrojecimiento perduran irritación, el dolor o el enrojecimiento perduran
- los siguientes casos: ■ Si la tos persiste durante más de 7 días, tiende

Znabeuda el uso y consulte con el médico en tos acompañada de flema excesiva (mucosidad)

 tos cronica o persistente, como en los casos de tabaquismo, asma o enfisema tos acompañada de flema excesiva (mucosidad)

Consulte con el médico antes de consumir si tiene:


tos crónica o persistente, como en los casos

Advertencias

Dolor de garganta: si el dolor de garganta es agudo, persiste por más de 2 días y viene acompañado o seguido de fiebre, dolor de cabeza, sarpullido, inflamación, náuseas o los sintomas de la afección bucal no mejoran en Vomitos, consulte a su médico de inmediato. Si los sintomas de la afección bucal no mejoran en Vomitos, consulte de inmediato con el médico o el dias, consulte de inmediato con el médico o el dentista. Estos sintomas pueden ser graves.

ocasionales

- la tos que puede aparecer con un restriado
 el dolor de garganta y la intración leve
 - El couznmo slivis temboralmente:



SUGAR FREE HONEY LEMON COUGH DROPS

menthol lozenge

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:52642-045

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

MENTHOL (UNII: L7T10 EIP3A) (MENTHOL - UNII:L7T10 EIP3A)

MENTHOL

7.6 mg

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	yello w	Score	no score
Shape	OVAL	Size	17mm
Flavor	HONEY (Honey and Lemon)	Imprint Code	В
Contains			

Packaging

	# Item Code	Package Description	Marketing Start Date	Marketing End Date
1	1 NDC:52642-045-25	25 in 1 BAG; Type 0: Not a Combination Product	10/11/2018	



Labeler - Bestco Inc. (002149136)

Registrant - Bestco Inc. (002149136)

Establishment						
Name	Address	ID/FEI	Business Operations			
Bestco Inc.		002149136	manufacture(52642-045)			

Revised: 12/2019 Bestco Inc.