

**MEDICHOICE BACITRACIN- bacitracin ointment  
O&M HALYARD, INC.**

-----  
**MediChoice Bacitracin**

**Drug Facts**

**Active Ingredient (In Each Gram)**

Bacitracin 500 units

**Purpose**

First aid antibiotic

**Uses**

First aid to help prevent infection in: • minor cuts • scrapes • burns

**Warnings**

• for external use only

**Do not use:**

• in the eyes • if you are allergic to any of the ingredients, due to the possibility of anaphylactic shock • over large areas of the body • longer than 1 week unless directed by a doctor

**Stop use and ask a doctor:**

• before use in case of deep puncture wounds, animal bites or serious burns • if the condition persists or gets worse • if a rash or other allergic reaction develops

**KEEP OUT OF REACH OF CHILDREN.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• clean the affected area • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage

## Other Information:

- Tamper Evident. Do not use if package is torn, cut or opened.
- Avoid excessive heat and humidity
- Store at a controlled room temperature 15° to 30° C (59° to 86° F)

## Inactive Ingredients

white petrolatum.

## Product Labels

NDC# 39892-0810-1

**MEDI CHOICE**

**Bacitracin**  
First Aid Antibiotic  
0.9 g (1/32 oz.)

Reorder: OINT109 **MADE IN USA**  
Distributed by Owens & Minor  
9120 Lockwood Boulevard  
Mechanicsville, VA 23116

**Drug Facts**

Active ingredient	Purpose
Bacitracin zinc (500 units bacitracin)	First Aid Antibiotic

**Uses** first aid to help prevent infection in minor scrapes, cuts, and burns

**Warnings**  
For external use only ▶

**Drug Facts** (continued)

**Warnings** (continued)  
Do not use ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

**Stop use and ask a doctor if**  
■ a rash or allergic reaction develops ■ condition worsens or persists

**Keep out of reach of children**  
If ingested, contact a Poison Control Center right away.

**Directions** ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

**Inactive ingredients**  
mineral oil, petrolatum



MEDICHOICE BACITRACIN				
bacitracin ointment				
Product Information				
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:39892-0810	
<b>Route of Administration</b>	TOPICAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	<b>BACITRACIN</b> (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g	
Inactive Ingredients				
	Ingredient Name	Strength		
	<b>PETROLATUM</b> (UNII: 4T6H12BN9U)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39892-0810-3	1 in 1 CARTON	03/26/2015	05/31/2017
1		28.35 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:39892-0810-1	144 in 1 BOX	03/26/2015	
2		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	03/26/2015	

**Labeler** - O&M HALYARD, INC. (081057389)

**Registrant** - Owens & Minor, Inc (847412269)

Revised: 10/2025

O&M HALYARD, INC.