ENVIO 90 DAY DAILY ESSENTIALS TRIO SUB SHIPMENT- benzoyl peroxide and salicylic acid Smart Skin Health, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ENVIO™ 90 Day Daily Essentials Trio Sub Shipment

B.P.O. Cleanser

Drug Facts

Active Ingredients

Benzoyl Peroxide 5%

Purpose

Acne Treatment Gel

Use

for the management of acne

Warnings

For external use only

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or
 possibly swelling. Irritation may be reduced by using the product less frequently or in
 a lower concentration.

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

Stop use and ask a doctor

if irritation becomes severe

Keep out of reach of children

• If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply a small amount to dampened skin
- cover the entire affected area with a thin layer and rinse thoroughly one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if going outside, apply sunscreen after using this product
- if irritation or sensitivity develops, stop use of both products and ask a doctor. Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated above.

Inactive Ingredients

Water, Sodium C14-16 Olefin Sulfonate, Glycerin, Acrylates Copolymer, Cocamidopropyl Betaine, Cetearyl Alcohol, Glycol Distearate, Cetyl Alcohol, Panthenol, Aloe Barbadensis Leaf Extract, Sodium Hyaluronate, Allantoin, Ethylhexylglycerin, Phenoxyethanol, Sodium Hydroxide

Other Information

Protect this product from excessive heat and direct sun.

Questions or Comments

Toll Free within USA 833-93-ENVIO

Dist. By: Smart Skin Health, LLC, Naples, FL 34108

S.A. Serum

Drug Facts

Active Ingredients

Salicylic Acid 2%

Purpose

Acne Gel Treatment

Use

Warnings

For external use only

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time
- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with the eyes, lips, and mouth
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- skin irritation may occur, characterized by redness, burning, itching, peeling, or
 possibly swelling. Irritation may be reduced by using the product less frequently or in
 a lower concentration.

Do not use if you

- have very sensitive skin
- are sensitive to Salicylic Acid

Stop use and ask a doctor if irritation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply evenly to affected area and allow to dry completely
- Can be used twice daily or as directed by a doctor
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day
- if irritation or sensitivity develops, stop use of both products and ask a doctor.
 Sensitivity Test for a New User: Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated above.

Inactive Ingredients

Water, Hydroxypropyl Starch Phosphate, Glycerin, Decyl Glucoside, Hamamelis Virginiana (Witch Hazel) Bark Extract, Polyglyceryl-4 Laurate/Sebacate, Polyglyceryl-6 Caprylate/Caprate, Melaleuca Alternafolia (Tea Tree) Leaf Oil, Allantoin, Panthenol, Xanthan Gum, Glyceryl Stearate, Glyceryl Stearate Citrate, Lavandula Hybrida (Lavender Grosso) Oil¹, Salix Alba (Willow) Bark Extract, Camellia Sinensis (Green Tea) Leaf Extract¹, Ethylhexylglycerin, Phenoxyethanol

Other Information

Protect this product from excessive heat and direct sun.

Questions?

Toll Free within USA 833-93-ENVIO

Dist. By: Smart Skin Health, LLC, Naples, FL 34108

PRINCIPAL DISPLAY PANEL - Kit Carton

envio



PRINCIPAL DISPLAY PANEL - 133 mL Tube Label

envio™ skin

B.P.O. 5% CLEANSER Benzoyl Peroxide Acne Treatment

4.5 fl. oz. / 133 mL

Envio's 5% B.P.O. Cleanser was developed to gently eliminate and prevent acne-causing bacteria without aggravating the skin. It is formulated with Aloe Vera and Allantoin to soothe and calm irritated skin; as well as Pro-Vitamin B5 (Panthenol), which attracts and retains moisture to help improve skin softness.

DERMATOLOGIST RECOMMENDED

Purpose

Acne Treatment Gel

Drug Facts Active Ingredients Benzoyl Peroxide 5%.....

Use for the management of acne

Warnings

For external use only

When using this product • skin initiation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time • avoid unnecessary sun exposure and use a sunscreen • avoid contact with the eyes, lips, and mouth • avoid contact with hair and dyed fabrics, which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Do not use if you - have very sensitive skin - are sensitive to benzoyl peroxide

Stop use and ask a doctor . if irritation becomes severe

Keep out of reach of children • If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • apply a small amount to dampened skin • cover the entire affected area with a thin layer and rinse thoroughly one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • if going outside, apply sunscreen after using this product • if irritation or sensitivity develops, stop use of both products and ask a doctor. Sensitivity Test for a New User: Apply product spaningly to one or two small affected areas during the first 3 days. If no discomfort occurs, follow the directions stated above.

Inactive Ingredients: Water, Sodium C14-16 Olefin Sulfonate, Glycerin, Acrylates Copolymer, Cocamidopropyl Betaine, Cetearyl Alcohol, Glycol Distearate, Cetyl Alcohol, Panthenol, Aloe Barbadersis Leaf Extract, Sodium Hydroonate, Allantoin, Ethylhexylglycerin, Phenoxyethanol, Sodium Hydroxide

Other Information: Protect this product from excessive heat and direct sun.

Questions or Comments: Toll Free within USA 833-93-ENVIO



envioskin.com

Dist. By: Smart Skin Health, LLC, Naples, FL 34108 Manufactured in the USA Free of Fragrance, Parabens, Sulfates, Phthalates

Please Recycle 🗳

EN.0102

B.P.O. 5% CLEANSER
Benzoyl Peroxide Acne Treatment
4.5 fl. oz./133 mL

PRINCIPAL DISPLAY PANEL - 48 g Tube Label

envio™ skin

S.A. 2% GEL SERUM Salicylic Acid Acne Treatment

1.7 oz / 48 g

Drug Facts

Active Ingredients Purpose Salicylic Acid 2%..... Acne Gel Treatment

Use for the management of acne

Warnings For external use only

When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time • avoid unnecessary sun exposure and use a sunscreen • avoid contact with the eyes, lips, and mouth • avoid contact with hair and dyed fabrics, which may be bleached by this product • skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Do not use if you • have very sensitive skin • are sensitive to Salicylic Acid

Stop use and ask a doctor if irritation becomes severe

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: • apply evenly to affected area and allow to dry completely • Can be used twice daily or as directed by a doctor • because excessive drying of the skin may occur, start with one application daily, then gradually inarease to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day • if initiation or sensitivity develops, stop use of both products and ask a doctor. Sensitivity Test for a New User. Apply product sparingly to one or two small affected areas during the first 3 days. If no discomfart occurs, follow the directions stated above.

Inactive Ingredients: Water, Hydroxypropyl Starch Phosphate, Glycerin, Decyl Glucoside, Hamamelis Virginiana (Witch Hazel) Bark Extract, Polyglyceryl-4 Laurate/Sebacate, Polyglyceryl-6 Caprylate/Caprate, Melaleuca Alternafolia (Tea Tree) Leaf Oil, Allantoin, Panthenol, Xanthan Gum, Glyceryl Stearate, Glyceryl Stearate Citrate, Lavandula Hybrida (Lavender Grosso) Óil*, Salix Alba (Willow) Bark Extract, Camellia Sinensis (Green Tea) Leaf Extract*, Ethylhexylglycerin, Phenoxyethanol *Certified Organic Ingredients

Other Information: Protect this product from excessive heat and direct sun.

Questions? Toll Free within USA 833-93-ENVIO

envioskin.com

Dist. By: Smart Skin Health, LLC, Naples, FL 34108 Manufactured in the USA Free of Fragrance, Parabens, Sulfates, Phthalates

Please Recycle





S.A. 2% GEL SERUM Salicylic Acid Acne Treatment

1.7 oz/48 g

ENVIO 90 DAY DAILY ESSENTIALS TRIO SUB SHIPMENT

benzoyl peroxide and salicylic acid kit

Product Information

HUMAN OTC DRUG NDC:81252-2001 **Product Type** Item Code (Source)

EN.0202

	Ka		

	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
- 1					

1 NDC:81252-2001-1 1 in 1 CARTON 10/21/2021

Quant	Quantity of Parts			
Part #	Package Quantity	Total Product Quantity		
Part 1	1 TUBE	133 mL		
Part 2	1 TUBE	48 g		
Part 3	1 TUBE	45 mL		

Part 1 of 3

B.P.O. CLEANSER

benzoyl peroxide gel

Droduc	t Inform	nation
Produc		nauon

Item Code (Source) NDC:81252-0102

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	Benzoyl Peroxide (UNII: W9WZ N9A0GM) (Benzoyl Peroxide - UNII: W9WZ N9A0GM)	Benzoyl Peroxide	5 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Sodium C14-16 Olefin Sulfonate (UNII: O9W3D3YF5U)	
Glycerin (UNII: PDC6A3C0OX)	
Cocamidopropyl Betaine (UNII: 50CF3011KX)	
Cetostearyl Alcohol (UNII: 2DMT128M1S)	
Glycol Distearate (UNII: 13W7MDN21W)	
Cetyl Alcohol (UNII: 936JST6JCN)	
Panthenol (UNII: WW9CM0O67Z)	
Aloe Vera Leaf (UNII: ZY81Z83H0X)	
Hyaluronate Sodium (UNII: YSE9PPT4TH)	
Allantoin (UNII: 344S277G0Z)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Sodium Hydroxide (UNII: 55X04QC32I)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC 01353	100 mil in 1 TUDE Time O Net - Combinetion		

1 NDC:81252- | 133 ML IN 1 TUBE; Type U: NOT a Combination Product

Marketing Information

Marketing **Application Number or Monograph Marketing Start Marketing End** Category Citation Date Date OTC monograph final part333D 10/21/2021

Part 2 of 3

S.A. SERUM

salicylic acid gel

Product Information

Item Code (Source) NDC:81252-0202

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength Salicylic Acid (UNII: O414PZ4LPZ) (Salicylic Acid - UNII:O414PZ4LPZ) Salicylic Acid 2 g in 100 g

Inactive Ingredients			
Ingredient Name	Strength		
Water (UNII: 059QF0KO0R)			
Glycerin (UNII: PDC6A3C0OX)			
Decyl Glucoside (UNII: Z17H97EA6Y)			
Witch Hazel (UNII: 101I4J0U34)			
Tea Tree Oil (UNII: VIF565UC2G)			
Allantoin (UNII: 344S277G0Z)			
Panthenol (UNII: W/9CM0O67Z)			
Xanthan Gum (UNII: TTV12P4NEE)			
Glyceryl Monostearate (UNII: 2300U9XXE4)			
Glyceryl Stearate Citrate (UNII: WH8T92A065)			
Ylang-Ylang Oil (UNII: 8YOY78GNNX)			
Salix Alba Bark (UNII: 205MXS71H7)			
Green Tea Leaf (UNII: W2ZU1RY8B0)			
Ethylhexylglycerin (UNII: 147D247K3P)			
Phenoxyethanol (UNII: HIE492ZZ3T)			

Packaging			
# Hom Codo	Backaga Description	Marketing Start	Marketing End

#	item Code	Раскаде резсприон	Date	Date
	NDC:81252- 0202-1	48 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing In	Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333D	10/21/2021		

Part 3 of 3

HYDRATOR

moisturizing gel

Product Information

Route of Administration TOPICAL

Other Ingredien	ts	
Ingredient Kind	Ingredient Name	Quantity
INGR	Water (UNII: 059QF0KO0R)	
INGR	Glycerin (UNII: PDC6A3C0OX)	
INGR	Totarol (UNII: 67NH2854WW)	
INGR	Aloe Vera Leaf (UNII: ZY81Z83H0X)	
INGR	Ylang-Ylang Oil (UNII: 8YOY78GNNX)	
INGR	Sandalwood (UNII: 3641YW25N2)	
INGR	Lavender Oil (UNII: ZBP1YXW0H8)	
INGR	Camphor Oil (UNII: 75IZZ8Y727)	
INGR	Orange Oil, Cold Pressed (UNII: AKN3KSD11B)	
INGR	Rosa X Damascena Flower Oil (UNII: 18920M3T13)	
INGR	Lonicera Japonica Flower (UNII: 4465L2WS4Y)	
INGR	Lonicera Caprifolium Flower (UNII: 5N1WD9784U)	
INGR	Chlorophyll (UNII: 00WNZ48OR9)	
INGR	Hamamelis Virginiana Top Water (UNII: NT00Y05A2V)	
INGR	Alcohol (UNII: 3K9958V90M)	
INGR	Citric Acid Monohydrate (UNII: 2968PHW8QP)	
INGR	Maltodextrin (UNII: 7CVR7L4A2D)	
INGR	Trisodium Ethylenediamine Disuccinate (UNII: YA22H34H9Q)	
INGR	Carbomer Homopolymer, Unspecified Type (UNII: 0A5MM307FC)	
INGR	Sodium Hydroxide (UNII: 55X04QC32I)	
INGR	Sodium Metabisulfite (UNII: 4VON5FNS3C)	
INGR	Acetyltributyl Citrate (UNII: 0ZBX0N59RZ)	
INGR	Phenylethyl Alcohol (UNII: ML9LGA7468)	
INGR	Caprylyl Glycol (UNII: 00YIU5438U)	
INGR	Potassium Sorbate (UNII: 1VPU26JZZ4)	

Packaging								
#	Item Code	Package Description	Marketing Start Date	Marketing End Date				
1		45 mL in 1 TUBE; Type 0: Not a Combination Product						

Marketing Information								
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
Cosmetic		10/21/2021						

Marketing Information								
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
OTC monograph final	part333D	10/21/2021						

Labeler - Smart Skin Health, LLC (117039871)

Revised: 1/2023 Smart Skin Health, LLC