KOLORZ - sodium fluoride aerosol, foam Medical Products Laboratories, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

kolorz Sixty Second Fluoride Foam Cherry Cheesecake

Dosage and Administration

Shake can vigorously before each use. Turn can completely upside down to dispense. Point can towards fluoride applicator tray and slowly press the nozzle to fill tray. Use one press per arch, as foam will expand slightly to fill the tray. Dry tooth surface and insert tray(s) in mouth. Have patient bite down lightly but firmly for 1 to 4 minutes. Remove tray(s) and have patient expectorate excess. Instruct patient not to eat, drink, or rinse for at least 30 minutes after application.

Instructions For Use

The first time you dispense from a new bottle, gently lift upward on the nozzle to break the protective shipping tab (thin plastic tab located adjacent to "trigger"). If this tab is not broken, there could be an initial surge of foam from the dispenser.

CONTAINS

Sodium Fluoride in a proprietary acidulated phosphate flavored foam base. 1.23% Fluoride Ion is available from 2.72% Sodium Fluoride. Does not contain chlorofluorocarbon propellant. Sweetened with Sucralose. Does not contain Aspartame or Saccharin. Gluten free.

WARNING Avoid spraying toward open flame. Contents under pressure. Do not puncture or incinerate. Keep out of reach of children. Store between 55-80 F. Keep from freezing.

CAUTION

For professional use only. Federal U.S.A. Law prohibits dispensing without prescription. Shake well before each use.

How Supplied

Kolorz Sixty Second Fluoride Foam is available in 4.4 oz. (125g) can and do not contain chlorofluorocarbon propellant.

INDICATIONS

For the topical application of fluoride to aid in the protection against dental caries. Shake can thoroughly for at least 30 seconds before each use. Hold can completely upside down to dispense. See package insert for dosage information.



By DMG America Instructions For Use

Kolorz Sixty Second Fluoride Foam Kolorz Neutral Fluoride Foam

The first time you dispense from a new bottle, gently lift upward on the nozzle to break the

protective shipping tab (thin plastic tab located adjacent to "trigger"). If this tab is not broken, there could be an initial surge of foam from the dispenser.



- Remove tray(s) and have patient expectorate excess
- Instruct patient not to eat, drink, or rinse for at least 30 minutes after application.

How Supplied: Both Kolorz Sixty Second Fluoride Foam and Kolorz Neutral Fluoride Foam are available in 4.4oz. (125g) cans and do not contain chlorofluorocarbon propellant.

Caution: For professional use only. Federal U.S.A. Law prohibits dispensing without prescription.

Warning: Contents under pressure. Do not puncture or incinerate. Store between 55-80° F. Keep from freezing.



Distributed by DMG America 242 South Dean Street Englewood, NJ 07631 USA Tel: 201-894-5505 Fax: 201-894-0213 www.dmg-america.com

Rev. 9/09

Dosage and Administration:

- Shake can vigorously before each use. (Fig. 1)
- Turn can completely upside down to dispense. Point can towards fluoride applicator tray and slowly press the nozzle to fill tray. Use one press per arch, as foam will expand slightly to fill the tray. (Fig. 2)
- Dry tooth surface and insert tray(s) in mouth.



Fig. 1

P/N 002-1006

 For Kolorz Sixty Second Fluoride Foam: Have patient

bite down lightly but firmly for 1 to 4 minutes; For Kolorz Neutral Fluoride Foam: Have patient bite down lightly but firmly for 4 minutes.

kolorz

INDICATIONS:

For the topical application of fluoride to aid in the protection against dental caries.

Shake can thoroughly for at least 30 seconds before each use. Hold can completely upside down to dispense. See package insert for dosage information.



392413

CONTAINS:

Sodium Fluoride in a proprietary acidulated phosphate flavored foam base. 1.23% Fluoride Ion is available from 2.72% Sodium Fluoride. Does not contain chlorofluorocarbon propellant.

Sweetened with Sucralose. Does not contain Aspartame or Saccharin. Gluten free.


WARNING:

Avoid spraying toward open flame. Contents under pressure. Do not puncture or incinerate. Keep out of reach of children. Store between 55-80° F. Keep from freezing.



RE-ORDER #766202

+D0337662020/*



KOLORZ sodium fluoride aerosol, foam Product Information Product Type HUMAN PRESCRIPTION DRUG Route of Administration DENTAL

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	SODIUM FLUORIDE	27.2 mg in 1 g				

Inactive Ingredients

0	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XYLITOL (UNII: VCQ006KQ1E)	
SO DIUM PHO SPHATE, MO NO BASIC (UNII: 3980 JIH2SW)	
BETAINE (UNII: 3SCV180C9W)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	

Product Characteristics								
Color					Sco	ore		
Shape					Siz	e		
Flavor								
Contains								
Packaging								
# Item	Code	Package Description	Marketin	g Start Date	Ma	arketing End Date		
1 NDC:10733-3	95-00	6 in 1 BOX						
1		125 g in 1 CAN						
Marketing Information								
Marketing Ca	tegory A	Application Number or Monograph Citation		Marketing Start Date		Marketing End Dat		
unapproved drug	g other			0 1/0 1/20 0 7				

Labeler - Medical Products Laboratories, Inc. (002290302)

Registrant - Medical Products Laboratories, Inc. (002290302)

Establishment

Name	Address	ID/FEI	Business Operations
Medical Products Laboratories, Inc.		002290302	analysis, manufacture, label, pack

Revised: 3/2011

Medical Products Laboratories, Inc.