

**HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide liquid**  
**Sam's West, Inc**

-----  
**Drug Facts**

**Active ingredient**

Hydrogen peroxide 3%

**Purpose**

First aid antiseptic/oral debriding agent

**Uses**

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

**Warnings**

**For external use only.**

**Do not use**

- in the eyes or apply over large areas of the body
- longer than one week

**Ask a doctor before use if you have**

- deep or puncture wounds, animal bites or serious burns

**Stop use and ask a doctor if**

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

**For use as a first aid antiseptic:**

- clean affected area
- if bandages, let dry first
- apply small amount of product on affected area 1-3 times a day

- may be covered with a sterile bandage

**For use as an oral debriding agent (oral rinse):**

- **adults and children 2 years of age and over:**
  - mix with an equal amount of water
  - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
  - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor or dentist

**Other information**

- keep tightly closed and in a dark place at room temperature.
- do not shake bottle. Hold away from face when opening.

**Inactive ingredient**

purified water

**Principal Display Panel**

**Hydrogen Peroxide**

**TOPICAL SOLUTION, 3% USP**

First Aid Antiseptic/

Oral Debriding Agent

- FOR USE AS A GARGLE OR RINSE
- FOR TREATMENT OF MINOR CUTS AND ABRASIONS

**For comments or suggestions, call us toll-free at 1-877-753-3935 Monday-Friday 9:00AM-5:00PM EST**

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

FL OZ (mL)

DISTRIBUTED BY:

SAM'S WEST, INC.

BENTONVILLE, AR 72716

**Package Label**



NDC 68196-268-32

# Hydrogen Peroxide

TOPICAL SOLUTION, 3% USP

**+** First Aid Antiseptic/  
Oral Debriding Agent

- FOR USE AS A GARGLE OR RINSE
- FOR TREATMENT OF MINOR CUTS AND ABRASIONS

32 FL OZ (1 QT) 946 mL

TAMPER EVIDENT: DO NOT USE IF  
PRINTED SAFETY SEAL UNDER  
CAP IS BROKEN OR MISSING.

For comments or suggestions, call us toll-free at  
1-877-753-3935 Monday-Friday 9:00AM-5:00PM EST

DISTRIBUTED BY  
SAM'S WEST, INC.  
BENTONVILLE, AR 72716



PLD-E220D LB009999



## Drug Facts

### Active ingredient

Hydrogen peroxide 3%.....First aid antiseptic/oral debriding agent

### Purpose

### Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

### Warnings

For external use only.

#### Do not use

- in the eyes or apply over large areas of the body
- longer than one week

#### Ask a doctor before use if you have

- deep puncture wounds, animal bites or serious burns

#### Stop use and ask a doctor if

- swelling, rash, or fever develops
- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### Directions

For use as a first aid antiseptic:

- clean affected area
- if bandaged, let dry first
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

#### For use as an oral debriding agent (oral rinse):

■ adults and children 2 years of age and over:

- mix with an equal amount of water
- swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor

■ children under 12 years should be supervised in the use of this product

■ children under 2 years of age: consult a doctor or dentist

### Other information

- keep tightly closed and in a dark place at room temperature
- do not shake bottle. Hold away from face when opening.

**Inactive ingredient** purified water

TAMPER EVIDENT: DO NOT USE IF PRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

PLD-C220D LB002344

MEMBER'S MARK (Sam's West) Hydrogen Peroxide 3 %

## HYDROGEN PEROXIDE 3 PERCENT

hydrogen peroxide liquid

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:68196-268

**Route of Administration** TOPICAL

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:68196-268-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/30/2014	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M022	11/30/2014	

**Labeler** - Sam's West, Inc (051957769)

Revised: 3/2026

Sam's West, Inc