

**FAMOTIDINE - famotidine tablet, film coated  
LEADER/ CARDINAL HEALTH 110, INC.**

-----

***Drug Facts***

**Active ingredient (in each tablet)**

Famotidine USP 20 mg

**Purpose**

Acid reducer

**Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

## **Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

## **Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## **Directions**

- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
  - to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

## **Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20° to 25°C (68° to 77°F)
- protect from moisture

## **Inactive ingredients**

carnauba wax, corn starch, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, red iron oxide, sodium starch glycolate, talc, titanium dioxide and yellow iron oxide.

## **Questions or comments?**

call **1-855-274-4122**

### **Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

***JUST ONE TABLET* prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.**

**Do not use if carton is open or if printed foil seal under bottle cap is open or torn.**

Dist. by CAH, Dublin, OH 43017

1-800-200-6313

Made in India

©2023 CARDINAL HEALTH, LEADER, and LOGOs are trademarks of Cardinal Health.

All other marks are the property of their respective owners.

Code: TS/DRUGS/22/2009

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL -20 mg (25 Tablets, Container Label)**

**LEADER™**

**NDC 70000-0049-1**

**Maximum Strength**

**Acid Reducer**

**Famotidine Tablets USP, 20 mg | Acid Reducer**


Just One Tablet!

Prevents & Relieves

Heartburn Due to Acid Indigestion

25 TABLETS

**100% Money  
Back Guarantee**



**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL -20 mg (25 Tablets, Container Carton Label)**

**LEADER™**

**NDC 70000-0049-1  
Maximum Strength  
Acid  
Reducer  
Famotidine Tablets USP, 20 mg  
Acid Reducer**

Just One Tablet!  
Prevents & Relieves Heartburn  
Due to Acid Indigestion

**Actual Size**

**25  
TABLETS**

**COMPARE TO  
ORIGINAL  
STRENGTH  
PEPCID® AC  
active ingredient**

**100% Money  
Back Guarantee**



## FAMOTIDINE

famotidine tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0049
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg

## Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

## Product Characteristics

Color	YELLOW	Score	no score
Shape	ROUND (Square shaped Biconvex)	Size	5mm
Flavor		Imprint Code	CC;59
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0049-1	1 in 1 CARTON	04/04/2020	
1		25 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA206531	04/04/2020	

**Labeler** - LEADER/ CARDINAL HEALTH 110, INC. (063997360)

**Registrant** - Aurohealth LLC (078728447)

## Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	ANALYSIS(70000-0049) , MANUFACTURE(70000-0049)

## Establishment

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(70000-0049) , MANUFACTURE(70000-0049)

Revised: 4/2025

LEADER/ CARDINAL HEALTH 110, INC.