

ALLERGY RELIEF D- chlorpheniramine maleate, pseudoephedrine hcl tablet
Walgreen Company

Walgreens 44-111-Allergy Relief

Active ingredients (in each tablet)

Chlorpheniramine maleate 4 mg
Pseudoephedrine HCl 60 mg

Purpose

Antihistamine
Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - nasal congestion
 - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
 - runny nose
 - sneezing
 - sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- **do not exceed recommended dosage**
- drowsiness may occur
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 to 6 hours. Do not take more than 4 tablets in 24 hours.
- children under 12 years: do not use

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store in a dry place and protect from light
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, stearic acid

Questions or comments?

1-800-426-9391

Principal display panel

NDC 0363-1110-22

Walgreens

• WALGREENS •
PHARMACIST RECOMMENDED†

Allergy Relief D SINUS & ALLERGY

CHLORPHENIRAMINE MALEATE 4 mg / ANTIHISTAMINE
PSEUDOEPHEDRINE HCl 60 mg / NASAL DECONGESTANT

Maximum Strength

• Relief of runny nose, sneezing, itchy, watery eyes, sinus congestion & pressure

48
TABLETS

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT
USE IF PACKAGE IS OPENED
OR IF BLISTER UNIT IS TORN,
BROKEN OR SHOWS ANY
SIGNS OF TAMPERING**

†Our pharmacists recommend the Walgreens brand.

50844 REV0619A11122

DISTRIBUTED BY: **WALGREEN CO.**
200 WILMOT RD., DEERFIELD, IL 60015
walgreens.com
©2021 Walgreen Co.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No print area
Lot no/Exp date

Drug Facts
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredients (in each tablet)
Chlorpheniramine maleate 4 mg Antihistamine
Pseudoephedrine HCl 60 mg Nasal decongestant

Uses
Temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ nasal congestion ■ itching of the nose or throat
Temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing ■ sinus congestion and pressure

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have
■ diabetes ■ heart disease ■ high blood pressure ■ thyroid disease ■ glaucoma ■ difficulty in urination due to enlargement of the prostate gland ■ a breathing problem such as emphysema or chronic bronchitis
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ do not exceed recommended dosage ■ drowsiness may occur ■ excitability may occur, especially in children ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery
Stop use and ask a doctor if
■ nervousness, dizziness, or sleeplessness occur ■ symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
adults and children 12 years and over: take 1 tablet every 4 to 6 hours. Do not take more than 4 tablets in 24 hours.
children under 12 years: do not use

Other information
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN** ■ store in a dry place and protect from light ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number

Drug Facts (continued)
Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, stearic acid
Questions or comments? 1-800-426-8391

Our pharmacists recommend the Walgreens brand.
50844 REV0619A11122
ITEM 500825 W00000-0000-0
11917071978
©2021 Walgreen Co.
walgreens.com
200 WILMOT RD., DEERFIELD, IL 60015

W30RG0821-F
REV0123

Walgreens

Allergy Relief D
SINUS & ALLERGY

B-2201-111-22-HR
REV0619A11122

NDC 0363-1110-22

Walgreens



Allergy Relief D
SINUS & ALLERGY

CHLORPHENIRAMINE MALEATE 4 mg / ANTIHISTAMINE
PSEUDOEPHEDRINE HCl 60 mg / NASAL DECONGESTANT

Maximum Strength

• Relief of runny nose, sneezing, itchy watery eyes, sinus congestion & pressure

48
TABLETS



ACTUAL SIZE

Walgreens 44-111

ALLERGY RELIEF D

chlorpheniramine maleate, pseudoephedrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1110
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	60 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;111
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1110-22	2 in 1 CARTON	08/24/2021	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/24/2021	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-1110) , pack(0363-1110)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-1110)

Revised: 7/2025

Walgreen Company