

**ALLERGY RELIEF D- chlorpheniramine maleate, pseudoephedrine hcl tablet**  
**Walgreen Company**

-----  
**Walgreens 44-111-Allergy Relief**

***Active ingredients (in each tablet)***

Chlorpheniramine maleate 4 mg  
Pseudoephedrine HCl 60 mg

***Purpose***

Antihistamine  
Nasal decongestant

***Uses***

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - nasal congestion
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing
  - sinus congestion and pressure

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

## **Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

## **When using this product**

- **do not exceed recommended dosage**
- drowsiness may occur
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

## **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## ***Directions***

- adults and children 12 years and over: take 1 tablet every 4 to 6 hours. Do not take more than 4 tablets in 24 hours.
- children under 12 years: do not use

## ***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store in a dry place and protect from light
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

## ***Inactive ingredients***

colloidal silicon dioxide, croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, stearic acid

## ***Questions or comments?***

**1-800-426-9391**

## ***Principal display panel***

NDC 0363-1110-22

## **Walgreens**

• WALGREENS •  
PHARMACIST RECOMMENDED†

### **Allergy Relief D SINUS & ALLERGY**

CHLORPHENIRAMINE MALEATE 4 mg / ANTIHISTAMINE  
PSEUDOEPHEDRINE HCl 60 mg / NASAL DECONGESTANT

Maximum Strength

• Relief of runny nose, sneezing, itchy, watery eyes, sinus congestion & pressure

**48**  
TABLETS

### **ACTUAL SIZE**

**TAMPER EVIDENT: DO NOT  
USE IF PACKAGE IS OPENED  
OR IF BLISTER UNIT IS TORN,  
BROKEN OR SHOWS ANY  
SIGNS OF TAMPERING**

†Our pharmacists recommend the Walgreens brand.

50844 REV0619A11122

DISTRIBUTED BY: **WALGREEN CO.**  
**200 WILMOT RD., DEERFIELD, IL 60015**  
**walgreens.com**  
**©2021 Walgreen Co.**

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

No print area  
Lot no/Exp date

**Drug Facts**  
**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Active ingredients (in each tablet)**  
Chlorpheniramine maleate 4 mg ..... Antihistamine  
Pseudoephedrine HCl 60 mg ..... Nasal decongestant

**Uses**  
Temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes  
nasal congestion ■ itching of the nose or throat  
Temporarily relieves these symptoms due to the common cold:  
■ runny nose ■ sneezing ■ sinus congestion and pressure

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
**Ask a doctor before use if you have**  
■ diabetes ■ heart disease ■ high blood pressure ■ thyroid disease ■ glaucoma  
■ difficulty in urination due to enlargement of the prostate gland  
■ a breathing problem such as emphysema or chronic bronchitis  
**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product** ■ do not exceed recommended dosage  
■ drowsiness may occur ■ excitability may occur, especially in children  
■ alcohol, sedatives and tranquilizers may increase drowsiness  
■ avoid alcoholic beverages  
■ use caution when driving a motor vehicle or operating machinery  
**Stop use and ask a doctor if**  
■ nervousness, dizziness, or sleeplessness occur  
■ symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.  
**Directions**  
■ adults and children 12 years and over: take 1 tablet every 4 to 6 hours. Do not take more than 4 tablets in 24 hours.  
■ children under 12 years: do not use

**Other information**  
■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN** ■ store in a dry place and protect from light  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
■ see end flap for expiration date and lot number

**Drug Facts (continued)**  
**Inactive ingredients** colloidal silicon dioxide, croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, stearic acid  
**Questions or comments?** 1-800-426-8391

Our pharmacists recommend the Walgreens brand.  
50844 REV0619A11122  
ITEM 500825 W00000-0000-0  
11917071978  
©2021 Walgreen Co.  
walgreens.com  
200 WILMOT RD., DEERFIELD, IL 60015

W30RG0821-F  
REV0123

*Walgreens*

**Allergy Relief D**  
SINUS & ALLERGY

B-2201-111-22-4R  
REV0619A11122

NDC 0363-1110-22

*Walgreens*



**Allergy Relief D**  
SINUS & ALLERGY

CHLORPHENIRAMINE MALEATE 4 mg / ANTIHISTAMINE  
PSEUDOEPHEDRINE HCl 60 mg / NASAL DECONGESTANT

Maximum Strength

• Relief of runny nose, sneezing, itchy watery eyes, sinus congestion & pressure

**48**  
TABLETS



ACTUAL SIZE

**Walgreens 44-111**

**ALLERGY RELIEF D**

chlorpheniramine maleate, pseudoephedrine hcl tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-1110
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	60 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	44;111
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0363-1110-22	2 in 1 CARTON	08/24/2021	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	08/24/2021	

**Labeler** - Walgreen Company (008965063)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		832867837	manufacture(0363-1110) , pack(0363-1110)

## **Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
LNK International, Inc.		117025878	manufacture(0363-1110)

Revised: 7/2024

Walgreen Company