SALICYLIC ACID- wart remover liquid liquid Topco Associates LLC

Topcare Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart Remover

Use

• for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. The plantar wart exists only on the bottom of the foot and interrupts footprint pattern.

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- irritated, infected or reddened skin
- genital warts and warts on the face
- moles, birthmarks and warts with hair growing from them
- mucous membranes

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castro oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

TopCare

health

Liquid

Wart


Remover

SALICYLIC ACID 17%

- Removes Common & Plantar Warts
- Convenient Brush Applicator
- Safe & Effective

NET 0.31 FL OZ (9 mL)





SALICYLIC ACID wart remover liquid liquid Product Information

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ) | SALICYLIC ACID

0.17 mg in 9 mL

Inactive Ingredients

Ingredient Name Strength

PYROXYLIN (UNII: KYR8BR2X6O)

CAMPHOR (NATURAL) (UNII: N20HL7Q941)

CASTOR OIL (UNII: D5340Y2I9G)

_		-
Pac	/ D A	
Pat	K (1)	
ıuc		шч
		_

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800- 376-09	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/06/2017	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M028	12/06/2017	

Labeler - Topco Associates LLC (006935977)

Revised: 12/2024 Topco Associates LLC