# MANAMED LIDOCAINE 4% PAIN RELIEVING GEL PATCH- lidocaine patch Manamed, Inc.

-----

### **Drug Facts**

### Active ingredient

Lidocaine 4%

# Purpose

**Topical Anesthetic** 

#### Uses

Temporarily relieves minor pain

## Warnings

### For external use only

#### Do not use

- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened

# When using is product

- Use only as direacted
- Read and follow all direactions and warnings on this carton
- Do not allow contact with eves
- Do not use at the same time as other topical analgesics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of the
  use
- Do not microwave
- Dispose of used patch in the manner that always keeps product away from childen and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

# Stop use and consult a doctor if

- Condition worsens
- Redness is present
- Irritation develops
- Symtoms persists for more than 7 days or clear up and occur again within a few days

• You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeading, ask health professional before use.

**Keep out of reach of children** and pets If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Adults and children 12 years of age and over:

Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hrs

Children under 12 years of age: consult a physician

### Other information

Store in clean, dry place outside of direact sunlight. Protect from excessive moisture.

### Inactive ingredients

Water, Glycerin, Propylene Glycol, PVP, Sodium Polyacrylate, Methylparaben, Propylparaben, Aluminum Glycinate, Kaolin, Polyacrylic Acid, Polysorbate 80, Tartaric Acid, Titanium Dioxide

#### **Product label**

# **Drug Facts**

 Active ingredient
 Purpose

 Lidocaine 4.0%
 Topical Anesthetic

Uses Temporarily relieves minor pain.

### Warnings

For External Use Only

**Do not use** ■ More than one patch on your body at a time ■ On cut, irritated or swollen skin ■ On puncture wounds ■ For more than one week without consulting a doctor ■ If you are allergic to any active or inactive ingredients ■ If pouch is damaged or opened.

When using this product ■ Use only as directed ■ Read and follow all directions and warnings on this carton ■ Do not allow contact with the eyes ■ Do not use at the same time as other topical analgesics ■ Do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ Do not microwave ■ Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and consult a doctor if ■ Condition worsens ■ Redness is present ■ Irritation develops

■ Symptoms persist for more than 7 days or clear up and occur again within a few days ■ You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breastfeeding, ask a health professional before use.

**Keep out of reach of children and pets** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** Adults and children 12 years of age and over:

Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 8 hours.


Children under 12 years of age: consult a physician.

#### Other information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

# Inactive ingredients

Water, Glycerin, Propylene Glycol, PVP, Sodium Polyacrylate, Methylparaben, Propylparaben, Aluminum Glycinate, Kaolin, Polyacrylic Acid, Polysorbate 80, Tartaric Acid, Titanium Dioxide



# **MANAMED LIDOCAINE 4% PAIN RELIEVING GEL PATCH**

lidocaine patch

<b>Product Information</b>	oduct Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82728-001	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
KAOLIN (UNII: 24H4NWX5CO)		
POLYSORBATE 80 (UNII: 60ZP39ZG8H)		
TARTARIC ACID (UNII: W4888I119H)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)		

POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82728-001- 01	6 in 1 BOX	06/22/2022	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/22/2022	

# Labeler - Manamed, Inc. (084042331)

Revised: 12/2023 Manamed, Inc.