

**SIGNATURE CARE FIRST AID ANTIBIOTIC- neomycin, polymyxin b, pramoxine hcl cream**  
**Safeway**

-----

**Better Living Brands LLC First Aid Antibiotic Cream + Pain Relief Drug Facts**

**Active ingredients (in each gram)**

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

**Purpose**

First aid antibiotic

External analgesic

**Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

For external use only.

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few

- days
- rash or other allergic reaction develops

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

### **Other information**

- store at 20°-25°C (68°-77°F)

### **Inactive ingredients**

emulsifying wax, methylparaben, mineral oil, poloxamer 188, propylene glycol, purified water, white petrolatum

### **Questions or comments?**

1-888-723-3929

### **Principal Display Panel**

Compare To Neosporin® + Pain Relief active ingredients

Quality Guaranteed

First Aid Antibiotic Cream + Pain Relief

#1 DOCTOR RECOMMENDED COMBINATION OF ACTIVE INGREDIENTS

First Aid Antibiotic/Pain Relieving Cream

NEOMYCIN SULFATE, POLYMYXIN B SULFATE

PRAMOXINE HCl

MAXIMUM STRENGTH

Soothes painful cuts, helps prevent infection in minor cuts, scrapes and burns

NET WT 0.5 OZ (14 g)



Quality Guaranteed



Compare To Neosporin® + Pain Relief active Ingredients\*

NDC 21130-559-58

# First Aid Antibiotic Cream + Pain Relief

First Aid Antibiotic/Pain Relieving Cream

#1 DOCTOR RECOMMENDED COMBINATION OF ACTIVE INGREDIENTS\*

Long Lasting Infection Protection

NEOMYCIN SULFATE, POLYMYXIN B SULFATE  
PRAMOXINE HCl

MAXIMUM STRENGTH

• Soothes painful cuts, helps prevent infection in minor cuts, scrapes and burns

NET WT 0.5 OZ (14 g)

Code Area



\*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.

DISTRIBUTED BY:  
BETTER LIVING BRANDS LLC  
P.O. BOX 99, PLEASANTON, CA 94566-0009  
1-888-723-3929  
www.betterlivingbrandsLLC.com

OUR PROMISE  
QUALITY & SATISFACTION  
100%  
GUARANTEED  
OR YOUR MONEY BACK.

S 2171 RD 17037  
3 21130 77894 3  
: 80958 LJ C3



<b>Drug Facts</b>		<b>Drug Facts (continued)</b>	
<b>Active ingredients (in each gram)</b>	<b>Purpose</b>	<b>Stop use and ask a doctor if</b>	
Neomycin sulfate equivalent to 3.5 mg of neomycin base.....First aid antibiotic Polymyxin B 10,000 units as polymyxin B sulfate.....First aid antibiotic Pramoxine HCl 10 mg.....External analgesic		<ul style="list-style-type: none"> <li>■ you need to use longer than 1 week</li> <li>■ condition persists or gets worse</li> <li>■ symptoms persist for more than 1 week, or clear up and occur again within a few days</li> <li>■ rash or other allergic reaction develops</li> </ul>	
<b>Uses</b> first aid to help prevent infection and for temporary relief of pain or discomfort in minor: ■ cuts ■ scrapes ■ burns		<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)	
<b>Warnings</b> For external use only. <b>Do not use</b> ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body		<b>Directions</b> ■ adults and children 2 years of age or older: ■ clean the affected area ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ children under 2 years of age: ask a doctor	
<b>Ask a doctor before use if you have</b> ■ deep or puncture wounds ■ animal bites ■ serious burns		<b>Other information</b> ■ store at 20°-25°C (68°-77°F)	
		<b>Inactive ingredients</b> emulsifying wax, methylparaben, mineral oil, poloxamer 188, propylene glycol, purified water, white petrolatum	
		<b>Questions or comments?</b> 1-888-723-3929	



◆ Neomycin Sulfate, Polymyxin B Sulfate, Pramoxine HCl in the U.S. Source: AlphaImpactRx

## SIGNATURE CARE FIRST AID ANTIBIOTIC

neomycin, polymyxin b, pramoxine hcl cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-559
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>POLOXAMER 188</b> (UNII: LQA7B6G8JG)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-559-58	1 in 1 CARTON	11/10/2015	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	11/10/2015	

**Labeler** - Safeway (009137209)

Revised: 9/2024

Safeway