TAKE ACTION- levonorgestrel tablet Foundation Consumer Healthcare LLC

Take Action®

Drug Facts

Active ingredient

Levonorgestrel 1.5 mg

Purpose

Emergency contraceptive

Use

for women to reduce chance of pregnancy after unprotected sex (if a contraceptive failed or if you did not use birth control)

Warnings

Allergy alert

Do not use if you have ever had an allergic reaction to levonorgestrel

Sexually transmitted diseases (STDs) alert

This product does **not** protect against HIV/AIDS or other STDs

Do not use

- if you are already pregnant (because it will not work)
- for regular birth control

Ask a doctor or pharmacist before use if you are taking efavirenz (HIV medication) or rifampin (tuberculosis treatment) or medication for seizures (epilepsy). These medications may reduce the effectiveness of levonorgestrel.

When using this product you may have

- menstrual changes
- tiredness
- breast pain
- nausea
- headache
- vomiting
- lower stomach (abdominal) pain
- dizziness

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control center right away.

Directions

- take as soon as possible within 72 hours (3 days) after unprotected sex.
 The sooner you take it the better it will work.
- if you vomit within 2 hours after taking the medication, call a healthcare professional to find out if you should repeat the dose

Other information

- read the instructions, warnings and enclosed product leaflet before use
- do not use if carton is open or tear strip is removed or blister seal is broken or missing
- store at 20-25°C (68-77°F)

Inactive ingredients

colloidal silicon dioxide, corn starch, lactose monohydrate, magnesium stearate, potato starch, talc

Questions?

Call **1-888-919-0780**

Manufactured by: Gedeon Richter, Ltd., Budapest, Hungary

PRINCIPAL DISPLAY PANEL - 1.5 mg Tablet Blister Pack Box

NDC 69536-200-88

Emergency Contraceptive

This item is electronically protected

take action[®] LEVONORGESTREL 1.5 mg

Reduces chance of pregnancy after unprotected sex.

NOT FOR REGULAR BIRTH CONTROL

One Tablet.

One Dose.

1 Tablet

Levonorgestrel

1.5 mg ¯

LEVONORGESTREL 1.5 mg

One Tablet. One Dose. **Emergency Contraceptive**



NDC 69536-200-88

Emergency Contraceptive

take action®

LEVONORGESTREL 1.5 mg

Reduces chance of pregnancy after unprotected sex.

NOT FOR REGULAR BIRTH CONTROL

One Tablet. One Dose.

1 Tablet Levonorgestrel 1.5 mg



133339

Rev. 11/2022


One Tablet. One Dose Emergancy Concraceptive

LEVONORGESTREL 1,5 mg

Emergency Drug Facts Contraceptive Active ingredient Purpose Levonorgestrel 1.5 mg.... .Emergency contraceptive Use for women to reduce chance of pregnancy after unprotected sex (if a contraceptive failed or if you did not use birth control) Warnings Allergy alert: Do not use if you have ever had an allergic reaction to levonorgestrel Sexually transmitted diseases (STDs) alert: This product does not protect against HIV/AIDS or other STDs Do not use ■ if you are already pregnant (because it will not work) for regular birth control Ask a doctor or pharmacist before use if you are taking efavirenz (HIV medication) or rifampin (tuberculosis treatment) or medication for seizures (epilepsy). These medications may reduce the effectiveness of levonorgestrel. When using this product you may have ■ menstrual changes ■ tiredness ■ breast pain nausea ■ headache ■ vomiting ■ lower stomach (abdominal) pain ■ dizziness take Keep out of reach of children. In case of overdose, get action® medical help or contact a Poison Control center right away. Directions ■ take as soon as possible within 72 hours (3 days) after LEVONORGESTREL 1.5 mg unprotected sex. The sooner you take it the better it will work. if you vomit within 2 hours after taking the medication, call a healthcare professional to find out if you should repeat the dose The sooner you take it, the more Other information read the instructions, warnings and enclosed product effective it will be leaflet before use do not use if carton is open or tear strip is removed or blister seal is broken or missing Take as soon as ■ store at 20-25°C (68-77°F) possible within 72 Inactive ingredients colloidal silicon dioxide, corn hours (3 days) after starch, lactose monohydrate, magnesium stearate, potato starch, talc unprotected sex T Questions? Call 1-888-919-0780 Will not harm an existing pregnancy 88002 92569

take action® take action®

LEVIANADCECTDEL 1 E ma



TAKE ACTION

levonorgestrel tablet

Product Information	Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69536-200	
Route of Administration	ORAL			

Active Ingredient/Active Moiety Ingredient Name Basis of Strength LEVONORGESTREL (UNII: 5W7SIA7YZW) (LEVONORGESTREL - UNII:5W7SIA7YZW) LEVONORGESTREL 1.5 mg

Inactive Ingredients

Ingredient Name
Strength

SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)

STARCH, POTATO (UNII: 8I089SAH3T)

MAGNESIUM STEARATE (UNII: 70097M6I30)

TALC (UNII: 7SEV7J4R1U)

STARCH, CORN (UNII: 08232NY3SJ)

LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)

Product Characteristics			
Color	WHITE	Score	no score
Shape	ROUND	Size	8mm

Flavor	Imprint Code	G00
Contains		

ı	Packaging				
1	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:69536-200-	1 in 1 BOX, UNIT-DOSE	05/10/2018		
	L	1 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OA authorized eneric	NDA021998	05/10/2018	
	NDA021998	05/10/2018	

Labeler - Foundation Consumer Healthcare LLC (079675882)

Revised: 1/2023 Foundation Consumer Healthcare LLC