

PSEUDOEPHEDRINE HYDROCHLORIDE- pseudoephedrine hydrochloride tablet
Major Pharmaceuticals

1004- Major

Drug Facts

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dose.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4-6 hours
 - do not take more than 4 doses in 24 hours
-

adults & children 12 years & over	2 tablets
children 6 to under 12 years	1 tablets
children under 6 years	do not use

Other information

- Store between 15° - 30°C (59° - 86°F)
- use by expiration date on package

calcium sulfate, carnauba wax, corn starch, croscarmellose sodium, FD&C red #40 lake, FD&C yellow #6 lake, gelatin, kaolin, lactose monohydrate, magnesium stearate, microcrystalline cellulose, shellac, silicon dioxide, stearic acid, sucrose, talc, titanium dioxide.

Questions or comments?

1-800-616-2471

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Distributed by: **MAJOR® PHARMACEUTICALS**

Indianapolis, IN 46268 www.majorpharmaceuticals.com

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed®.

MAJOR®

NDC 0904-6727-60

Non Drowsy **SudoGest™**

Nasal Decongestant

Pseudoephedrine Hydrochloride 30mg

FOR PHARMACY USE ONLY.

NOT FOR RETAIL SALE.

Relieves Nasal and Sinus Congestion due to Colds or Hay Fever without drowsiness

Compare to the active ingredient in Sudafed® Sinus Congestion*

100 Tablets

Drug Facts (continued)

Ask a doctor before use if you have

- heart disease ■ high blood pressure
- thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland

When using this product do not exceed recommended dose.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ take every 4-6 hours ■ do not take more than 4 doses in 24 hours

adults & children 12 years & over	2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

- Store between 15° - 30°C (59° - 86°F)
- use by expiration date on package

Inactive ingredients calcium sulfate, carnauba wax, corn starch, croscarmellose sodium, FD&C red #40 lake, FD&C yellow #6 lake, gelatin, kaolin, lactose monohydrate, magnesium stearate, microcrystalline cellulose, shellac, silicon dioxide, stearic acid, sucrose, talc, titanium dioxide.

Questions or comments?

1-800-616-2471

**NO COPY
ADHESIVE ZONE**

MAJOR®

Non-Drowsy

Sudogest™

NASAL DECONGESTANT

Pseudoephedrine Hydrochloride 30 mg

**FOR PHARMACY USE ONLY.
NOT FOR RETAIL SALE.**

Relieves Nasal and Sinus
Congestion due to Colds or Hay
Fever without drowsiness
Compare to the active
ingredient in
Sudafed® Sinus Congestion*

**100
TABLETS**

NDC 0904-67-27-60

**TAMPER EVIDENT: DO NOT USE IF
IMPRINTED SAFETY SEAL UNDER CAP
IS BROKEN OR MISSING**

Drug Facts

Active ingredient (in each tablet)	Purpose
---------------------------------------	---------

Pseudoephedrine HCl 30 mg...Nasal decongestant

Uses ■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies ■ temporarily relieves sinus congestion and pressure

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ▶

Distributed by: **MAJOR® PHARMACEUTICALS**
Indianapolis, IN 46268 www.majorpharmaceuticals.com

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed®.

Rev. 08/22 M-29 Re-order No. 700918 R51444



3 09046 72760 6

Lot # & Exp. Date:

PEEL
HERE

PSEUDOEPHEDRINE HYDROCHLORIDE

pseudoephedrine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-6727
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
KAOLIN (UNII: 24H4NWX5CO)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SHELLAC (UNII: 46N107B71O)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCROSE (UNII: C151H8M554)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	1004
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6727-60	100 in 1 BOTTLE; Type 0: Not a Combination Product	01/31/2019	12/31/2026

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/31/2019	12/31/2026

Labeler - Major Pharmaceuticals (191427277)

Revised: 8/2025

Major Pharmaceuticals