NATURAL E-AD- alpha tocopherol vitamin a vitamin d3 injection Neogen Corporation - Nandino

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Natural E-AD

NATURAL E-AD

(Vitamin A, D_3 , and E)

Injectable d-alpha-tocopherol with AD

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

Natural vitamin A (carotenes), and tocopherols can be destroyed in feedstuffs through processing, ensiling and storage. Due to these losses, reduced intakes of fat-soluble vitamins can occur in animals maintained in continual confinement compared to animals allowed to graze in lush pasture. Intramuscular or subcutaneous injections offer an efficient and rapid method to increase vitamin A, vitamin D and Vitamin E status of animals.

Indications:

Natural E-AD Injectable d-alpha tocopherol with AD is a clear, sterile water emulsifiablesolutionofvitaminA, vitaminD3, and vitaminE. This product is intended for use as an aid in the prevention and treatment of vitamin E deficiencies in swine, cattle and sheep. This product is intended as a supplemental source of vitamins A, D and E.

Each mL contains:

Active Ingredients: 300 I.U. of vitamin E (as d-alpha-tocopherol, a natural source of vitamin E); 100,000 I.U. Vitamin A Propionate; 10,000 I.U. vitamin D3; **Inactive Ingredients:** 2% benzyl alcohol (preservative) in a water emulsifiable base.

Caution:

Do not exceed recommended dosage. Occasionally, reactions of an anaphylactic or allergic nature may occur. Should such reactions occur, treat immediately with injection of epinephrine or antihistamines. Administration of the product to well nourished animals may cause hypervitaminosis D which may result in hypercalcemia.

Warning:

Do not add water to solution.


KEEP OUT OF REACH OF CHILDREN

Store between 2°-30°C (36°-86°F) in a dark place

Administration and Dosage:

Intramuscular or subcutaneous administration only. May be repeated as needed. If dose is greater than 5 mL, equally divide the dose and inject at two different sites.

SUGGESTED DOSAGE:	mL
Sows and Gilts	
1-2 wks pre-partum 1-2 wks pre-breeding	4-6 4-6
Pigs At birth At weaning	1-2 2-3
CATTLE (Dairy and Beef) Cows and Heifers	
2-3 wks pre-partum At calving End of lactation	8-10 8-10 8-10
Calves At birth At weaning	4-6 4-6
Yearlings	5-6
SHEEP Ewes	
2-3 wks pre-partum At lambing Lambs	4-5 4-5
At birth At weaning	2-3 2-3
Finishing lambs	3-4



NATURAL E-AD

alpha tocopherol vitamin a vitamin d3 injection

Product Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59051-9063
Route of Administration	INTRAMUSCULAR, SUBCUTANEOUS		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
.ALPHATOCOPHEROL, D- (UNII: N9PR3490H9) (.ALPHATOCOPHEROL, D UNII:N9PR3490H9)	.ALPHA TOCOPHEROL, D-	201 mg in 1 mL	
VITAMIN A (UNII: 81G40H8B0T) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	3.6 mg in 1 mL	
VITAMIN D (UNII: 9VU1KI44GP) (CHOLECALCIFEROL - UNII:1C6V77QF41)	VITAMIN D	2.5 mg in 1 mL	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59051-9063-6	250 mL in 1 VIAL		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/10/2010	

Labeler - Neogen Corporation - Nandino (042125879)

Revised: 12/2023 Neogen Corporation - Nandino