

**PYROCAINE BURN- benzocaine, benzethonium chloride aerosol, spray
Honeywell Safety Products USA. Inc**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-0011 & 0498-0010: Pyrocaine Burn Spray

Active Ingredient

Benzocaine 20%

Benzethonium chloride 0.2%

Purpose

Topical anesthetic

Topical antiseptic

Uses

For the temporary relief of pain and itching, and to help protect against skin infection in:

- minor burns
- minor skin irritations
- minor cuts and scrapes
- insect bites
- sunburns

Warnings

For external use only

Flammable

- keep away from fire or flame
- contents under pressure
- do not puncture, incinerate or expose container to temperatures above 120 ° F

Do not use

- in or near the eyes or over large portions of the body
- in case of deep or puncture wounds or on:
 - raw surfaces
 - blistered areas
 - animal bites
 - serious burns

Stop use and ask a doctor if

If condition persists or worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- clean the affected area
- shake can well before using
- hold can 6 to 12 inches away from the affected area and spray liberally
- apply to affected area not more than 3 times daily
- for adult institutional use only
- not intended for use on children

Other information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Inactive ingredients

butane, dipropylene glycol, isobutane, propane

Principal Display Panel

| | | | | | | | |
|--|--------------------|---------------------------|----------------|----------------|--------------------|----------------------------|--------------------|
| Honeywell | | | | | | | |
| PYROCAINE BURN SPRAY FOR SURFACE PAIN AND ITCHING | | | | | | | |
| <p>BENZOCAINE TOPICAL ANESTHETIC BENZETHONIUM CHLORIDE TOPICAL ANTISEPTIC SPRAY</p> | | | | | | | |
| <p>NET WT. 0.5 OZ. (14.2 g) Distributed by: Honeywell Safety Products USA, Inc. Smithfield, RI 02917</p> | | | | | | | |
| <p>Drug Facts</p> <table border="0"> <tr> <td>Active Ingredients</td> <td>Purpose</td> </tr> <tr> <td>Benzocaine 20%</td> <td>Topical anesthetic</td> </tr> <tr> <td>Benzethonium chloride 0.2%</td> <td>Topical antiseptic</td> </tr> </table> | | Active Ingredients | Purpose | Benzocaine 20% | Topical anesthetic | Benzethonium chloride 0.2% | Topical antiseptic |
| Active Ingredients | Purpose | | | | | | |
| Benzocaine 20% | Topical anesthetic | | | | | | |
| Benzethonium chloride 0.2% | Topical antiseptic | | | | | | |
| <p>Uses For the temporary relief of pain and itching, and to help protect against skin irritation in:</p> <ul style="list-style-type: none"> • burns • insect bite reactions • minor cuts and scrapes • insect bites • sunburns | | | | | | | |
| <p>Warnings</p> <p>For external use only</p> <p>Flammable • Avoid open flame fire or flame • contents under pressure</p> <ul style="list-style-type: none"> • Do not puncture, incise or expose container to temperatures above 122° F <p>Do not use • in or near the eyes or over large portions of the body</p> <ul style="list-style-type: none"> • in case of deep or serious wounds or sores • on raw surfaces • irritated areas • cracked lips • sunken sores <p>Stop use and ask a doctor if • condition persists or worsens</p> <ul style="list-style-type: none"> • symptoms persist to see them 7 days or don't get up to clear signs within a few days <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions • Use the affected area • Shake can well before using</p> <ul style="list-style-type: none"> • Hold can 6 to 12 inches away from the affected area and spray liberally • Apply to affected area not more than 3 times daily • Do not use for extended use only • Not intended for use on children <p>Other information • avoid rubbing • use only as directed</p> <ul style="list-style-type: none"> • Irritation caused by deliberately concentrating and rubbing the contents may be harmful to skin <p>Inactive ingredients butane, dipropylene glycol, isobutane, propane</p> | | | | | | | |

47-0339

Pyrocaine Burn Old



PYRO-CAINE

BURN SPRAY

**FOR SURFACE PAIN
AND ITCHING**


**BENZOCAINE
TOPICAL ANESTHETIC**

SPRAY

ANALGESIC

ANTI BACTERIAL

FUNGICIDAL



PYROCAINE BURN

benzocaine, benzethonium chloride aerosol, spray

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0498-0011 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-------------------|
| BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) | BENZOCAINE | 20 g in 100 g |
| BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP) | BENZETHONIUM CHLORIDE | 0.2 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| 1,1,3-TRI(3-TERT-BUTYL-4-HYDROXY-6-METHYLPHENYL)BUTANE (UNII: BF6E900XJN) | |
| ISOBUTANE (UNII: BXR49TP611) | |
| 1,1,3-TRIS(2-CHLOROETHOXY)PROPANE (UNII: 4FEX9N888E) | |
| DIPROPYLENE GLYCOL (UNII: E107L85C40) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0498-0011-77 | 14.2 g in 1 CAN; Type 0: Not a Combination Product | 01/01/2018 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 01/01/2018 | |

PYROCAINE BURN

benzocaine, benzethonium chloride aerosol, spray

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0498-0010 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-------------------|
| BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5) | BENZOCAINE | 20 g in 100 g |
| BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP) | BENZETHONIUM CHLORIDE | 0.2 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| DIPROPYLENE GLYCOL (UNII: E107L85C40) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|--|-----------------------------|---------------------------|
| 1 | NDC:0498-0010-36 | 14.2 g in 1 CAN; Type 0: Not a Combination Product | 03/20/2013 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| unapproved drug other | | 03/20/2013 | |

Labeler - Honeywell Safety Products USA, Inc (118768815)**Establishment**

| Name | Address | ID/FEI | Business Operations |
|-------------------|----------------|---------------|-----------------------------------|
| Dixon Investments | | 115315822 | manufacture(0498-0011, 0498-0010) |

Revised: 1/2024

Honeywell Safety Products USA, Inc